1987 INDIANA MORTALITY REPORT

Division of Public Health Statistics
Indiana State Board of Health
1330 West Michigan Street
Indianapolis IN 46206 - 1964

TABLE OF CONTENTS

Table		Page
	Introduction	1
	STATE DATA	
1	Number of Deaths, Death Rates, and Percent of All Deaths, By Selected Causes, Indiana Residents, 1987	7
2	Median Age At Death, By Selected Causes, Indiana Residents, 1987	10
3	Ten Leading Causes of Death, Indiana Residents, 1987	11
3A	Ten Leading Causes of Death Under One Year of Age, Indiana Residents, 1987	11
3B	Leading* Causes of Death, Ages 1-4, Indiana Residents, 1987	12
3C	Leading* Causes of Death, Ages 5-14, Indiana Residents, 1987	12
3D	Leading* Causes of Death, Ages 15-24, Indiana Residents, 1987	13
3E	Ten Leading Causes of Death, Ages 25-44, Indiana Residents, 1987	13
3F	Ten Leading Causes of Death, Ages 45-54, Indiana Residents, 1987	14
3G	Ten Leading Causes of Death, Ages 55-64, Indiana Residents, 1987	14
3H	Ten Leading Causes of Death, Ages 65-74, Indiana Residents, 1987	15
3I	Ten Leading Causes of Death, Ages 75-84, Indiana Residents, 1987	15
3J	Ten Leading Causes of Death, Ages 85+, Indiana Residents, 1987	16
4	Number of Deaths By Age, By Cause, Race, and Sex, Indiana Residents, 1987	17
4A	Death Rates By Age, By Cause, Race, and Sex, Indiana Residents, 1987	23
5	Indiana Resident Deaths and Rates* By Month, Each Year 1980 Through 1987 and for the 1980 - 1987 Period	29

TABLE OF CONTENTS

Table		Page
6	Number of Deaths By Autopsy Status, By Year, Indiana Residents, 1980-1987	30
6A	Number of Deaths By Autopsy Status, By Race, and Sex, Indiana Residents, 1980 - 1987	30
7	Number of Deaths and Percentage of Deaths* By Certifier, By Year, Indiana Residents, 1980 - 1987	31
7A	Number of Deaths and Percentage of Deaths** By Certifier, By Autopsy Status, Indiana Residents, 1980 - 1987	31
7B	Number of Deaths and Percentage of Deaths*** By Certifier, By Race, and Sex, Indiana Residents, 1980 - 1987	31
8	Number of Deaths and Death Rates By Year, By Age, Indiana, 1980 - 1987	32
9	Accidental Death Rates*, Indiana and the United States, By Selected Years, 1960 - 1987	33
10	Number of Accidental Deaths By Indiana Occurrence*, By Age, By Major Type, Race, and Sex, 1987	34
	COUNTY DATA	
11	Number of Deaths By Selected Causes, By Indiana County of Residence, 1987	37
11A	Death Rates* By Selected Causes, By Indiana County of Residence, 1987	46
	CITY DATA	
12	Number of Deaths By Selected Causes, By Indiana City of Residence, 1987 (Over 5,000 Population in the 1980 Census)	55
12A	Death Rates* by Selected Causes, By Indiana City of Residence, 1987 (Over 5,000 Population in the 1980 Census)	64

TABLE OF CONTENTS

Table		Page
	INFANT, NEONATAL, FETAL, AND MATERNAL DEATHS STATE DATA	
13	Age, Race, and Sex Adjusted* Mortality Rates; Infant, Neonatal, and Maternal Death Rates; and Fetal Death Rates, By Selected Years, Indiana Residents and the United States, 1960 - 1985	73
14	Number of Deaths Under One Year of Age, By Infant Age, By Cause, Indiana Residents, 1987	74
14A	Number of Infant and Neonatal Deaths By Sex, By Cause, for White Population, Indiana Residents, 1987	75
14B	Number of Infant and Neonatal Deaths By Sex, By Cause, for Nonwhite Population, Indiana Residents, 1987	76
15	Maternal Mortality By Cause, and Age, By Year, Indiana Residents, 1980 - 1987	77
	INFANT, NEONATAL, FETAL AND MATERNAL DEATHS COUNTY DATA	
16	Number of Deaths and Death Rates By Infant, Neonatal, Perinatal, Fetal, and Maternal Categories, By Indiana County of Residence, 1987	79
16A	Number of Deaths and Death Rates for White Population By Infant, Neonatal, Perinatal, Fetal, and Maternal Categories, Indiana County of Residence, 1987	81
16B	Number of Deaths and Death Rates By Infant, for Nonwhite Population By Infant, Neonatal, Perinatal, Fetal, and Maternal Categories, By Indiana County of Residence, 1987	83
	INFANT, NEONATAL, FETAL, AND MATERNAL DEATHS CITY DATA	
17	Number of Deaths and Death Rates By Infant, Neonatal, Perinatal, Fetal, and Maternal Categories, By Indiana City of Residence, 1987 (Over 5,000 Population in 1980 Census)	85

TABLE OF CONTENTS

Table		Page
17A	Number of Deaths and Death Rates for White Population By Infant, Neonatal, Perinatal, Fetal, and Maternal Categories, By City of Residence, 1987 (Over 5,000 Population in 1980 Census)	88
17B	Number of Deaths and Death Rates for Nonwhite Population By Infant, Neonatal, Perinatal, Fetal, and Maternal Categories, By Indiana City of Residence, 1987 (Over 5,000 Population in 1980 Census)	91

MAPS

Map		
1	Mortality Rates Per 100,000 Population, Indiana, 1987	95
2	Heart Disease Mortality Rates Per 100,000 Population, Indiana, 1987	96
3	Cancer Mortality Rates Per 100,000 Population, Indiana, 1987	97
4	Cerebrovascular Disease Mortality Rates Per 100,000 Population, Indiana, 1987	98
5	Infant Mortality Rates Per 1,000 Live Births, Indiana, 1987	99
6	Neonatal Mortality Rates Per 1,000 Live Births, Indiana, 1987	100
7	Perinatal Mortality Rates Per 1,000 Live Births, Indiana, 1987	101
8	Fetal Mortality Rates Per 1,000 Live Births, Indiana, 1987	102

FIGURES

Figure		
1	Age Adjusted Mortality Rates, Indiana and the United States, 1960 - 1985	103
2	Maternal Death Rates, Indiana and the United States, 1960 - 1985	104

TABLE OF CONTENTS

Figure		Page
3	Fetal Death Rates, Indiana and the United States, 1960 - 1985	105
4	Infant Death Rates, Indiana and the United States, 1960 - 1985	106
5	Neonatal Death Rates, Indiana and the United States, 1960 - 1985	107
6	Leading Causes of Death, Indiana, 1987	108

APPENDIX 1

Table		
A-1	Estimated Population By Race and Sex, By Age, Indiana, 1987	109
A-2	Estimated Population By Race, By Indiana County of Residence, 1987	110
A-3	Estimated Population of Cities, Indiana, 1987	113

APPENDIX 2

	Data Sources, Limitations, and Definitions	117
B-1	ICD-9 Cause Numbers for Selected Causes of Death	120

1987 INDIANA MORTALITY REPORT

Introduction

1987 INDIANA MORTALITY REPORT

In 1987 there were 48,839 deaths to Indiana residents, a decrease of approximately one percent from the 1986 total of 49,257 deaths. Table 1 gives a breakdown of selected causes of death, death rates, and the percent of all deaths attributed to each cause. Figure 6 shows the leading causes graphically.

Table 2 gives the median age at death for selected causes in Indiana. Hernia and intestinal obstruction had the highest median age at 81.9 years of age, while AIDS had the lowest median age of death at 27.5 years of age.

Leading causes of death for all ages and for selected age groups appear in Tables 3 through 3-J. As has been the case for many years, heart, cancer, and stroke are the leading causes of death, but their major effects are not apparent until after age 45. From age 1 to 45, violent causes account for over half of the deaths recorded.

The number of deaths by age, race, and sex by cause for Indiana residents is found in Table 4. Table 4A gives the rates for those specific areas.

Table 5 gives the resident deaths by month of occurrence for the period 1980-1987. The death rates are adjusted for the length of month. In this time period, January, 1981 recorded the largest number of deaths (4,805), while September, 1983 recorded the lowest number of deaths (3,516). January and February have the highest adjusted rates, while August has the lowest adjusted death rate.

Table 6 gives the number of deaths by autopsy status by year for the period 1980-1987. Table 6A gives the total number of deaths that were autopsied by race and sex for the 8 year period.

The breakdown of death certifier is shown in Table 7, which also provides a yearly total and percent. Table 7A gives the 8 year total by certifier by autopsy status. The number and percent of deaths by certifier by race and sex of the decedent is given in Table 7B.

Deaths and death rates by age at death for the years 1980 through 1987 are found in Table 8. As might be expected, the rates for people over the age of 85 are the highest, while the rates for 5 through 9 year olds are the lowest.

Table 9 shows the accidental deaths and death rates for Indiana and the United States for selected years 1960 through 1987. Motor vehicle accident rates for Indiana are similar to that of the U.S., while Indiana has lower rates than the U.S. for other accidents.

The number of deaths by age, race, and sex for accidental deaths that occurred in Indiana in 1987 is found in Table 10. Motor vehicle accidents accounted for over half of all accidental deaths occurring in Indiana.

COUNTY DATA

Table 11 gives the leading selected causes of death by county of residence in 1987. The following show the counties with the highest and the lowest crude death rates for selected causes:

ALL CAUSES

TOP FIVE	RATE*	LOWEST FIVE	RATE*
Clay	1262.1	Monroe	552.1
Fountain	1244.2	Hamilton	588.2
Fulton	1209.7	Porter	654.8
Sullivan	1206.9	LaGrange	660.9
Clinton	1203.8	Warrick	665.2

*Per 100,000 population
Source: ISBH- Division of Public Health Statistics
July, 1990

HEART DISEASE

TOP FIVE	RATE*	LOWEST FIVE	RATE*
Greene	537.5	Monroe	186.3
Sullivan	532.0	Hamilton	197.3
Jay	516.0	Porter	207.1
Starke	497.7	LaGrange	218.0
Rush	489.1	Hendricks	220.8

*Per 100,000 population
Source: ISBH-Division of Public Health Statistics
July, 1990

CANCER

TOP FIVE	RATE*	LOWEST FIVE	RATE*
Clay	3[illegible].6	Carroll	129.5
Fountain	326.1	Brown	129.8
Orange	308.9	Noble	133.2
Warren	301.2	Monroe	134.2
Ohio	277.8	Tippecanoe	145.8

*Per 100,000 population
Source: ISBH-Division of Public Health Statistics
July, 1990

CEREBROVASCULAR DISEASE

TOP FIVE	RATE*	LOWEST FIVE	RATE*
Clay	197.6	Franklin	20.0
Switzerland	186.7	Steuben	25.5
Benton	142.9	Owen	28.7
Sullivan	137.9	Union	29.0
Huntington	133.7	Warren	36.1

*Per 100,000 population
Source: ISBH-Division of Public Health Statistics
July, 1990

Maps 1 through 4 show these data for all the counties.

CITY DATA

For cities that had over 5,000 population in the 1980 Census, the highest and lowest cities for selected causes are as follows:

ALL CAUSES

TOP FIVE	RATE*	LOWEST FIVE	RATE*
Whiting	2436.1	Lawrence	171.3
Clinton	1974.8	Speedway	266.4
Monticello	1787.8	Schererville	487.3
Rushville	1669.7	Portage	589.5
Brazil	1608.3	Carmel	641.0

*Per 100,000 population
Source: ISBH-Division of Public Health Statistics
July, 1990

HEART DISEASES

TOP FIVE	RATE*	LOWEST FIVE	RATE*
Whiting	1002.0	Lawrence	48.4
Rushville	807.3	Speedway	91.9
Clinton	777.3	New Haven	164.2
Franklin	773.0	Lowell	166.1
Linton	757.6	Portage	175.4

*Per 100,000 population
Source: ISBH-Division of Public Health Statistics
July, 1990

CANCER

TOP FIVE	RATE*	LOWEST FIVE	RATE*
Clinton	525.2	Speedway	41.6
Whiting	471.5	Lawrence	48.4
Brazil	415.0	W. Lafayette	131.3
Washington	396.8	Bloomington	132.0
Portland	396.3	Highland	145.8

*Per 100,000 population
Source: ISBH-Division of Public Health Statistics
July, 1990

CEREBROVASCULAR DISEASE

TOP FIVE	RATE*	LOWEST FIVE	RATE*
Monticello	414.3	Lawrence	11.2
Brazil	259.4	Cedar Lake	22.5
Whiting	255.4	Speedway	25.0
N. Manchester	222.2	Schererville	33.4
North Vernon	211.6	Angola	34.1

*Per 100,000 population
Source: ISBH-Division of Public Health Statistics
July, 1990

INFANT, NEONATAL, PERINATAL, FETAL, AND MATERNAL MORTALITY

Selected information concerning mortality in Indiana and the United States is given in Table 13. Figures 1 through 5 show this data graphically.

The mortality rate, adjusted to the 1980 population, shows a marked decline for both the State and the Nation from 1960 through 1985. The Indiana rate was slightly higher than the U.S. rate for each of the listed years.

From 1960 to 1980, the infant mortality rate was halved in both Indiana and the United States. Since then, the Indiana rate has tended to plateau while the National rate has continued to decline. Over this period, neonatal death rates for the State and Nation have been very comparable.

Table 14 gives infant mortality, under one year of age and by cause and infant age, with separate tables for Total, White, and Nonwhite.

Data on the cause of death for each maternal death among Indiana residents are given in Table 15. Maternal deaths for the 1980 through 1987 period are reported by year, cause of death, and age.

For Infant, Neonatal, Perinatal, and Fetal deaths, the following are the top and bottom counties:

INFANT DEATHS

TOP FIVE	RATE*	LOWEST FIVE	RATE*
Switzerland	34.9	**	
Benton	31.7	**	
LaGrange	17.4	**	
Fayette	16.1	**	
Adams	15.9	**	

*Per 1,000 live births
**Seven counties (Huntington, Martin, Ohio, Parke, Union, Vermillion, and White) had no infant deaths.
Source: ISBH-Division of Public Health Statistics
July, 1990

NEONATAL DEATHS

TOP FIVE	RATE*	LOWEST FIVE	RATE*
Benton	31.7	**	
Switzerland	23.3	**	
Randolph	12.6	**	
Ripley	12.4	**	
Madison	11.4}	**	
Vigo	11.4}	**	

*Per 1,000 live births
**Seventeen counties (Boone, Crawford, Franklin, Fulton, Huntington, Jay, Martin, Newton, Ohio, Parke, Spencer, Sullivan, Tipton, Union, Vermillion, Washington, and White) had no neonatal deaths.
Source: ISBH-Division of Public Health Statistics
July, 1990

PERINATAL DEATH

TOP FIVE	RATE*	LOWEST FIVE	RATE*
Benton	31.7	**	
Blackford	26.9	**	
Clay	23.3}	**	
Switzerland	23.3}	**	
Monroe	21.5	**	

*Per 1,000 live births
**Seven counties (Martin, Ohio, Parke, Tipton, Union, and Vermillion) had no perinatal deaths.
Source: ISBH-Division of Public Health Statistics
July, 1990

FETAL DEATHS

TOP FIVE	RATE*	LOWEST FIVE	RATE*
Newton	19.1	**	
Clay	17.8	**	
Blackford	16.4	**	
Clinton	16.3}	**	
Harrison	16.3}	**	
Jasper	16.3}	**	

*Per 1,000 live births
**Eleven counties (Benton, Dearborn, Martin, Ohio, Parke, Rush, Scott, Switzerland, Tipton, Union, and Vermillion) had no fetal deaths.
Source: ISBH-Division of Public Health Statistics
July, 1990

The rest of the county data can be found in Table 16. Racial breakdowns can be found in Tables 16A and 16B.

City data for infant, neonatal, perinatal, fetal, and maternal mortality, can be found in Table 17. The racial breakdown can be found in Tables 17A and 17B.

Appendix 1 gives population data for the state by age, race, and sex, as well as total population by county and by city.

Appendix 2 gives definitions for the variables in this report. Table B-1 lists the ICD-9 numbers for the causes of death that are included in this report.

1987 INDIANA MORTALITY REPORT

State Data

Table 1

NUMBER OF DEATHS, DEATH RATES, AND PERCENT OF ALL DEATHS, BY SELECTED CAUSES, INDIANA RESIDENTS, 1987

CAUSES	NUMBER	RATE*	% ALL DEATHS
ALL CAUSES	48,839	883.0	100.00
INFECTIOUS & PARASITIC DISEASES	718	13.0	1.47
INTESTINAL INFECTIOUS DISEASES	8	0.1	0.02
TUBERCULOSIS	22	0.4	0.05
SEPTICEMIA	501	9.1	1.03
OTHER BACTERIAL DISEASES	13	0.2	0.03
AIDS	78	1.4	0.16
VIRAL HEPATITIS	20	0.4	0.04
OTHER VIRAL DISEASES	25	0.5	0.05
VENEREAL DISEASES	6	0.1	0.01
OTHER INFECTIOUS AND PARASITIC DISEASES	45	0.8	0.09
NEOPLASMS	11,230	203.0	22.99
MALIGNANT NEOPLASMS	11,084	200.4	22.70
OTHER NEOPLASMS	146	2.6	0.30
ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	1,277	23.1	2.62
DIABETES MELLITUS	971	17.6	1.99
DISORDERS OF THYROID GLAND	22	0.4	0.05
NUTRITIONAL DEFICIENCIES	67	1.2	0.14
OTHER ENDOCRINE AND METABOLIC DISORDERS	217	3.9	0.44
DISEASES OF THE BLOOD & BLOOD FORMING ORGANS	178	3.2	0.36
ANEMIAS	79	1.4	0.16
OTHER DISEASES OF THE BLOOD	99	1.8	0.20
MENTAL DISORDERS	436	7.9	0.89
ALCOHOLISM, ETC.	86	1.6	0.18
DRUG DEPENDENCE	5	0.1	0.01
OTHER MENTAL DISORDERS	345	6.2	0.71
DISEASES OF NERVOUS SYSTEM & SENSE ORGANS	825	14.9	1.69
MENINGITIS	20	0.4	0.04
OTHER INFLAMMATORY DISEASES OF C.N.S.	8	0.1	0.02
ALZHEIMER'S DISEASE	285	5.2	0.58
PARKINSON'S DISEASE	121	2.2	0.25
MULTIPLE SCLEROSIS	41	0.7	0.08
EPILEPSY	50	0.9	0.10
MUSCULAR DYSTROPHY	10	0.2	0.02
OTHER DISEASES OF NERVOUS SYSTEM	290	5.2	0.59

Table 1 (Continued)

NUMBER OF DEATHS, DEATH RATES, AND PERCENT OF ALL DEATHS, BY SELECTED CAUSES, INDIANA RESIDENTS, 1987

CAUSES	NUMBER	RATE*	% ALL DEATHS
DISEASES OF THE CIRCULATORY SYSTEM	23,183	419.2	47.47
DISEASES OF THE HEART	17,871	323.1	36.59
CEREBROVASCULAR DISEASE	3,845	69.5	7.87
OTHER HYPERTENSIVE DISEASES	153	2.8	0.31
DISEASES OF ARTERIES	1,200	21.7	2.46
DISEASES OF VEINS	75	1.4	0.15
OTHER DISEASES OF CIRCULATORY SYSTEM	39	0.7	0.08
DISEASES OF THE RESPIRATORY SYSTEM	3,998	72.3	8.19
ACUTE BRONCHITIS	8	0.1	0.02
PNEUMONIA	1,499	27.1	3.07
INFLUENZA	10	0.2	0.02
PNEUMOCONIOSIS, ETC.	154	2.8	0.32
BRONCHITIS, CHRONIC AND UNSPECIFIED	79	1.4	0.16
EMPHYSEMA	339	6.1	0.69
ASTHMA	83	1.5	0.17
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	1,455	26.3	2.98
OTHER DISEASES OF RESPIRATORY SYSTEM	371	6.7	0.76
DISEASES OF THE DIGESTIVE SYSTEM	1,583	28.6	3.24
ULCER OF STOMACH & DUODENUM	155	2.8	0.32
GASTRITIS, ETC.	232	4.2	0.48
APPENDICITIS	8	0.1	0.02
HERNIA & INTESTINAL OBSTRUCTION	125	2.3	0.26
CHRONIC LIVER DISEASE AND CIRRHOSIS	451	8.2	0.92
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER	63	1.1	0.13
OTHER DIGESTIVE SYSTEM	549	9.9	1.12
DISEASES OF THE GENITOURINARY SYSTEM	948	17.1	1.94
NEPHRITIS & NEPHROSIS	587	10.6	1.20
INFECTIONS OF KIDNEY	49	0.9	0.10
OTHER DISEASES OF URINARY SYSTEM	289	5.2	0.59
DISEASES OF MALE GENITAL ORGANS	18	0.3	0.04
OTHER DISEASES OF GENITOURINARY SYSTEM	5	0.1	0.01
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	4	0.1	0.01
DISEASES OF THE SKIN & SUBCUTANEOUS TISSUE	52	0.9	0.11
DISEASES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE	134	2.4	0.27
CONGENITAL ANOMALIES	268	4.9	0.55
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	351	6.4	0.72

Table 1 (Continued)

NUMBER OF DEATHS, DEATH RATES, AND PERCENT OF ALL DEATHS, BY SELECTED CAUSES, INDIANA RESIDENTS, 1987

CAUSES	NUMBER	RATE*	% ALL DEATHS
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	499	9.0	1.02
SUDDEN INFANT DEATH SYNDROME	120	2.2	0.25
OTHER	379	6.9	0.78
INJURY & POISONING	3,155	57.0	6.46
ACCIDENTS	2,088	37.8	4.28
MOTOR VEHICLE	1,103	19.9	2.26
POISONING	54	1.0	0.11
FALLS	272	4.9	0.56
FIRE & EXPLOSION	118	2.1	0.24
DROWNING	69	1.3	0.14
INHALATION & INGESTION	78	1.4	0.16
FIREARMS	32	0.6	0.07
ELECTRIC CURRENT	40	0.7	0.08
OTHER	322	5.8	0.66
SUICIDE	695	12.6	1.42
HOMICIDE	281	5.1	0.58
ALL OTHER EXTERNAL CAUSES	91	1.7	0.19

* Per 100,000 Population

Source: ISBH-Public Health Statistics

Table 2

MEDIAN AGE AT DEATH, BY SELECTED CAUSES, INDIANA RESIDENTS, 1987

CAUSE	AGE
HERNIA AND INTESTINAL OBSTRUCTION	81.9
PNEUMONIA	81.7
DISEASES OF ARTERIES	81.0
CEREBROVASCULAR DISEASE	80.5
ALZHEIMER'S DISEASE	80.3
ULCER OF STOMACH & DUODENUM	79.7
PARKINSON'S DISEASE	79.0
NEPHRITIS & NEPHROSIS	78.6
SEPTICEMIA	78.1
GASTRITIS, ETC.	77.6
DISEASES OF HEART	77.0
OTHER HYPERTENSIVE DISEASES	77.0
ALL CAUSES	74.3
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	73.7
DIABETES MELLITUS	73.0
EMPHYSEMA	71.8
MALIGNANT NEOPLASMS	69.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	62.2
ACCIDENTS (EX. MOTOR VEHICLE)	59.0
SUICIDE	39.7
HOMICIDE	31.7
MOTOR VEHICLE ACCIDENTS	29.3
AIDS	27.5

Source: ISBH-Public Health Statistics

Table 3

TEN LEADING CAUSES OF DEATH, INDIANA RESIDENTS, 1987

CAUSE	DEATHS	% OF ALL DEATHS
DISEASES OF HEART	17,871	36.59
CANCER	11,084	22.70
CEREBROVASCULAR DISEASE	3,845	7.87
PNEUMONIA	1,499	3.07
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	1,455	2.98
DISEASES OF THE ARTERIES	1,200	2.46
MOTOR VEHICLE ACCIDENTS	1,103	2.26
ACCIDENTS (EX. MOTOR VEHICLE)	985	2.02
DIABETES MELLITUS	971	1.99
SUICIDE	695	1.42
TEN LEADING CAUSES COMBINED	40,708	83.35
ALL CAUSES	48,839	100.00

Source: ISBH-Public Health Statistics

Table 3A

TEN LEADING CAUSES OF DEATH UNDER ONE YEAR OF AGE, INDIANA RESIDENTS, 1987

CAUSE	DEATHS	% OF ALL DEATHS UNDER ONE YEAR OF AGE
CONGENITAL ANOMALIES	168	21.48
SUDDEN INFANT DEATH SYNDROME	120	15.35
OTHER RESPIRATORY CONDITIONS	67	8.57
IMMATURITY	66	8.44
ALL OTHER PERINATAL CONDITIONS	59	7.55
RESPIRATORY DISTRESS SYNDROME	55	7.03
PLACENTA, CORD, MEMBRANES COMPLICATIONS	27	3.45
MATERNAL COMPLICATIONS OF PREGNANCY	26	3.33
DISEASES OF HEART	23	2.94
INFECTIONS SPECIFIC TO PERINATAL PERIOD	20	2.56
TEN LEADING CAUSES COMBINED	631	80.69
ALL DEATHS UNDER ONE YEAR OF AGE	782	100.00

Source: ISBH-Public Health Statistics

Table 3B

LEADING* CAUSES OF DEATH, AGES 1-4, INDIANA RESIDENTS, 1987

CAUSE	DEATHS	% OF ALL DEATHS AGES 1-4
ACCIDENTS (EX. MOTOR VEHICLE)	32	23.19
CONGENITAL ANOMALIES	20	14.49
MOTOR VEHICLE ACCIDENTS	20	14.49
CANCER	14	10.15
OTHER DISEASES OF NERVOUS SYSTEM	10	7.25
LEADING CAUSES COMBINED	96	69.57
ALL DEATHS AGES 1-4	138	100.00

* Causes Accounting for 10 or More Deaths
Source: ISBH-Public Health Statistics

Table 3C

LEADING* CAUSES OF DEATH, AGES 5-14, INDIANA RESIDENTS, 1987

CAUSE	DEATHS	% OF ALL DEATHS AGES 5-14
MOTOR VEHICLE ACCIDENTS	56	25.11
ACCIDENTS (EX. MOTOR VEHICLE)	55	24.66
CANCER	32	14.35
CONGENITAL ANOMALIES	15	6.73
OTHER DISEASES OF NERVOUS SYSTEM	11	4.93
LEADING CAUSES COMBINED	169	75.79
ALL DEATHS AGES 5-14	223	100.00

* Causes Accounting for 10 or More Deaths
Source: ISBH-Public Health Statistics

Table 3D

LEADING* CAUSES OF DEATH, AGES 15-24, INDIANA RESIDENTS, 1987

CAUSE	DEATHS	% OF ALL DEATHS AGES 15-24
MOTOR VEHICLE ACCIDENTS	331	41.69
SUICIDE	113	14.23
ACCIDENTS (EX. MOTOR VEHICLE)	88	11.08
HOMICIDE	68	8.56
CANCER	56	7.05
DISEASES OF HEART	21	2.65
OTHER SYMPTOMS & ILL-DEFINED CONDITIONS	18	2.27
TRAUMA (UNDETERMINED CIRCUMSTANCES)	14	1.76
CONGENITAL ANOMALIES	11	1.39
LEADING CAUSES COMBINED	720	90.68
ALL DEATHS AGES 15-24	794	100.00

* Causes Accounting for 10 or More Deaths

Source: ISBH-Public Health Statistics

Table 3E

TEN LEADING CAUSES OF DEATH, AGES 25-44, INDIANA RESIDENTS, 1987

CAUSE	DEATHS	% OF ALL DEATHS AGES 25-44
CANCER	451	18.90
MOTOR VEHICLE ACCIDENTS	372	15.59
DISEASES OF HEART	330	13.83
SUICIDE	277	11.61
ACCIDENTS (EX. MOTOR VEHICLE)	185	7.75
HOMICIDE	125	5.24
CEREBROVASCULAR DISEASE	66	2.77
OTHER SYMPTOMS & ILL-DEFINED CONDITIONS	57	2.39
AIDS	55	2.31
CHRONIC LIVER DISEASE AND CIRRHOSIS	51	2.14
LEADING CAUSES COMBINED	1,969	82.52
ALL DEATHS AGES 25-44	2,386	100.00

Source: ISBH-Public Health Statistics

Table 3F

TEN LEADING CAUSES OF DEATH, AGES 45-54, INDIANA RESIDENTS, 1987

CAUSE	DEATHS	% OF ALL DEATHS AGES 45-54
CANCER	910	36.10
DISEASES OF HEART	755	29.95
CEREBROVASCULAR DISEASE	107	4.24
MOTOR VEHICLE ACCIDENTS	83	3.29
SUICIDE	75	2.98
ACCIDENTS (EX. MOTOR VEHICLE)	73	2.90
CHRONIC LIVER DISEASE AND CIRRHOSIS	62	2.46
DIABETES MELLITUS	58	2.30
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	42	1.67
HOMICIDE	34	1.35
LEADING CAUSES COMBINED	2,199	87.23
ALL DEATHS AGES 45-54	2,521	100.00

Source: ISBH-Public Health Statistics

Table 3G

TEN LEADING CAUSES OF DEATH, AGES 55-64, INDIANA RESIDENTS, 1987

CAUSE	DEATHS	% OF ALL DEATHS AGES 55-64
CANCER	2,330	36.50
DISEASES OF HEART	2,185	34.23
CEREBROVASCULAR DISEASE	251	3.93
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE	202	3.16
CHRONIC LIVER DISEASE AND CIRRHOSIS	149	2.33
DIABETES MELLITUS	143	2.24
ACCIDENTS (EX. MOTOR VEHICLE)	100	1.57
PNEUMONIA	92	1.44
SUICIDE	81	1.27
DISEASES OF THE ARTERIES	80	1.25
LEADING CAUSES COMBINED	5,613	87.92
ALL DEATHS AGES 55-64	6,384	100.00

Source: ISBH-Public Health Statistics

Table 3H

TEN LEADING CAUSES OF DEATH, AGES 65-74, INDIANA RESIDENTS, 1987

CAUSE	DEATHS	% OF ALL DEATHS AGES 65-74
DISEASES OF HEART	4,202	36.59
CANCER	3,415	29.73
CEREBROVASCULAR DISEASE	754	6.57
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	520	4.53
DIABETES MELLITUS	287	2.50
DISEASES OF THE ARTERIES	255	2.22
PNEUMONIA	236	2.06
EMPHYSEMA	137	1.19
NEPHRITIS & NEPHROSIS	134	1.17
OTHER DIGESTIVE SYSTEM	126	1.10
LEADING CAUSES COMBINED	10,066	87.65
ALL DEATHS AGES 65-74	11,485	100.00

Source: ISBH-Public Health Statistics

Table 3I

TEN LEADING CAUSES OF DEATH, AGES 75-84, INDIANA RESIDENTS, 1987

CAUSE	DEATHS	% OF ALL DEATHS AGES 75-84
DISEASES OF HEART	5,578	40.83
CANCER	2,808	20.56
CEREBROVASCULAR DISEASE	1,331	9.74
PNEUMONIA	491	3.59
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	485	3.55
DISEASES OF THE ARTERIES	361	2.64
DIABETES MELLITUS	281	2.06
NEPHRITIS & NEPHROSIS	205	1.50
ACCIDENTS (EX. MOTOR VEHICLE)	163	1.19
OTHER DIGESTIVE SYSTEM	159	1.16
LEADING CAUSES COMBINED	11,862	86.83
ALL DEATHS AGES 75-84	13,661	100.00

Source: ISBH-Public Health Statistics

Table 3J

TEN LEADING CAUSES OF DEATH, AGES 85+, INDIANA RESIDENTS, 1987

CAUSE	DEATHS	% OF ALL DEATHS AGES 85+
DISEASES OF HEART	4,763	45.53
CEREBROVASCULAR DISEASE	1,329	12.70
CANCER	1,067	10.20
PNEUMONIA	594	5.68
DISEASES OF THE ARTERIES	468	4.47
OTHER MENTAL DISORDERS	203	1.94
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	197	1.88
NEPHRITIS & NEPHROSIS	170	1.63
ACCIDENTS (EX. MOTOR VEHICLE)	165	1.58
DIABETES MELLITUS	156	1.49
LEADING CAUSES COMBINED	9,112	87.10
ALL DEATHS AGES 85+	10,462	100.00

Source: ISBH-Public Health Statistics

Table 4

NUMBER OF DEATHS BY AGE, BY CAUSE,
RACE, AND SEX, INDIANA RESIDENTS, 1987

CAUSE		TOTAL	AGES UNDER 1	AGES 1-4	AGES 5-14	AGES 15-24	AGES 25-44	AGES 45-54	AGES 55-64	AGES 65-74	AGES 75-84	AGES 85 +
TOTAL ALL CAUSES	TOTALS	48,839	782	138	223	794	2,386	2,521	6,384	11,485	13,661	10,465
OF DEATH	WM	23,159	370	53	133	511	1,362	1,368	3,575	6,289	6,293	3,205
	WF	22,028	241	60	62	194	655	850	2,185	4,354	6,600	6,827
	NWM	2,027	104	12	22	66	251	170	385	478	381	158
	NWF	1,625	67	13	6	23	118	133	239	364	387	275
DISEASES OF HEART	TOTALS	17,871	23	7	7	21	330	755	2,185	4,202	5,578	4,763
	WM	8,443	13	2	2	12	209	511	1,376	2,418	2,536	1,364
	WF	8,306	5	3	3	5	64	159	600	1,499	2,751	3,217
	NWM	595	5	1	2	0	42	52	140	166	128	59
	NWF	527	0	1	0	4	15	33	69	119	163	123
Rheumatic Fever -	TOTALS	139	1	0	0	0	9	12	19	35	46	17
Chronic Rheumatic	WM	43	0	0	0	0	4	3	8	9	16	3
	WF	91	1	0	0	0	4	7	9	26	30	14
	NWM	1	0	0	0	0	1	0	0	0	0	0
	NWF	4	0	0	0	0	0	2	2	0	0	0
Hypertensive Heart	TOTALS	335	0	0	0	0	6	8	36	93	98	94
Disease	WM	100	0	0	0	0	3	3	18	31	34	11
	WF	177	0	0	0	0	0	0	5	45	51	76
	NWM	27	0	0	0	0	3	4	6	9	2	3
	NWF	31	0	0	0	0	0	1	7	8	11	4
Hypertensive Heart	TOTALS	90	0	0	0	0	0	0	6	8	22	54
and Renal	WM	22	0	0	0	0	0	0	2	3	6	11
	WF	62	0	0	0	0	0	0	2	4	14	42
	NWM	4	0	0	0	0	0	0	2	1	1	0
	NWF	2	0	0	0	0	0	0	0	0	1	1
Acute Myocardial	TOTALS	6,110	0	1	1	2	135	317	963	1,708	1,942	1,041
Infarction	WM	3,290	0	0	1	2	100	235	641	1,049	920	342
	WF	2,532	0	0	0	0	18	61	260	574	951	668
	NWM	171	0	0	0	0	14	15	41	55	35	11
	NWF	117	0	1	0	0	3	6	21	30	36	20
Other Ischemic	TOTALS	6,544	0	0	1	4	65	235	682	1,376	2,023	2,158
Heart Disease	WM	3,033	0	0	0	3	40	169	439	816	949	617
	WF	3,094	0	0	1	1	12	41	160	452	959	1,468
	NWM	221	0	0	0	0	11	20	60	58	47	25
	NWF	196	0	0	0	0	2	5	23	50	68	48
Pulmonary Circulation	TOTALS	225	0	0	0	3	11	20	34	72	63	22
Disease	WM	89	0	0	0	0	6	10	14	29	24	6
	WF	110	0	0	0	1	4	3	13	38	37	14
	NWM	12	0	0	0	0	0	2	4	4	1	1
	NWF	14	0	0	0	2	1	5	3	1	1	1

Table 4 (Continued)

NUMBER OF DEATHS BY AGE, BY CAUSE,
RACE, AND SEX, INDIANA RESIDENTS, 1987

CAUSE		TOTAL	AGES UNDER 1	AGES 1-4	AGES 5-14	AGES 15-24	AGES 25-44	AGES 45-54	AGES 55-64	AGES 65-74	AGES 75-84	AGES 85 +
Other Heart Diseases	TOTALS	4,428	22	6	5	12	104	163	445	910	1,384	1,377
	WM	1,866	13	2	1	7	56	91	254	481	587	374
	WF	2,240	4	3	2	3	26	47	151	360	709	935
	NWM	159	5	1	2	0	13	11	27	39	42	19
	NWF	163	0	0	0	2	9	14	13	30	46	49
CANCER	TOTALS	11,084	1	14	32	56	451	910	2,330	3,415	2,808	1,067
	WM	5,441	0	3	18	32	194	407	1,175	1,832	1,388	392
	WF	4,762	1	10	12	20	215	412	937	1,322	1,222	611
	NWM	501	0	1	0	1	23	44	119	163	114	36
	NWF	380	0	0	2	3	19	47	99	98	84	28
Buccal Cavity & Pharynx	TOTALS	160	0	0	0	0	6	20	46	50	27	11
	WM	93	0	0	0	0	4	10	31	34	12	2
	WF	48	0	0	0	0	1	6	8	14	11	8
	NWM	13	0	0	0	0	1	3	4	1	4	0
	NWF	6	0	0	0	0	0	1	3	1	0	1
Digestive Organs & Peritoneum	TOTALS	2,575	0	0	0	7	50	171	473	806	741	327
	WM	1,280	0	0	0	2	22	97	273	430	348	108
	WF	1,074	0	0	0	3	21	57	149	308	337	199
	NWM	127	0	0	0	0	5	11	31	38	32	10
	NWF	94	0	0	0	2	2	6	20	30	24	10
Respiratory System	TOTALS	3,219	0	0	0	1	81	294	877	1,170	670	126
	WM	2,009	0	0	0	0	42	168	539	764	424	72
	WF	945	0	0	0	1	29	98	248	325	199	45
	NWM	182	0	0	0	0	8	19	61	59	29	6
	NWF	83	0	0	0	0	2	9	29	22	18	3
Breast	TOTALS	960	0	0	0	0	78	111	232	241	216	82
	WM	7	0	0	0	0	1	0	2	1	2	1
	WF	880	0	0	0	0	65	98	210	229	202	76
	NWM	1	0	0	0	0	1	0	0	0	0	0
	NWF	72	0	0	0	0	11	13	20	11	12	5
Female Reproductive Organs	TOTALS	548	0	0	0	0	32	66	112	149	134	55
	WM	0	0	0	0	0	0	0	0	0	0	0
	WF	504	0	0	0	0	31	57	101	136	127	52
	NWM	0	0	0	0	0	0	0	0	0	0	0
	NWF	44	0	0	0	0	1	9	11	13	7	3
Kidney	TOTALS	256	0	0	0	2	7	26	57	79	62	23
	WM	135	0	0	0	1	5	13	31	50	30	5
	WF	105	0	0	0	0	2	11	20	24	31	17
	NWM	11	0	0	0	1	0	1	3	4	1	1
	NWF	5	0	0	0	0	0	1	3	1	0	0

Table 4 (Continued)

NUMBER OF DEATHS BY AGE, BY CAUSE,
RACE, AND SEX, INDIANA RESIDENTS, 1987

CAUSE		TOTAL	AGES UNDER 1	AGES 1-4	AGES 5-14	AGES 15-24	AGES 25-44	AGES 45-54	AGES 55-64	AGES 65-74	AGES 75-84	AGES 85 +
Other Genitourinary Organs	TOTALS	897	0	0	0	0	11	11	64	287	349	175
	WM	721	0	0	0	0	9	7	47	239	293	126
	WF	79	0	0	0	0	2	3	6	15	18	35
	NWM	93	0	0	0	0	0	1	10	32	36	14
	NWF	4	0	0	0	0	0	0	1	1	2	0
Lymphatic-Hematopoietic Tissue	TOTALS	1,055	0	4	20	28	69	80	167	271	295	121
	WM	523	0	2	11	21	40	47	96	133	136	37
	WF	468	0	2	9	7	20	29	64	119	139	79
	NWM	35	0	0	0	0	7	1	4	11	10	2
	NWF	29	0	0	0	0	2	3	3	8	10	3
Other Unspecified	TOTALS	1,414	1	10	12	18	117	131	302	362	314	147
	WM	673	0	1	7	8	71	65	156	181	143	41
	WF	659	1	8	3	9	44	53	131	152	158	100
	NWM	39	0	1	0	0	1	8	6	18	2	3
	NWF	43	0	0	2	1	1	5	9	11	11	3
CEREBROVASCULAR DISEASE	TOTALS	3,845	3	0	0	4	66	107	251	754	1,331	1,329
	WM	1,349	2	0	0	0	25	42	124	336	481	339
	WF	2,217	1	0	0	4	26	45	86	342	769	944
	NWM	127	0	0	0	0	7	11	23	36	37	13
	NWF	152	0	0	0	0	8	9	18	40	44	33
ACCIDENTS	TOTALS	2,088	18	52	111	419	557	156	179	184	228	184
	WM	1,297	7	23	76	303	390	102	118	102	105	71
	WF	641	5	18	22	101	119	44	41	74	110	107
	NWM	102	5	7	11	13	37	9	12	3	3	2
	NWF	48	1	4	2	2	11	1	8	5	10	4
Motor Vehicle	TOTALS	1,103	1	20	56	331	372	83	79	78	65	18
	WM	728	0	11	38	230	255	49	54	47	35	9
	WF	316	1	8	13	92	88	30	16	30	30	8
	NWM	44	0	1	5	8	22	4	3	1	0	0
	NWF	15	0	0	0	1	7	0	6	0	0	1
Poisoning	TOTALS	54	0	0	0	5	27	7	6	3	4	2
	WM	37	0	0	0	4	18	5	5	1	2	2
	WF	11	0	0	0	1	4	1	1	2	2	0
	NWM	5	0	0	0	0	5	0	0	0	0	0
	NWF	1	0	0	0	0	0	1	0	0	0	0
Falls	TOTALS	272	0	1	2	6	17	10	14	37	71	114
	WM	121	0	1	2	4	12	8	11	19	26	38
	WF	141	0	0	0	2	1	1	2	16	44	75
	NWM	5	0	0	0	0	2	1	1	1	0	0
	NWF	5	0	0	0	0	2	0	0	1	1	1

Table 4 (Continued)

NUMBER OF DEATHS BY AGE, BY CAUSE,
RACE, AND SEX, INDIANA RESIDENTS, 1987

CAUSE		TOTAL	AGES UNDER 1	AGES 1-4	AGES 5-14	AGES 15-24	AGES 25-44	AGES 45-54	AGES 55-64	AGES 65-74	AGES 75-84	AGES 85 +
Fire & Explosion	TOTALS	118	2	19	12	13	18	7	10	15	12	10
	WM	61	0	5	7	12	14	2	4	7	5	5
	WF	30	1	5	3	1	3	3	4	6	3	1
	NWM	16	0	6	2	0	1	2	1	1	1	2
	NWF	11	1	3	0	0	0	0	1	1	3	2
Drowning	TOTALS	69	3	8	18	14	16	2	6	1	0	1
	WM	47	1	4	11	11	15	1	3	1	0	0
	WF	11	1	3	3	1	0	1	1	0	0	1
	NWM	9	1	0	3	2	1	0	2	0	0	0
	NWF	2	0	1	1	0	0	0	0	0	0	0
Inhalation & Ingestion	TOTALS	78	2	1	1	3	8	2	14	11	19	17
	WM	38	2	0	1	3	5	2	8	3	7	7
	WF	35	0	1	0	0	3	0	6	7	8	10
	NWM	1	0	0	0	0	0	0	0	0	1	0
	NWF	4	0	0	0	0	0	0	0	1	3	0
All Other	TOTALS	394	10	3	22	47	99	45	50	39	57	22
	WM	265	4	2	17	39	71	35	33	24	30	10
	WF	97	2	1	3	4	20	8	11	13	23	12
	NWM	22	4	0	1	3	6	2	5	0	1	0
	NWF	10	0	0	1	1	2	0	1	2	3	0
PNEUMONIA	TOTALS	1,499	14	3	1	3	33	32	92	236	491	594
	WM	687	6	0	0	1	20	17	46	144	243	210
	WF	729	5	2	0	1	9	7	39	74	233	359
	NWM	45	1	1	1	1	3	4	4	10	11	9
	NWF	38	2	0	0	0	1	4	3	8	4	16
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE	TOTALS	1,455	0	0	0	1	8	42	202	520	485	197
	WM	866	0	0	0	1	4	19	113	299	308	122
	WF	528	0	0	0	0	2	22	79	199	158	68
	NWM	45	0	0	0	0	0	1	8	16	15	5
	NWF	16	0	0	0	0	2	0	2	6	4	2
DISEASES OF ARTERIES	TOTALS	1,200	0	1	0	2	9	24	80	255	361	468
	WM	568	0	0	0	1	7	13	55	153	193	146
	WF	577	0	1	0	0	2	9	19	80	157	309
	NWM	30	0	0	0	1	0	2	4	13	6	4
	NWF	25	0	0	0	0	0	0	2	9	5	9
DIABETES MELLITUS	TOTALS	971	0	0	4	4	38	58	143	287	281	156
	WM	370	0	0	0	1	26	24	66	122	95	36
	WF	498	0	0	3	2	8	18	60	134	162	111
	NWM	44	0	0	0	1	3	8	11	10	11	0
	NWF	59	0	0	1	0	1	8	6	21	13	9

Table 4 (Continued)

NUMBER OF DEATHS BY AGE, BY CAUSE,
RACE, AND SEX, INDIANA RESIDENTS, 1987

CAUSE		TOTAL	AGES UNDER 1	AGES 1-4	AGES 5-14	AGES 15-24	AGES 25-44	AGES 45-54	AGES 55-64	AGES 65-74	AGES 75-84	AGES 85 +
SUICIDE	TOTALS	695	0	0	6	113	277	75	81	71	60	12
	WM	528	0	0	6	85	203	53	57	62	53	9
	WF	125	0	0	0	17	50	19	22	7	7	3
	NWM	37	0	0	0	11	20	2	2	2	0	0
	NWF	5	0	0	0	0	4	1	0	0	0	0
NEPHRITIS & NEPHROSIS	TOTALS	587	4	0	0	0	13	8	53	134	205	170
	WM	257	3	0	0	0	7	2	23	66	105	51
	WF	282	1	0	0	0	5	3	22	57	84	110
	NWM	27	0	0	0	0	1	0	7	6	9	4
	NWF	21	0	0	0	0	0	3	1	5	7	5
SEPTICEMIA	TOTALS	501	11	0	0	5	18	14	52	96	156	149
	WM	211	6	0	0	4	7	7	22	53	71	41
	WF	235	2	0	0	1	3	4	24	36	70	95
	NWM	30	2	0	0	0	7	2	5	5	5	4
	NWF	25	1	0	0	0	1	1	1	2	10	9
CHRONIC LIVER DISEASE AND CIRRHOSIS	TOTALS	451	0	0	0	1	51	62	149	117	61	10
	WM	258	0	0	0	1	24	36	89	76	28	4
	WF	139	0	0	0	0	5	17	48	35	30	4
	NWM	36	0	0	0	0	18	6	8	1	2	1
	NWF	18	0	0	0	0	4	3	4	5	1	1
EMPHYSEMA	TOTALS	339	0	0	0	0	1	9	65	137	104	23
	WM	216	0	0	0	0	0	0	42	85	73	16
	WF	101	0	0	0	0	0	5	18	45	27	6
	NWM	16	0	0	0	0	0	4	3	5	3	1
	NWF	6	0	0	0	0	1	0	2	2	1	0
ALZHEIMER'S DISEASE	TOTALS	285	0	0	0	0	0	2	4	53	142	84
	WM	108	0	0	0	0	0	1	1	31	49	26
	WF	173	0	0	0	0	0	1	3	22	89	58
	NWM	2	0	0	0	0	0	0	0	0	2	0
	NWF	2	0	0	0	0	0	0	0	0	2	0
HOMICIDE	TOTALS	281	3	2	7	68	125	34	15	17	6	4
	WM	96	2	1	2	22	36	19	6	7	1	0
	WF	70	1	1	3	16	30	2	5	5	4	3
	NWM	81	0	0	1	25	42	8	3	2	0	0
	NWF	34	0	0	1	5	17	5	1	3	1	1
CONGENITAL ANOMALIES	TOTALS	268	168	20	15	11	18	10	9	11	6	0
	WM	128	83	7	9	5	8	6	5	3	2	0
	WF	112	66	10	4	6	8	2	4	8	4	0
	NWM	14	8	2	2	0	1	1	0	0	0	0
	NWF	14	11	1	0	0	1	1	0	0	0	0

Table 4 (Continued)

NUMBER OF DEATHS BY AGE, BY CAUSE,
RACE, AND SEX, INDIANA RESIDENTS, 1987

CAUSE		TOTAL	AGES UNDER 1	AGES 1-4	AGES 5-14	AGES 15-24	AGES 25-44	AGES 45-54	AGES 55-64	AGES 65-74	AGES 75-84	AGES 85 +
GASTRITIS, ETC.	TOTALS	232	2	1	1	0	5	6	22	53	85	57
	WM	78	1	1	0	0	4	3	8	21	26	14
	WF	138	1	0	1	0	1	2	11	30	53	39
	NWM	5	0	0	0	0	0	1	1	2	1	0
	NWF	11	0	0	0	0	0	0	2	0	5	4
ULCER OF STOMACH & DUODENUM	TOTALS	155	0	0	0	1	5	5	12	30	57	45
	WM	74	0	0	0	1	3	2	9	16	25	18
	WF	74	0	0	0	0	2	3	3	11	29	26
	NWM	2	0	0	0	0	0	0	0	1	1	0
	NWF	5	0	0	0	0	0	0	0	2	2	1
OTHER HYPERTENSIVE DISEASES	TOTALS	153	0	0	0	0	4	3	15	39	56	36
	WM	68	0	0	0	0	1	1	6	23	27	10
	WF	73	0	0	0	0	2	1	7	13	26	24
	NWM	5	0	0	0	0	0	0	2	1	2	0
	NWF	7	0	0	0	0	1	1	0	2	1	2
HERNIA & INTESTINAL OBSTRUCTION	TOTALS	125	1	0	0	2	2	1	8	18	42	51
	WM	41	0	0	0	1	0	0	1	10	17	12
	WF	75	0	0	0	0	1	1	7	6	23	37
	NWM	5	1	0	0	1	0	0	0	1	1	1
	NWF	4	0	0	0	0	1	0	0	1	1	1
PARKINSON'S DISEASE	TOTALS	121*	0	0	0	0	0	0	2	24	62	33
	WM	78	0	0	0	0	0	0	0	15	42	21
	WF	40	0	0	0	0	0	0	2	9	17	12
	NWM	3	0	0	0	0	0	0	0	0	3	0
	NWF	0	0	0	0	0	0	0	0	0	0	0

* Per 100,000 Population
Source: ISBH-Public Health Statistics

Table 4A

DEATH RATES* BY AGE, BY CAUSE,
RACE, AND SEX, INDIANA RESIDENTS, 1987

CAUSE		TOTAL	AGES UNDER 1	AGES 1-4	AGES 5-14	AGES 15-24	AGES 25-44	AGES 45-54	AGES 55-64	AGES 65-74	AGES 75-84	AGES 85 +
TOTAL ALL CAUSES OF DEATH	TOTALS	883.0	995.0	42.2	27.2	83.4	142.4	466.8	1291.9	3092.7	6728.9	14718.7
	WM	949.4	1052.6	36.2	35.9	117.3	181.1	561.1	1651.6	4127.7	9022.2	18409.0
	WF	853.3	712.2	42.6	17.7	46.1	85.5	352.5	895.7	2209.8	5400.5	13607.7
	NWM	832.8	2126.8	58.9	44.8	141.1	339.9	925.4	2537.9	4994.8	9007.1	14234.2
	NWF	608.6	1422.5	66.4	12.5	47.7	140.2	598.3	1286.3	2935.5	5666.2	11410.8
DISEASES OF HEART	TOTALS	323.1	29.3	2.1	0.9	2.2	19.7	139.8	442.2	1131.5	2747.5	6699.0
	WM	346.1	37.0	1.4	0.5	2.8	27.8	209.6	635.7	1587.0	3635.8	7834.6
	WF	321.7	14.8	2.1	0.9	1.2	8.4	62.2	246.0	760.8	2251.0	6412.2
	NWM	244.4	102.3	4.9	4.1	0.0	56.9	283.1	922.9	1734.6	3026.0	5315.3
	NWF	197.4	0.0	5.1	0.0	8.3	17.8	148.5	371.4	959.7	2386.5	5103.7
Rheumatic Fever - Chronic Rheumatic	TOTALS	2.5	1.3	0.0	0.0	0.0	0.5	2.2	3.8	9.4	22.7	23.9
	WM	1.8	0.0	0.0	0.0	0.0	0.5	1.2	3.7	5.9	22.9	17.2
	WF	3.5	3.0	0.0	0.0	0.0	0.5	2.7	3.7	13.2	24.6	27.9
	NWM	0.4	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0
	NWF	1.5	0.0	0.0	0.0	0.0	0.0	9.0	10.8	0.0	0.0	0.0
Hypertensive Heart Disease	TOTALS	6.1	0.0	0.0	0.0	0.0	0.4	1.5	7.3	25.0	48.3	132.2
	WM	4.1	0.0	0.0	0.0	0.0	0.4	1.2	8.3	20.4	48.8	63.2
	WF	6.9	0.0	0.0	0.0	0.0	0.0	0.0	2.1	22.8	41.7	151.5
	NWM	11.1	0.0	0.0	0.0	0.0	4.1	21.8	39.6	94.0	47.3	270.3
	NWF	11.6	0.0	0.0	0.0	0.0	0.0	4.5	37.7	64.5	161.1	166.0
Hypertensive Heart and Renal	TOTALS	1.6	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.2	10.8	76.0
	WM	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.0	8.6	63.2
	WF	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.0	11.5	83.7
	NWM	1.6	0.0	0.0	0.0	0.0	0.0	0.0	13.2	10.5	23.6	0.0
	NWF	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.6	41.5
Acute Myocardial Infarction	TOTALS	110.5	0.0	0.3	0.1	0.2	8.1	58.7	194.9	459.9	956.6	1464.1
	WM	134.9	0.0	0.0	0.3	0.5	13.3	96.4	296.1	688.5	1319.0	1964.4
	WF	98.1	0.0	0.0	0.0	0.0	2.4	23.9	106.6	291.3	778.2	1331.5
	NWM	70.3	0.0	0.0	0.0	0.0	19.0	81.7	270.3	574.7	827.4	991.0
	NWF	43.8	0.0	5.1	0.0	0.0	3.6	27.0	113.0	241.9	527.1	829.9
Other Ischemic Heart Disease	TOTALS	118.3	0.0	0.0	0.1	0.4	3.9	43.5	138.0	370.5	996.5	3035.2
	WM	124.3	0.0	0.0	0.0	0.7	5.3	69.3	202.8	535.6	1360.6	3543.9
	WF	119.9	0.0	0.0	0.3	0.2	1.6	16.0	65.6	229.4	784.7	2926.1
	NWM	90.8	0.0	0.0	0.0	0.0	14.9	108.9	395.5	606.1	1111.1	2252.3
	NWF	73.4	0.0	0.0	0.0	0.0	2.4	22.5	123.8	403.2	995.6	1991.7
Pulmonary Circulation Disease	TOTALS	4.1	0.0	0.0	0.0	0.3	0.7	3.7	6.9	19.4	31.0	30.9
	WM	3.7	0.0	0.0	0.0	0.0	0.8	4.1	6.5	19.0	34.4	34.5
	WF	4.3	0.0	0.0	0.0	0.2	0.5	1.2	5.3	19.3	30.3	27.9
	NWM	4.9	0.0	0.0	0.0	0.0	0.0	10.9	26.4	41.8	23.6	90.1
	NWF	5.2	0.0	0.0	0.0	4.2	1.2	22.5	16.2	8.1	14.6	41.5

Table 4A (Continued)

DEATH RATES* BY AGE, BY CAUSE,
RACE, AND SEX, INDIANA RESIDENTS, 1987

CAUSE		TOTAL	AGES UNDER 1	AGES 1-4	AGES 5-14	AGES 15-24	AGES 25-44	AGES 45-54	AGES 55-64	AGES 65-74	AGES 75-84	AGES 85 +
Other Heart Diseases	TOTALS	80.1	28.0	1.8	0.6	1.3	6.2	30.2	90.1	245.1	681.7	1936.7
	WM	76.5	37.0	1.4	0.3	1.6	7.5	37.3	117.3	315.7	841.6	2148.2
	WF	86.8	11.8	2.1	0.6	0.7	3.4	18.4	61.9	182.7	580.2	1863.7
	NWM	65.3	102.3	4.9	4.1	0.0	17.6	59.9	178.0	407.5	992.9	1711.7
	NWF	61.1	0.0	0.0	0.0	4.2	10.7	63.0	70.0	241.9	673.5	2033.2
CANCER	TOTALS	200.4	1.3	4.3	3.9	5.9	26.9	168.5	471.5	919.6	1383.1	1500.7
	WM	223.1	0.0	2.1	4.9	7.3	25.8	166.9	542.8	1202.4	1990.0	2251.6
	WF	184.5	3.0	7.1	3.4	4.8	28.1	161.2	384.1	671.0	999.9	1217.9
	NWM	205.8	0.0	4.9	0.0	2.1	31.2	239.5	784.4	1703.2	2695.0	3243.2
	NWF	142.3	0.0	0.0	4.2	6.2	22.6	211.4	532.8	790.3	1229.9	1161.8
Buccal Cavity & Pharynx	TOTALS	2.9	0.0	0.0	0.0	0.0	0.4	3.7	9.3	13.5	13.3	15.5
	WM	3.8	0.0	0.0	0.0	0.0	0.5	4.1	14.3	22.3	17.2	11.5
	WF	1.9	0.0	0.0	0.0	0.0	0.1	2.4	3.3	7.1	9.0	16.0
	NWM	5.3	0.0	0.0	0.0	0.0	1.4	16.3	26.4	10.5	94.6	0.0
	NWF	2.3	0.0	0.0	0.0	0.0	0.0	4.5	16.2	8.1	0.0	41.5
Digestive Organs & Peritoneum	TOTALS	46.6	0.0	0.0	0.0	0.7	3.0	31.7	95.7	217.0	365.0	459.9
	WM	52.5	0.0	0.0	0.0	0.5	2.9	39.8	126.1	282.2	498.9	620.3
	WF	41.6	0.0	0.0	0.0	0.7	2.7	22.3	61.1	156.3	275.8	396.7
	NWM	52.2	0.0	0.0	0.0	0.0	6.8	59.9	204.4	397.1	756.5	900.9
	NWF	35.2	0.0	0.0	0.0	4.2	2.4	27.0	107.6	241.9	351.4	414.9
Respiratory System	TOTALS	58.2	0.0	0.0	0.0	0.1	4.8	54.4	177.5	315.1	330.0	177.2
	WM	82.4	0.0	0.0	0.0	0.0	5.6	68.9	249.0	501.4	607.9	413.6
	WF	36.6	0.0	0.0	0.0	0.2	3.8	38.3	101.7	165.0	162.8	89.7
	NWM	74.8	0.0	0.0	0.0	0.0	10.8	103.4	402.1	616.5	685.6	540.5
	NWF	31.1	0.0	0.0	0.0	0.0	2.4	40.5	156.1	177.4	263.5	124.5
Breast	TOTALS	17.4	0.0	0.0	0.0	0.0	4.7	20.6	47.0	64.9	106.4	115.3
	WM	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.9	0.7	2.9	5.7
	WF	34.1	0.0	0.0	0.0	0.0	8.5	38.3	86.1	116.2	165.3	151.5
	NWM	0.4	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0
	NWF	27.0	0.0	0.0	0.0	0.0	13.1	58.5	107.6	88.7	175.7	207.5
Female Reproductive Organs	TOTALS	9.9	0.0	0.0	0.0	0.0	1.9	12.2	22.7	40.1	66.0	77.4
	WM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	WF	19.5	0.0	0.0	0.0	0.0	4.1	22.3	41.4	69.0	103.9	103.7
	NWM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NWF	16.5	0.0	0.0	0.0	0.0	1.2	40.5	59.2	104.8	102.5	124.5
Kidney	TOTALS	4.6	0.0	0.0	0.0	0.2	0.4	4.8	11.5	21.3	30.5	32.4
	WM	5.5	0.0	0.0	0.0	0.2	0.7	5.3	14.3	32.8	43.0	28.7
	WF	4.1	0.0	0.0	0.0	0.0	0.3	4.3	8.2	12.2	25.4	33.9
	NWM	4.5	0.0	0.0	0.0	2.1	0.0	5.4	19.8	41.8	23.6	90.1
	NWF	1.9	0.0	0.0	0.0	0.0	0.0	4.5	16.2	8.1	0.0	0.0

Table 4A (Continued)

DEATH RATES* BY AGE, BY CAUSE,
RACE, AND SEX, INDIANA RESIDENTS, 1987

CAUSE		TOTAL	AGES UNDER 1	AGES 1-4	AGES 5-14	AGES 15-24	AGES 25-44	AGES 45-54	AGES 55-64	AGES 65-74	AGES 75-84	AGES 85 +
Other Genitourinary Organs	TOTALS	16.2	0.0	0.0	0.0	0.0	0.7	2.0	13.0	77.3	171.9	246.1
	WM	29.6	0.0	0.0	0.0	0.0	1.2	2.9	21.7	156.9	420.1	723.7
	WF	3.1	0.0	0.0	0.0	0.0	0.3	1.2	2.5	7.6	14.7	69.8
	NWM	38.2	0.0	0.0	0.0	0.0	0.0	5.4	65.9	334.4	851.1	1261.3
	NWF	1.5	0.0	0.0	0.0	0.0	0.0	0.0	5.4	8.1	29.3	0.0
Lymphatic-Hematopoietic Tissue	TOTALS	19.1	0.0	1.2	2.4	2.9	4.1	14.8	33.8	73.0	145.3	170.2
	WM	21.4	0.0	1.4	3.0	4.8	5.3	19.3	44.4	87.3	195.0	212.5
	WF	18.1	0.0	1.4	2.6	1.7	2.6	11.3	26.2	60.4	113.7	157.5
	NWM	14.4	0.0	0.0	0.0	0.0	9.5	5.4	26.4	114.9	236.4	180.2
	NWF	10.9	0.0	0.0	0.0	0.0	2.4	13.5	16.2	64.5	146.4	124.5
Other Unspecified	TOTALS	25.6	1.3	3.1	1.5	1.9	7.0	24.3	61.1	97.5	154.7	206.8
	WM	27.6	0.0	0.7	1.9	1.8	9.4	26.7	72.1	118.8	205.0	235.5
	WF	25.5	3.0	5.7	0.9	2.1	5.7	20.7	53.7	77.2	129.3	199.3
	NWM	16.0	0.0	4.9	0.0	0.0	1.4	43.6	39.6	188.1	47.3	270.3
	NWF	16.1	0.0	0.0	4.2	2.1	1.2	22.5	48.4	88.7	161.1	124.5
CEREBROVASCULAR DISEASE	TOTALS	69.5	3.8	0.0	0.0	0.4	3.9	19.8	50.8	203.0	655.6	1869.2
	WM	55.3	5.7	0.0	0.0	0.0	3.3	17.2	57.3	220.5	689.6	1947.2
	WF	85.9	3.0	0.0	0.0	1.0	3.4	17.6	35.3	173.6	629.2	1881.6
	NWM	52.2	0.0	0.0	0.0	0.0	9.5	59.9	151.6	376.2	874.7	1171.2
	NWF	56.9	0.0	0.0	0.0	0.0	9.5	40.5	96.9	322.6	644.2	1369.3
ACCIDENTS	TOTALS	37.8	22.9	15.9	13.6	44.0	33.2	28.9	36.2	49.6	112.3	258.8
	WM	53.2	19.9	15.7	20.5	69.5	51.9	41.8	54.5	67.0	150.5	407.8
	WF	24.8	14.8	12.8	6.3	24.0	15.5	17.2	16.8	37.6	90.0	213.3
	NWM	41.9	102.3	34.4	22.4	27.8	50.1	49.0	79.1	31.4	70.9	180.2
	NWF	18.0	21.2	20.4	4.2	4.2	13.1	4.5	43.1	40.3	146.4	166.0
Motor Vehicle	TOTALS	19.9	1.3	6.1	6.8	34.8	22.2	15.4	16.0	21.0	32.0	25.3
	WM	29.9	0.0	7.5	10.3	52.8	33.9	20.1	25.0	30.9	50.2	51.7
	WF	12.2	3.0	5.7	3.7	21.9	11.5	11.7	6.6	15.2	24.6	16.0
	NWM	18.1	0.0	4.9	10.2	17.1	29.8	21.8	19.8	10.5	0.0	0.0
	NWF	5.6	0.0	0.0	0.0	2.1	8.3	0.0	32.3	0.0	0.0	41.5
Poisoning	TOTALS	1.0	0.0	0.0	0.0	0.5	1.6	1.3	1.2	0.8	2.0	2.8
	WM	1.5	0.0	0.0	0.0	0.9	2.4	2.1	2.3	0.7	2.9	11.5
	WF	0.4	0.0	0.0	0.0	0.2	0.5	0.4	0.4	1.0	1.6	0.0
	NWM	2.1	0.0	0.0	0.0	0.0	6.8	0.0	0.0	0.0	0.0	0.0
	NWF	0.4	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0
Falls	TOTALS	4.9	0.0	0.3	0.2	0.6	1.0	1.9	2.8	10.0	35.0	160.3
	WM	5.0	0.0	0.7	0.5	0.9	1.6	3.3	5.1	12.5	37.3	218.3
	WF	5.5	0.0	0.0	0.0	0.5	0.1	0.4	0.8	8.1	36.0	149.5
	NWM	2.1	0.0	0.0	0.0	0.0	2.7	5.4	6.6	10.5	0.0	0.0
	NWF	1.9	0.0	0.0	0.0	0.0	2.4	0.0	0.0	8.1	14.6	41.5

Table 4A (Continued)

DEATH RATES* BY AGE, BY CAUSE,
RACE, AND SEX, INDIANA RESIDENTS, 1987

CAUSE		TOTAL	AGES UNDER 1	AGES 1-4	AGES 5-14	AGES 15-24	AGES 25-44	AGES 45-54	AGES 55-64	AGES 65-74	AGES 75-84	AGES 85 +
Fire & Explosion	TOTALS	2.1	2.5	5.8	1.5	1.4	1.1	1.3	2.0	4.0	5.9	14.1
	WM	2.5	0.0	3.4	1.9	2.8	1.9	0.8	1.9	4.6	7.2	28.7
	WF	1.2	3.0	3.6	0.9	0.2	0.4	1.2	1.6	3.1	2.5	2.0
	NWM	6.6	0.0	29.5	4.1	0.0	1.4	10.9	6.6	10.5	23.6	180.2
	NWF	4.1	21.2	15.3	0.0	0.0	0.0	0.0	5.4	8.1	43.9	83.0
Drowning	TOTALS	1.3	3.8	2.5	2.2	1.5	1.0	0.4	1.2	0.3	0.0	1.4
	WM	1.9	2.8	2.7	3.0	2.5	2.0	0.4	1.4	0.7	0.0	0.0
	WF	0.4	3.0	2.1	0.9	0.2	0.0	0.4	0.4	0.0	0.0	2.0
	NWM	3.7	20.5	0.0	6.1	4.3	1.4	0.0	13.2	0.0	0.0	0.0
	NWF	0.8	0.0	5.1	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Inhalation & Ingestion	TOTALS	1.4	2.5	0.3	0.1	0.3	0.5	0.4	2.8	3.0	9.4	23.9
	WM	1.6	5.7	0.0	0.3	0.7	0.7	0.8	3.7	2.0	10.0	40.2
	WF	1.4	0.0	0.7	0.0	0.0	0.4	0.0	2.5	3.6	6.6	19.9
	NWM	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.6	0.0
	NWF	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	43.9	0.0
All Other	TOTALS	7.1	12.7	0.9	2.7	4.9	5.9	8.3	10.1	10.5	28.1	30.9
	WM	10.9	11.4	1.4	4.6	9.0	9.4	14.4	15.3	15.8	43.0	57.4
	WF	3.8	5.9	0.7	0.9	1.0	2.6	3.1	4.5	6.6	18.8	23.9
	NWM	9.0	81.8	0.0	2.0	6.4	8.1	10.9	33.0	0.0	23.6	0.0
	NWF	3.8	0.0	0.0	2.1	2.1	2.4	0.0	5.4	16.1	43.9	0.0
PNEUMONIA	TOTALS	27.1	17.8	0.9	0.1	0.3	2.0	5.9	18.6	63.6	241.9	835.4
	WM	28.2	17.1	0.0	0.0	0.2	2.7	7.0	21.3	94.5	348.4	1206.2
	WF	28.2	14.8	1.4	0.0	0.2	1.2	2.7	16.0	37.6	190.7	715.6
	NWM	18.5	20.5	4.9	2.0	2.1	4.1	21.8	26.4	104.5	260.1	810.8
	NWF	14.2	42.5	0.0	0.0	0.0	1.2	18.0	16.2	64.5	58.6	663.9
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE	TOTALS	26.3	0.0	0.0	0.0	0.1	0.5	7.8	40.9	140.0	238.9	277.1
	WM	35.5	0.0	0.0	0.0	0.2	0.5	7.8	52.2	196.3	441.6	700.8
	WF	20.5	0.0	0.0	0.0	0.0	0.3	8.6	32.4	101.0	129.3	135.5
	NWM	18.5	0.0	0.0	0.0	0.0	0.0	5.4	52.7	167.2	354.6	450.5
	NWF	6.0	0.0	0.0	0.0	0.0	2.4	0.0	10.8	48.4	58.6	83.0
DISEASES OF ARTERIES	TOTALS	21.7	0.0	0.3	0.0	0.2	0.5	4.4	16.2	68.7	177.8	658.2
	WM	23.3	0.0	0.0	0.0	0.2	0.9	5.3	25.4	100.4	276.7	838.6
	WF	22.4	0.0	0.7	0.0	0.0	0.3	3.5	7.8	40.6	128.5	615.9
	NWM	12.3	0.0	0.0	0.0	2.1	0.0	10.9	26.4	135.8	141.8	360.4
	NWF	9.4	0.0	0.0	0.0	0.0	0.0	0.0	10.8	72.6	73.2	373.4
DIABETES MELLITUS	TOTALS	17.6	0.0	0.0	0.5	0.4	2.3	10.7	28.9	77.3	138.4	219.4
	WM	15.2	0.0	0.0	0.0	0.2	3.5	9.8	30.5	80.1	136.2	206.8
	WF	19.3	0.0	0.0	0.9	0.5	1.0	7.0	24.6	68.0	132.6	221.3
	NWM	18.1	0.0	0.0	0.0	2.1	4.1	43.6	72.5	104.5	260.1	0.0
	NWF	22.1	0.0	0.0	2.1	0.0	1.2	36.0	32.3	169.4	190.3	373.4

Table 4A (Continued)

DEATH RATES* BY AGE, BY CAUSE,
RACE, AND SEX, INDIANA RESIDENTS, 1987

CAUSE		TOTAL	AGES UNDER 1	AGES 1-4	AGES 5-14	AGES 15-24	AGES 25-44	AGES 45-54	AGES 55-64	AGES 65-74	AGES 75-84	AGES 85 +
SUICIDE	TOTALS	12.6	0.0	0.0	0.7	11.9	16.5	13.9	16.4	19.1	29.6	16.9
	WM	21.7	0.0	0.0	1.6	19.5	27.0	21.7	26.3	40.7	76.0	51.7
	WF	4.8	0.0	0.0	0.0	4.0	6.5	7.4	9.0	3.6	5.7	6.0
	NWM	15.2	0.0	0.0	0.0	23.5	27.1	10.9	13.2	20.9	0.0	0.0
	NWF	1.9	0.0	0.0	0.0	0.0	4.8	4.5	0.0	0.0	0.0	0.0
NEPHRITIS & NEPHROSIS	TOTALS	10.6	5.1	0.0	0.0	0.0	0.8	1.5	10.7	36.1	101.0	239.1
	WM	10.5	8.5	0.0	0.0	0.0	0.9	0.8	10.6	43.3	150.5	292.9
	WF	10.9	3.0	0.0	0.0	0.0	0.7	1.2	9.0	28.9	68.7	219.3
	NWM	11.1	0.0	0.0	0.0	0.0	1.4	0.0	46.1	62.7	212.8	360.4
	NWF	7.9	0.0	0.0	0.0	0.0	0.0	13.5	5.4	40.3	102.5	207.5
SEPTICEMIA	TOTALS	9.1	14.0	0.0	0.0	0.5	1.1	2.6	10.5	25.9	76.8	209.6
	WM	8.7	17.1	0.0	0.0	0.9	0.9	2.9	10.2	34.8	101.8	235.5
	WF	9.1	5.9	0.0	0.0	0.2	0.4	1.6	9.8	18.3	57.3	189.4
	NWM	12.3	40.9	0.0	0.0	0.0	9.5	10.9	33.0	52.3	118.2	360.4
	NWF	9.4	21.2	0.0	0.0	0.0	1.2	4.5	5.4	16.1	146.4	373.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	TOTALS	8.2	0.0	0.0	0.0	0.1	3.0	11.5	30.2	31.5	30.1	14.1
	WM	10.6	0.0	0.0	0.0	0.2	3.2	14.8	41.1	49.9	40.1	23.0
	WF	5.4	0.0	0.0	0.0	0.0	0.7	6.7	19.7	17.8	24.6	8.0
	NWM	14.8	0.0	0.0	0.0	0.0	24.4	32.7	52.7	10.5	47.3	90.1
	NWF	6.7	0.0	0.0	0.0	0.0	4.8	13.5	21.5	40.3	14.6	41.5
EMPHYSEMA	TOTALS	6.1	0.0	0.0	0.0	0.0	0.1	1.7	13.2	36.9	51.2	32.4
	WM	8.9	0.0	0.0	0.0	0.0	0.0	0.0	19.4	55.8	104.7	91.9
	WF	3.9	0.0	0.0	0.0	0.0	0.0	2.0	7.4	22.8	22.1	12.0
	NWM	6.6	0.0	0.0	0.0	0.0	0.0	21.8	19.8	52.3	70.9	90.1
	NWF	2.3	0.0	0.0	0.0	0.0	1.2	0.0	10.8	16.1	14.6	0.0
ALZHEIMER'S DISEASE	TOTALS	5.2	0.0	0.0	0.0	0.0	0.0	0.4	0.8	14.3	69.9	118.1
	WM	4.4	0.0	0.0	0.0	0.0	0.0	0.4	0.5	20.4	70.3	149.3
	WF	6.7	0.0	0.0	0.0	0.0	0.0	0.4	1.2	11.2	72.8	115.6
	NWM	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.3	0.0
	NWF	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.3	0.0
HOMICIDE	TOTALS	5.1	3.8	0.6	0.9	7.1	7.5	6.3	3.0	4.6	3.0	5.6
	WM	3.9	5.7	0.7	0.5	5.1	4.8	7.8	2.8	4.6	1.4	0.0
	WF	2.7	3.0	0.7	0.9	3.8	3.9	0.8	2.1	2.5	3.3	6.0
	NWM	33.3	0.0	0.0	2.0	53.5	56.9	43.6	19.8	20.9	0.0	0.0
	NWF	12.7	0.0	0.0	2.1	10.4	20.2	22.5	5.4	24.2	14.6	41.5
CONGENITAL ANOMALIES	TOTALS	4.9	213.8	6.1	1.8	1.2	1.1	1.9	1.8	3.0	3.0	0.0
	WM	5.3	236.1	4.8	2.4	1.2	1.1	2.5	2.3	2.0	2.9	0.0
	WF	4.3	195.0	7.1	1.1	1.4	1.0	0.8	1.6	4.1	3.3	0.0
	NWM	5.8	163.6	9.8	4.1	0.0	1.4	5.4	0.0	0.0	0.0	0.0
	NWF	5.2	233.6	5.1	0.0	0.0	1.2	4.5	0.0	0.0	0.0	0.0

Table 4A (Continued)

DEATH RATES* BY AGE, BY CAUSE,
RACE, AND SEX, INDIANA RESIDENTS, 1987

CAUSE		TOTAL	AGES UNDER 1	AGES 1-4	AGES 5-14	AGES 15-24	AGES 25-44	AGES 45-54	AGES 55-64	AGES 65-74	AGES 75-84	AGES 85 +
GASTRITIS, ETC.	TOTALS	4.2	2.5	0.3	0.1	0.0	0.3	1.1	4.5	14.3	41.9	80.2
	WM	3.2	2.8	0.7	0.0	0.0	0.5	1.2	3.7	13.8	37.3	80.4
	WF	5.4	3.0	0.0	0.3	0.0	0.1	0.8	4.5	15.2	43.4	77.1
	NWM	2.1	0.0	0.0	0.0	0.0	0.0	5.4	6.6	20.9	23.6	0.0
	NWF	4.1	0.0	0.0	0.0	0.0	0.0	0.0	10.8	0.0	73.2	166.0
ULCER OF STOMACH & DUODENUM	TOTALS	2.8	0.0	0.0	0.0	0.1	0.3	0.9	2.4	8.1	28.1	63.3
	WM	3.0	0.0	0.0	0.0	0.2	0.4	0.8	4.2	10.5	35.8	103.4
	WF	2.9	0.0	0.0	0.0	0.0	0.3	1.2	1.2	5.6	23.7	51.8
	NWM	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.5	23.6	0.0
	NWF	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.1	29.3	41.5
OTHER HYPERTENSIVE DISEASES	TOTALS	2.8	0.0	0.0	0.0	0.0	0.2	0.6	3.0	10.5	27.6	50.6
	WM	2.8	0.0	0.0	0.0	0.0	0.1	0.4	2.8	15.1	38.7	57.4
	WF	2.8	0.0	0.0	0.0	0.0	0.3	0.4	2.9	6.6	21.3	47.8
	NWM	2.1	0.0	0.0	0.0	0.0	0.0	0.0	13.2	10.5	47.3	0.0
	NWF	2.6	0.0	0.0	0.0	0.0	1.2	4.5	0.0	16.1	14.6	83.0
HERNIA & INTESTINAL OBSTRUCTION	TOTALS	2.3	1.3	0.0	0.0	0.2	0.1	0.2	1.6	4.9	20.7	71.7
	WM	1.7	0.0	0.0	0.0	0.2	0.0	0.0	0.5	6.6	24.4	68.9
	WF	2.9	0.0	0.0	0.0	0.0	0.1	0.4	2.9	3.1	18.8	73.8
	NWM	2.1	20.5	0.0	0.0	2.1	0.0	0.0	0.0	10.5	23.6	90.1
	NWF	1.5	0.0	0.0	0.0	0.0	1.2	0.0	0.0	8.1	14.6	41.5
PARKINSON'S DISEASE	TOTALS	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.4	6.5	30.5	46.4
	WM	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.9	60.2	120.6
	WF	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.8	4.6	13.9	23.9
	NWM	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70.9	0.0
	NWF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Per 100,000 Population
Source: ISBH-Public Health Statistics

Table 5

INDIANA RESIDENT DEATHS AND RATES* BY MONTH, EACH YEAR
1980 THROUGH 1987 AND FOR THE 1980 - 1987 PERIOD

MONTH	TOTAL 1980	RATES* 1980	TOTAL 1981	RATES* 1981	TOTAL 1982	RATES* 1982	TOTAL 1983	RATES* 1983	TOTAL 1984	RATES* 1984
JANUARY	4,362	9.4	4,805	10.3	4,213	9.1	4,167	9.0	4,277	9.2
FEBRUARY	4,150	9.5	3,995	9.5	3,655	8.7	4,094	9.7	3,813	8.8
MARCH	4,188	9.0	4,049	8.7	4,001	8.6	4,290	9.2	4,249	9.1
APRIL	3,752	8.3	3,706	8.2	3,892	8.7	4,012	8.9	3,999	8.9
MAY	3,960	8.5	3,800	8.2	4,067	8.8	4,011	8.6	3,838	8.2
JUNE	3,649	8.1	3,635	8.1	3,66[illegible]	8.1	3,776	8.4	3,721	8.3
JULY	3,933	8.4	3,818	8.2	3,862	8.3	3,990	8.6	3,750	8.1
AUGUST	3,729	8.0	3,682	7.9	3,777	8.1	3,666	7.9	3,733	8.0
SEPTEMBER	3,547	7.9	3,643	8.1	3,771	8.4	3,516	7.8	3,677	8.2
OCTOBER	3,914	8.4	4,082	8.8	3,930	8.5	3,915	8.4	4,008	8.6
NOVEMBER	3,835	8.5	3,888	8.7	3,840	8.5	3,926	8.7	3,984	8.8
DECEMBER	4,281	9.2	4,182	9.0	3,914	8.4	4,335	9.3	4,179	9.0
TOTAL	47,300	8.6	47,285	8.6	46,584	8.5	47,698	8.7	47,288	8.6

MONTH	TOTAL 1985	RATES* 1985	TOTAL 1986	RATES* 1986	TOTAL 1987	RATES* 1987	TOTAL 80-87	RATES* 80-87
JANUARY	4,624	9.9	4,535	9.7	4,350	9.3	35,333	9.5
FEBRUARY	4,167	9.9	4,129	9.8	4,011	9.5	32,014	9.4
MARCH	4,137	8.9	4,473	9.6	4,316	9.2	33,703	9.0
APRIL	3,943	8.7	4,061	9.0	4,006	8.8	31,371	8.7
MAY	3,819	8.2	4,066	8.7	4,029	8.6	31,590	8.5
JUNE	3,740	8.3	3,859	8.5	3,768	8.3	29,810	8.3
JULY	3,877	8.3	3,982	8.5	3,905	8.3	31,117	8.3
AUGUST	3,716	8.0	3,997	8.6	3,826	8.1	30,126	8.1
SEPTEMBER	3,762	8.3	3,822	8.4	3,997	8.8	29,735	8.2
OCTOBER	3,961	8.5	3,912	8.4	4,326	9.2	32,048	8.6
NOVEMBER	3,928	8.7	4,080	9.0	4,089	9.0	31,570	8.8
DECEMBER	4,499	9.6	4,341	9.3	4,215	9.0	33,946	9.1
TOTAL	48,173	8.8	49,257	8.9	48,839+	8.8	382,363	8.7

* Annual Rate per 1,000 Population. Adjusted for Length of Month.
\+ One record with unknown date of death.
Source: ISBH-Public Health Statistics

Table 6

NUMBER OF DEATHS BY AUTOPSY STATUS, BY
YEAR, INDIANA RESIDENTS, 1980 - 1987

YEAR	TOTAL	AUTOPSIED	NOT AUTOPSIED	UNKNOWN
1980	47,300	4,505	23,257	19,538
1981	47,285	4,447	24,169	18,669
1982	46,584	4,222	24,424	17,938
1983	47,698	4,173	25,177	18,348
1984	47,228	4,092	25,241	17,895
1985	48,173	4,057	26,569	17,547
1986	49,257	4,084	27,911	17,262
1987	48,839	3,964	28,822	16,053
TOTAL	382,364	33,544	205,570	143,250

Source: ISBH-Public Health Statistics

Table 6A

NUMBER OF DEATHS BY AUTOPSY STATUS, BY RACE,
AND SEX, INDIANA RESIDENTS, 1980 - 1987

CATEGORY	TOTAL	AUTOPSIED	NOT AUTOPSIED	STATUS UNKNOWN	% STATUS KNOWN	% STATUS UNKNOWN	% TOTAL DEATHS	% TOTAL AUTOPSIED	% TOTAL NOT AUTOPSIED	% TOTAL UNKNOWN
TOTAL	382,364	33,544	205,570	143,250	62.5	37.5	100.0	100.0	100.0	100.0
WHITE MALE	184,341	19,144	101,293	63,904	65.3	34.7	48.2	57.1	49.3	44.6
WHITE FEMALE	169,849	9,572	94,342	65,935	61.2	38.8	44.4	28.5	45.9	46.0
NONWHITE MALE	15,680	3,394	5,531	6,755	56.9	43.1	4.1	10.1	2.7	4.7
NONWHITE FEMALE	12,494	1,434	4,404	6,656	46.7	53.3	3.3	4.3	2.1	4.7

Source: ISBH-Public Health Statistics

Table 7

NUMBER OF DEATHS AND PERCENTAGE OF DEATHS* BY CERTIFIER,
BY YEAR, INDIANA RESIDENTS, 1980 - 1987

	NUMBER						PERCENT*				
YEAR	TOTAL	M.D.	CORONER	LOCAL HEALTH OFFICER	O.D.	OTHER	M.D	CORONER	LOCAL HEALTH OFFICER	O.D.	OTHER
1980	47,300	33,608	6,017	185	849	6,641	71.1	12.7	0.4	1.8	14.0
1981	47,285	36,491	6,027	202	780	3,785	77.2	12.7	0.4	1.6	8.0
1982	46,584	38,499	5,730	158	847	1,350	82.7	12.3	0.3	1.8	2.9
1983	47,698	40,267	5,729	145	960	597	84.4	12.0	0.3	2.0	1.3
1984	47,228	39,861	5,645	106	942	674	84.4	12.0	0.2	2.0	1.4
1985	48,173	40,011	5,735	105	997	1,325	83.0	11.9	0.2	2.1	2.8
1986	49,257	40,667	5,827	100	1,162	1,501	82.6	11.8	0.2	2.4	3.0
1987	48,839	40,176	5,917	84	1,103	1,559	82.3	12.1	0.2	2.3	3.2
TOTAL	382,364	309,580	46,627	1,085	7,640	17,432	81.0	12.2	0.3	2.0	4.6

* Percent of Total by Year
Source: ISBH-Public Health Statistics

Table 7A

NUMBER OF DEATHS AND PERCENTAGE OF DEATHS** BY CERTIFIER,
BY AUTOPSY STATUS, INDIANA RESIDENTS, 1980 - 1987

	NUMBER						PERCENT**				
CATEGORY	TOTAL	M.D.	CORONER	LOCAL HEALTH OFFICER	O.D.	OTHER	M.D.	CORONER	LOCAL HEALTH OFFICER	O.D.	OTHER
TOTAL	382,364	309,580	46,627	1,085	7,640	17,432	81.0	12.2	0.3	2.0	4.6
AUTOPSIED	33,544	14,535	18,016	81	223	689	43.3	53.7	0.6	0.7	0.7
NOT AUTOPSIED	205,570	169,462	24,555	588	4,667	6,298	82.4	11.9	0.4	2.3	2.3
AUTOPSY STATUS UNKNOWN	143,250	125,583	4,056	416	2,750	10,445	87.7	2.8	0.3	1.8	1.8

**Percent by Category
Source: ISBH-Public Health Statistics

Table 7B

NUMBER OF DEATHS AND PERCENTAGE OF DEATHS*** BY CERTIFIER,
BY RACE, AND SEX, INDIANA RESIDENTS, 1980 - 1987

	NUMBER						PERCENT***				
CATEGORY	TOTAL	M.D.	CORONER	LOCAL HEALTH OFFICER	O.D.	OTHER	M.D.	CORONER	LOCAL HEALTH OFFICER	O.D.	OTHER
TOTAL	382,364	309,580	46,627	1,085	7,640	17,432	100.0	100.0	100.0	100.0	100.0
WHITE MALE	184,341	143,983	28,356	615	3,549	7,838	46.6	60.8	56.7	46.5	45.0
WHITE FEMALE	169,849	145,648	12,228	380	3,923	7,670	47.0	26.2	35.0	51.4	44.0
NON-WHITE MALE	15,680	10,396	4,171	57	88	968	3.3	9.0	5.3	1.2	5.6
NON-WHITE FEMALE	12,494	9,553	1,872	57	80	956	3.1	4.0	5.3	1.1	5.5

***Percent by Certifier
Source: ISBH-Public Health Statistics

Table 8

NUMBER OF DEATHS AND DEATH RATES BY
YEAR, BY AGE, INDIANA, 1980 - 1987

AGE GROUP	TOTAL 1980	RATES* 1980	TOTAL 1981	RATES* 1981	TOTAL 1982	RATES* 1982	TOTAL 1983	RATES* 1983	TOTAL 1984	RATES* 1984
UNDER 1	1,049	1,175.9	988	1,164.1	951	1,132.7	923	1,142.3	838	1,047.4
1 - 4	198	60.1	217	65.0	181	54.0	191	56.8	162	48.5
5 - 9	130	30.0	123	29.7	110	27.1	86	21.4	105	26.1
10 - 14	137	30.1	119	26.1	101	22.3	105	23.4	116	26.5
15 - 19	438	82.7	438	86.5	374	76.2	340	71.5	340	73.3
20 - 24	604	116.5	604	116.6	521	101.0	538	105.1	458	89.5
25 - 29	570	123.1	519	111.7	413	88.4	453	97.2	471	101.8
30 - 34	498	121.0	526	122.6	504	118.0	469	109.3	417	95.9
35 - 39	544	163.8	521	156.7	501	141.8	543	148.1	561	147.2
40 - 44	704	250.0	720	252.2	692	236.6	685	224.1	698	221.7
45 - 49	1,148	430.3	1,079	412.0	1,061	406.4	1,073	408.5	1,010	375.9
50 - 54	2,017	712.0	1,887	678.0	1,704	627.6	1,725	649.9	1,599	616.3
55 - 59	2,998	1,078.3	2,940	1,062.8	2,858	1,043.9	2,726	996.7	2,797	1,031.0
60 - 64	3,954	1,691.3	4,037	1,708.5	3,964	1,635.0	4,011	1,628.2	3,992	1,590.7
65 - 69	4,910	2,482.2	5,058	2,537.2	5,007	2,491.4	4,919	2,419.9	5,035	2,437.8
70 - 74	5,906	3,868.9	5,829	3,773.1	5,885	3,726.8	6,056	3,754.5	6,036	3,657.1
75 - 79	6,352	5,752.6	6,333	5,689.0	6,454	5,683.3	6,725	5,781.0	6,531	5,468.9
80 - 84	6,105	8,709.5	6,342	8,941.2	6,196	8,716.9	6,499	8,937.0	6,379	8,459.1
85 +	9,038	16,610.9	9,005	16,716.2	9,107	16,468.4	9,631	16,979.9	9,683	16,648.9
TOTAL	47,300	861.5	47,285	864.8	46,584	851.5	47,698	870.6	47,228	859.0

AGE GROUP	TOTAL 1985	RATES* 1985	TOTAL 1986	RATES* 1986	TOTAL 1987	RATES* 1987	TOTAL 80-87	RATES** 80-87
UNDER 1	886	1,094.4	889	1,115.3	782	995.1	7,305	1,110.2
1 - 4	148	45.6	180	56.1	138	42.2	1,415	53.6
5 - 9	104	25.7	95	23.3	106	26.1	859	26.3
10 - 14	125	29.5	107	26.3	117	28.4	927	26.6
15 - 19	346	75.3	363	78.8	340	76.4	2,987	77.8
20 - 24	475	93.5	474	96.1	446	89.9	4,120	101.2
25 - 29	440	97.1	503	110.1	509	107.3	3,878	104.6
30 - 34	515	117.5	521	119.7	521	117.7	3,971	115.2
35 - 39	581	146.7	605	146.1	609	148.6	4,465	149.5
40 - 44	734	228.4	746	230.4	747	214.0	5,726	228.9
45 - 49	1,002	368.9	1,037	373.4	1,003	350.3	8,413	390.1
50 - 54	1,558	612.4	1,560	618.4	1,518	598.2	13,568	640.5
55 - 59	2,682	999.2	2,589	976.2	2,461	977.8	22,051	1,021.6
60 - 64	3,896	1,523.7	4,170	1,624.1	3,923	1617.9	31,947	1,626.0
65 - 69	5,130	2,452.8	5,219	2,448.2	5,215	2567.1	40,493	2,479.0
70 - 74	6,110	3,606.8	6,195	3,592.3	6,270	3727.5	48,287	3,710.1
75 - 79	6,910	5,636.7	6,849	5,455.6	6,960	5632.9	53,114	5,634.0
80 - 84	6,561	8,375.0	6,773	8,451.5	6,701	8433.2	51,556	8,618.9
85 +	9,970	16,580.7	10,383	16,604.8	10,462	14714.5	77,279	16,365.0
TOTAL	48,173	876.0	49,257	894.9	48,836	882.9	382,361	870.2

* Per 100,000 Population

** Average Annual Rate

Source: ISBH-Public Health Statistics

Table 9

ACCIDENTAL DEATH RATES*, INDIANA AND THE
UNITED STATES, BY SELECTED YEARS, 1960 - 1987

	ALL ACCIDENTS		MOTOR VEHICLE ACCIDENTS		OTHER ACCIDENTS	
YEAR	INDIANA*	U.S.*	INDIANA*	U.S.*	INDIANA*	U.S.*
1960	55.6	52.3	25.1	21.3	30.5	31.0
1965	60.5	55.7	31.6	25.4	28.9	30.3
1970	55.0	56.4	29.9	26.9	25.1	29.5
1975	46.3	48.4	21.4	21.5	24.9	26.9
1980	42.1	46.7	22.2	23.2	19.9	23.5
1981	42.2	43.9	22.8	22.4	19.4	21.5
1982	37.7	40.6	18.6	19.8	18.9	20.8
1983	37.2	39.5	19.3	19.0	17.9	20.5
1984	35.1	39.3	17.8	19.6	17.3	19.7
1985	36.3	39.1	19.4	19.2	16.9	19.9
1986	35.7	39.7	19.3	20.1	16.4	19.5
1987	37.8	39.0	19.9	19.8	17.8	19.2

* Per 100,000 Population

Source: ISBH-Public Health Statistics

Table 10

NUMBER OF ACCIDENTAL DEATHS BY INDIANA OCCURRENCE*,
BY AGE, BY MAJOR TYPE, RACE, AND SEX, 1987

DISEASE		TOTAL	AGES UNDER 1	AGES 1-4	AGES 5-14	AGES 15-24	AGES 25-44	AGES 45-54	AGES 55-64	AGES 65-74	AGES 75-84	AGES 85 +	UNKNOWN
ALL ACCIDENTS	TOTAL	2,091	20	52	109	414	560	156	169	186	238	185	2
	WM	1,295	9	24	74	299	393	100	108	108	107	72	1
	WF	642	4	17	22	99	117	45	40	73	118	107	0
	NWM	105	6	7	10	15	37	10	14	1	3	2	0
	NWF	49	1	4	3	1	13	1	7	4	10	4	1
MOTOR VEHICLE	TOTAL	1,117	2	19	55	325	383	87	74	83	68	20	1
	WM	735	1	11	37	227	264	50	49	52	35	9	0
	WF	322	1	7	13	89	91	32	16	30	32	11	0
	NWM	44	0	1	5	9	20	4	4	1	0	0	0
	NWF	16	0	0	0	0	8	1	5	0	1	0	1
POISONING	TOTAL	58	0	0	0	6	30	7	6	3	4	2	0
	WM	41	0	0	0	5	20	6	5	1	2	2	0
	WF	11	0	0	0	1	4	1	1	2	2	0	0
	NWM	6	0	0	0	0	6	0	0	0	0	0	0
	NWF	0	0	0	0	0	0	0	0	0	0	0	0
FALLS	TOTAL	275	0	2	2	4	16	9	13	39	76	114	0
	WM	125	0	2	2	3	12	8	10	21	28	39	0
	WF	140	0	0	0	1	0	0	2	17	47	73	0
	NWM	4	0	0	0	0	2	1	1	0	0	0	0
	NWF	6	0	0	0	0	2	0	0	1	1	2	0
FIRE & EXPLOSION	TOTAL	108	3	19	11	12	15	7	9	12	11	9	0
	WM	57	1	5	7	11	11	2	4	7	5	4	0
	WF	28	1	5	3	1	3	3	4	4	3	1	0
	NWM	13	0	6	1	0	1	2	0	0	1	2	0
	NWF	10	1	3	0	0	0	0	1	1	2	2	0
DROWNING	TOTAL	73	3	8	18	19	14	2	6	2	0	1	0
	WM	45	1	4	10	13	11	1	3	2	0	0	0
	WF	13	1	3	3	3	0	1	1	0	0	1	0
	NWM	11	1	0	3	3	2	0	2	0	0	0	0
	NWF	4	0	1	2	0	1	0	0	0	0	0	0
INHALATION & INGESTION	TOTAL	79	2	1	1	3	7	2	14	11	22	16	0
	WM	37	2	0	1	3	4	2	8	3	7	7	0
	WF	36	0	1	0	0	3	0	6	7	10	9	0
	NWM	1	0	0	0	0	0	0	0	0	1	0	0
	NWF	5	0	0	0	0	0	0	0	1	4	0	0
FIREARMS	TOTAL	31	0	1	6	13	7	2	1	0	1	0	0
	WM	25	0	1	3	12	5	2	1	0	1	0	0
	WF	4	0	0	3	0	1	0	0	0	0	0	0
	NWM	2	0	0	0	1	1	0	0	0	0	0	0
	NWF	0	0	0	0	0	0	0	0	0	0	0	0

Table 10 (Continued)

NUMBER OF ACCIDENTAL DEATHS BY INDIANA OCCURRENCE*,
BY AGE, BY MAJOR TYPE, RACE, AND SEX, 1987

DISEASE		TOTAL	AGES UNDER 1	AGES 1-4	AGES 5-14	AGES 15-24	AGES 25-44	AGES 45-54	AGES 55-64	AGES 65-74	AGES 75-84	AGES 85 +	UNKNOWN
ELECTRIC CURRENT	TOTAL	39	0	0	5	11	14	1	5	1	1	1	0
	WM	34	0	0	4	9	13	1	5	1	1	0	0
	WF	4	0	0	0	2	1	0	0	0	0	1	0
	NWM	1	0	0	1	0	0	0	0	0	0	0	0
	NWF	0	0	0	0	0	0	0	0	0	0	0	0
OTHER ACCIDENTS	TOTAL	311	10	2	11	21	74	39	41	35	55	22	1
	WM	196	4	1	10	16	53	28	23	21	28	11	1
	WF	84	1	1	0	2	14	8	10	13	24	11	0
	NWM	23	5	0	0	2	5	3	7	0	1	0	0
	NWF	8	0	0	1	1	2	0	1	1	2	0	0

* Deaths Occurring in Indiana, which may include Deaths to Non-Indiana Residents. For Deaths to Residents of Indiana, see Table 4-6.

Source: ISBH-Public Health Statistics

1987 INDIANA MORTALITY REPORT

County Data

Table 11

NUMBER OF DEATHS BY SELECTED CAUSES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	ALL CAUSES	DISEASES OF HEART	CANCER	CEREBRO-VASCULAR DISEASE	PNEUMONIA	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	DISEASES OF ARTERIES	MOTOR VEHICLE ACCIDENTS	ACCIDENTS (EX. MVA)
ADAMS	267	90	58	31	10	3	9	4	6
ALLEN	2,352	944	531	204	52	55	39	60	27
BARTHOLOMEW	497	187	99	33	12	24	8	15	8
BENTON	114	31	19	14	3	5	10	2	5
BLACKFORD	144	62	33	17	1	3	2	0	2
BOONE	358	124	81	30	19	18	7	9	5
BROWN	96	44	17	10	0	2	1	2	2
CARROLL	159	51	25	20	5	6	8	4	4
CASS	398	153	94	29	16	23	12	6	9
CLARK	757	297	166	65	19	31	15	17	14
CLAY	313	101	82	49	7	6	7	5	1
CLINTON	378	133	73	33	34	6	10	4	8
CRAWFORD	91	32	28	5	3	0	3	3	5
DAVIESS	287	87	69	26	9	17	15	7	4
DEARBORN	316	113	79	25	8	11	8	10	11
DECATUR	234	106	47	9	8	5	4	7	7
DEKALB	300	129	55	24	5	6	13	9	5
DELAWARE	1,080	381	240	83	53	39	30	20	17
DUBOIS	302	127	80	18	9	6	2	3	7
ELKHART	1,160	445	250	94	20	32	25	52	29
FAYETTE	277	133	53	16	10	12	8	3	5
FLOYD	589	205	130	51	20	26	16	11	14
FOUNTAIN	229	87	60	18	11	6	4	8	5
FRANKLIN	144	54	35	4	4	3	2	3	7
FULTON	225	86	41	14	9	7	4	5	9
GIBSON	295	100	67	29	13	5	4	7	6
GRANT	728	266	154	67	28	26	22	8	14
GREENE	364	165	74	27	9	9	4	10	8
HAMILTON	577	194	145	42	25	17	10	14	8
HANCOCK	361	121	78	25	10	8	9	10	9
HARRISON	260	92	50	25	9	11	0	7	5
HENDRICKS	543	168	131	33	21	23	5	15	9
HENRY	479	194	102	35	13	14	17	13	10
HOWARD	687	271	145	47	25	24	23	11	8
HUNTINGTON	379	145	81	48	9	9	7	5	9
JACKSON	333	138	64	23	11	10	5	3	8
JASPER	217	87	48	20	4	7	5	9	3
JAY	256	113	58	15	3	5	12	10	4
JEFFERSON	279	108	43	27	26	7	6	6	8
JENNINGS	188	64	34	17	13	11	4	3	4
JOHNSON	663	252	140	48	20	16	26	13	11
KNOX	465	191	112	42	13	16	11	4	9
KOSCIUSKO	491	174	113	33	12	18	14	14	18

Table 11 (Continued)

NUMBER OF DEATHS BY SELECTED CAUSES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	ALL CAUSES	DISEASES OF HEART	CANCER	CEREBRO-VASCULAR DISEASE	PNEUMONIA	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	DISEASES OF ARTERIES	MOTOR VEHICLE ACCIDENTS	ACCIDENTS (EX. MVA)
LAGRANGE	191	63	48	20	8	7	3	4	6
LAKE	4,368	1,604	1,075	322	81	72	75	80	87
LAPORTE	934	347	199	66	21	29	16	29	18
LAWRENCE	428	141	94	38	16	12	15	12	12
MADISON	1,254	456	297	100	27	36	38	27	25
MARION	6,942	2,236	1,708	495	207	258	167	130	141
MARSHALL	349	127	66	36	13	10	18	9	9
MARTIN	128	48	26	14	4	4	4	3	0
MIAMI	275	114	56	14	7	14	6	8	5
MONROE	572	193	139	52	10	12	14	15	11
MONTGOMERY	331	125	55	35	13	14	7	6	8
MORGAN	415	157	84	27	14	15	11	10	13
NEWTON	125	54	26	7	6	0	1	4	2
NOBLE	309	132	51	35	11	9	1	18	5
OHIO	61	21	15	4	5	0	3	0	2
ORANGE	185	62	59	8	6	4	8	3	3
OWEN	142	55	31	5	7	4	8	8	1
PARKE	169	69	43	10	4	7	4	8	3
PERRY	179	56	46	13	10	3	9	1	3
PIKE	122	51	28	9	4	3	7	4	2
PORTER	806	255	209	54	33	22	32	33	24
POSEY	240	77	63	18	8	4	7	5	4
PULASKI	144	52	27	15	3	3	4	7	1
PUTNAM	263	89	60	27	10	10	4	5	12
RANDOLPH	275	116	51	20	5	8	8	7	8
RIPLEY	242	76	46	25	12	10	9	10	1
RUSH	193	90	32	12	3	2	10	3	5
ST. JOSEPH	2,363	854	567	176	70	62	62	51	53
SCOTT	215	91	48	18	18	3	6	3	3
SHELBY	356	125	79	24	15	18	11	10	4
SPENCER	197	75	53	15	9	5	3	2	2
STARKE	242	108	46	15	15	4	4	6	7
STEUBEN	208	75	54	7	6	2	3	7	3
SULLIVAN	245	108	47	28	11	5	7	8	4
SWITZERLAND	82	29	11	14	5	1	1	3	2
TIPPECANOE	840	284	182	61	30	26	18	13	18
TIPTON	151	58	30	18	1	6	2	4	5
UNION	53	23	12	2	2	2	0	1	0
VANDERBURGH	1,762	665	414	139	40	34	43	20	28
VERMILLION	208	83	47	21	5	6	2	9	3
VIGO	1,181	445	259	86	42	33	42	24	30

Table 11 (Continued)

NUMBER OF DEATHS BY SELECTED CAUSES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	ALL CAUSES	DISEASES OF HEART	CANCER	CEREBRO-VASCULAR DISEASE	PNEUMONIA	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	DISEASES OF ARTERIES	MOTOR VEHICLE ACCIDENTS	ACCIDENTS (EX. MVA)
WABASH	344	117	52	45	16	8	16	14	8
WARREN	82	30	25	3	2	4	1	3	2
WARRICK	308	105	79	25	8	13	2	8	6
WASHINGTON	229	102	51	24	5	10	2	7	5
WAYNE	790	320	158	48	13	30	22	9	17
WELLS	225	86	50	27	9	4	3	9	4
WHITE	242	86	48	28	3	14	6	5	1
WHITLEY	242	91	54	15	15	5	9	7	2
INDIANA	48,839	17,871	11,084	3,845	1,499	1,455	1,200	1,103	985

Source: ISBH-Public Health Statistics

Table 11 (Continued)

NUMBER OF DEATHS BY SELECTED CAUSES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	DIABETES MELLITUS	SUICIDE	NEPHRITIS & NEPHROSIS	SEPTICEMIA	CHRONIC LIVER DISEASE AND CIRRHOSIS	CERTAIN CAUSES OF PERINATAL MORTALITY	EMPHYSEMA	ALZHEIMER'S DISEASE
ADAMS	5	4	6	1	3	4	1	1
ALLEN	44	31	27	20	21	25	14	15
BARTHOLOMEW	9	3	13	15	7	2	4	4
BENTON	2	1	2	3	3	3	1	1
BLACKFORD	2	4	1	0	0	2	0	3
BOONE	6	3	9	3	4	0	2	4
BROWN	0	1	0	2	1	0	3	1
CARROLL	3	5	1	0	0	1	2	0
CASS	6	3	4	5	2	1	0	3
CLARK	10	12	5	7	12	4	3	2
CLAY	7	1	3	3	2	2	3	1
CLINTON	5	5	3	8	2	1	4	2
CRAWFORD	0	0	2	1	0	0	0	0
DAVIESS	6	2	6	2	2	2	1	1
DEARBORN	5	7	2	1	4	1	0	3
DECATUR	3	2	5	1	0	1	0	3
DEKALB	2	7	1	3	0	1	2	3
DELAWARE	17	14	10	12	3	8	6	7
DUBOIS	4	2	6	2	0	3	1	1
ELKHART	22	13	8	7	7	6	13	10
FAYETTE	2	3	5	2	1	1	1	2
FLOYD	18	9	8	4	6	3	4	2
FOUNTAIN	1	2	3	0	2	2	0	0
FRANKLIN	5	4	1	2	3	0	1	0
FULTON	7	2	2	2	0	0	2	1
GIBSON	8	5	6	3	0	1	0	4
GRANT	22	9	11	5	5	2	4	3
GREENE	12	3	1	6	2	1	1	2
HAMILTON	10	9	9	6	2	6	3	8
HANCOCK	15	8	6	4	5	4	4	1
HARRISON	5	6	4	1	1	0	0	3
HENDRICKS	15	8	7	8	4	5	4	6
HENRY	11	5	1	5	5	2	1	0
HOWARD	6	10	9	11	8	2	7	3
HUNTINGTON	14	2	5	2	3	0	3	3
JACKSON	9	8	6	5	1	1	1	5
JASPER	1	2	2	1	2	1	1	1
JAY	3	4	2	1	2	1	1	0
JEFFERSON	1	3	2	2	1	2	0	1
JENNINGS	5	2	1	2	3	0	1	1
JOHNSON	8	11	10	10	4	4	7	2
KNOX	2	5	2	5	4	1	7	1
KOSCIUSKO	15	9	8	2	2	2	3	2

Table 11 (Continued)

NUMBER OF DEATHS BY SELECTED CAUSES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	DIABETES MELLITUS	SUICIDE	NEPHRITIS & NEPHROSIS	SEPTICEMIA	CHRONIC LIVER DISEASE AND CIRRHOSIS	CERTAIN CAUSES OF PERINATAL MORTALITY	EMPHYSEMA	ALZHEIMER'S DISEASE
LAGRANGE	3	1	3	1	0	1	0	2
LAKE	110	67	58	40	66	33	54	10
LAPORTE	19	13	10	17	19	6	8	6
LAWRENCE	12	6	5	2	3	1	7	3
MADISON	19	23	18	13	6	17	3	11
MARION	136	107	84	101	83	91	48	34
MARSHALL	8	3	4	2	2	2	3	2
MARTIN	2	2	1	1	2	0	2	0
MIAMI	4	4	2	3	2	1	2	0
MONROE	19	10	6	4	8	4	2	8
MONTGOMERY	6	5	9	2	1	2	1	0
MORGAN	7	7	13	3	3	2	2	0
NEWTON	1	4	2	2	0	0	3	2
NOBLE	6	1	1	3	2	1	1	2
OHIO	2	1	0	0	0	0	1	1
ORANGE	3	2	1	3	0	2	1	0
OWEN	3	1	0	1	1	1	1	0
PARKE	2	1	3	1	1	0	3	0
PERRY	4	5	2	0	1	0	1	1
PIKE	2	1	1	0	1	0	0	0
PORTER	11	10	10	12	3	2	8	6
POSEY	0	5	6	5	2	2	0	3
PULASKI	4	2	2	2	1	1	0	2
PUTNAM	5	1	6	2	2	0	2	2
RANDOLPH	4	3	2	4	1	3	1	3
RIPLEY	7	2	1	3	2	3	1	1
RUSH	4	1	1	2	1	1	1	3
ST. JOSEPH	51	34	19	26	15	19	11	10
SCOTT	2	1	3	2	2	1	0	1
SHELBY	3	5	2	3	8	1	2	4
SPENCER	2	3	3	4	0	0	2	1
STARKE	4	5	3	0	3	1	0	1
STEUBEN	4	6	2	3	5	1	1	0
SULLIVAN	3	0	2	1	1	0	0	3
SWITZERLAND	2	0	1	2	2	2	0	0
TIPPECANOE	22	18	11	8	9	3	10	9
TIPTON	1	1	3	1	1	0	2	1
UNION	0	1	4	1	0	0	0	0
VANDERBURGH	37	26	20	13	20	10	17	15
VERMILLION	4	3	2	0	0	0	1	0
VIGO	25	13	10	14	16	13	5	7

Table 11 (Continued)

NUMBER OF DEATHS BY SELECTED CAUSES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	DIABETES MELLITUS	SUICIDE	NEPHRITIS & NEPHROSIS	SEPTICEMIA	CHRONIC LIVER DISEASE AND CIRRHOSIS	CERTAIN CAUSES OF PERINATAL MORTALITY	EMPHYSEMA	ALZHEIMER'S DISEASE
WABASH	4	5	5	1	2	1	2	2
WARREN	0	1	1	1	0	0	1	0
WARRICK	6	12	3	0	1	4	2	3
WASHINGTON	1	3	0	0	0	0	2	0
WAYNE	25	5	11	5	8	8	7	3
WELLS	4	2	0	0	1	1	0	4
WHITE	8	7	4	2	3	0	1	0
WHITLEY	7	7	2	0	2	2	1	3
INDIANA	971	695	587	501	451	351	339	285

Source: ISBH-Public Health Statistics

Table 11 (Continued)

NUMBER OF DEATHS BY SELECTED CAUSES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	HOMICIDE	CONGENITAL ANOMALIES	GASTRITIS, ETC.	ULCER OF STOMACH-DUODENUM	OTHER HYPERTENSIVE DISEASES	HERNIA - INTESTINAL OBSTRUCTION	SUDDEN INFANT DEATH SYNDROME
ADAMS	0	2	2	1	1	1	1
ALLEN	12	13	16	3	9	7	6
BARTHOLOMEW	3	1	3	2	1	1	0
BENTON	0	1	0	0	1	2	0
BLACKFORD	0	0	0	1	0	1	0
BOONE	0	1	1	3	1	0	0
BROWN	0	1	0	0	1	0	1
CARROLL	4	1	2	0	0	0	1
CASS	1	0	2	1	3	1	1
CLARK	4	3	3	2	3	2	1
CLAY	0	1	1	0	1	0	1
CLINTON	0	1	3	3	2	2	0
CRAWFORD	0	0	0	0	0	0	0
DAVIESS	1	3	2	1	0	0	1
DEARBORN	0	0	1	2	2	1	0
DECATUR	0	0	0	0	3	0	0
DEKALB	1	1	2	1	1	3	1
DELAWARE	11	6	5	7	2	3	0
DUBOIS	1	3	0	1	0	1	0
ELKHART	6	7	5	2	3	3	7
FAYETTE	0	1	2	0	1	0	2
FLOYD	0	4	2	2	2	3	2
FOUNTAIN	0	2	0	1	0	1	1
FRANKLIN	0	1	1	1	0	0	1
FULTON	2	2	1	1	0	0	0
GIBSON	3	3	3	0	1	0	1
GRANT	2	1	4	4	2	1	0
GREENE	3	2	1	1	1	0	0
HAMILTON	3	5	3	2	0	1	2
HANCOCK	0	3	1	2	0	0	1
HARRISON	1	3	1	2	2	0	0
HENDRICKS	3	6	3	1	3	2	4
HENRY	3	3	1	5	0	0	1
HOWARD	3	2	1	0	4	2	2
HUNTINGTON	0	0	3	0	1	1	0
JACKSON	0	2	1	2	0	3	0
JASPER	1	0	2	0	0	1	1
JAY	0	0	1	0	0	1	0
JEFFERSON	1	2	4	2	0	1	0
JENNINGS	1	1	4	0	0	0	1
JOHNSON	2	7	0	2	2	1	2
KNOX	3	1	1	0	3	0	1
KOSCIUSKO	2	6	0	1	0	0	1

Table 11 (Continued)

NUMBER OF DEATHS BY SELECTED CAUSES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	HOMICIDE	CONGENITAL ANOMALIES	GASTRITIS, ETC.	ULCER OF STOMACH-DUODENUM	OTHER HYPERTENSIVE DISEASES	HERNIA - INTESTINAL OBSTRUCTION	SUDDEN INFANT DEATH SYNDROME
LAGRANGE	0	4	0	0	0	1	2
LAKE	62	26	14	12	9	11	15
LAPORTE	8	7	2	7	3	3	2
LAWRENCE	1	2	2	3	0	4	0
MADISON	4	5	3	3	5	2	4
MARION	75	52	40	21	22	16	27
MARSHALL	1	0	1	2	0	1	1
MARTIN	1	0	1	2	0	0	0
MIAMI	3	2	1	1	1	1	0
MONROE	1	7	0	0	1	3	1
MONTGOMERY	0	2	2	0	3	0	0
MORGAN	1	3	1	1	3	0	1
NEWTON	0	1	0	1	0	1	1
NOBLE	0	0	2	0	1	2	0
OHIO	0	0	0	0	2	0	0
ORANGE	1	0	0	1	0	1	0
OWEN	0	0	0	1	1	0	1
PARKE	0	0	1	0	0	1	0
PERRY	1	1	1	0	2	1	1
PIKE	0	0	0	0	0	0	2
PORTER	2	4	4	6	4	2	2
POSEY	0	0	1	1	0	0	1
PULASKI	2	0	1	1	0	0	0
PUTNAM	1	4	1	0	1	1	0
RANDOLPH	0	0	1	1	2	2	0
RIPLEY	0	2	2	0	1	2	0
RUSH	0	0	3	1	0	2	0
ST. JOSEPH	18	13	16	8	15	5	5
SCOTT	1	0	0	0	0	0	0
SHELBY	1	2	2	1	0	0	1
SPENCER	0	1	1	1	0	0	0
STARKE	3	0	3	0	0	0	0
STEUBEN	0	4	0	2	4	1	0
SULLIVAN	0	0	0	0	0	1	0
SWITZERLAND	0	1	0	1	0	1	0
TIPPECANOE	2	5	7	4	5	2	1
TIPTON	0	0	1	0	0	0	0
UNION	0	0	0	0	0	0	0
VANDERBURGH	6	8	11	6	1	4	2
VERMILLION	0	0	5	1	0	0	0
VIGO	3	2	1	1	5	4	3

Table 11 (Continued)

NUMBER OF DEATHS BY SELECTED CAUSES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	HOMICIDE	CONGENITAL ANOMALIES	GASTRITIS, ETC.	ULCER OF STOMACH-DUODENUM	OTHER HYPERTENSIVE DISEASES	HERNIA - INTESTINAL OBSTRUCTION	SUDDEN INFANT DEATH SYNDROME
WABASH	0	4	0	1	0	1	0
WARREN	0	0	1	0	0	0	1
WARRICK	2	0	0	0	0	0	0
WASHINGTON	0	0	1	1	0	0	1
WAYNE	3	3	4	3	2	2	0
WELLS	0	1	5	1	0	0	0
WHITE	1	0	0	0	2	1	0
WHITLEY	0	0	2	0	2	0	0
INDIANA	281	268	232	155	153	125	120

Source: ISBH-Public Health Statistics

Table 11A

DEATH RATES* BY SELECTED CAUSES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	ALL CAUSES	DISEASES OF HEART	CANCER	CEREBRO-VASCULAR DISEASE	PNEUMONIA	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	DISEASES OF ARTERIES	MOTOR VEHICLE ACCIDENTS	ACCIDENTS (EX. MVA)
ADAMS	864.1	291.3	187.7	100.3	32.4	9.7	29.1	12.9	19.4
ALLEN	778.8	312.6	175.8	67.6	17.2	18.2	12.9	19.9	8.9
BARTHOLOMEW	764.6	287.7	152.3	50.8	18.5	36.9	12.3	23.1	12.3
BENTON	1,163.3	316.3	193.9	142.9	30.6	51.0	102.0	20.4	51.0
BLACKFORD	986.3	424.7	226.0	116.4	6.9	20.6	13.7	0.0	13.7
BOONE	927.5	321.2	209.8	77.7	49.2	46.6	18.1	23.3	13.0
BROWN	732.8	335.9	129.8	76.3	0.0	15.3	7.6	15.3	15.3
CARROLL	823.8	264.3	129.5	103.6	25.9	31.1	41.5	20.7	20.7
CASS	990.1	380.6	233.8	72.1	39.8	57.2	29.9	14.9	22.4
CLARK	845.8	331.8	185.5	72.6	21.2	34.6	16.8	19.0	15.6
CLAY	1,262.1	407.3	200.7	197.6	28.2	24.2	28.2	20.2	4.0
CLINTON	1,203.8	423.6	232.5	105.1	108.3	19.1	31.9	12.7	25.5
CRAWFORD	883.5	310.7	271.8	48.5	29.1	0.0	29.1	29.1	48.5
DAVIESS	996.5	302.1	239.6	90.3	31.3	59.0	52.1	24.3	13.9
DEARBORN	833.8	298.2	208.4	66.0	21.1	29.0	21.1	26.4	29.0
DECATUR	979.1	443.5	196.7	37.7	33.5	20.9	16.7	29.3	29.3
DEKALB	862.1	370.7	158.1	69.0	14.4	17.2	37.4	25.9	14.4
DELAWARE	896.3	316.2	199.2	68.9	44.0	32.4	24.9	16.6	14.1
DUBOIS	832.0	349.9	220.4	49.6	24.8	16.5	5.5	8.3	19.3
ELKHART	774.9	297.3	167.0	62.8	13.4	21.4	16.7	34.7	19.4
FAYETTE	1,011.0	485.4	193.4	58.4	36.5	43.8	29.2	11.0	18.3
FLOYD	920.3	320.3	203.1	79.7	31.3	40.6	25.0	17.2	21.9
FOUNTAIN	1,244.6	472.8	326.1	97.8	59.8	32.6	21.7	43.5	27.2
FRANKLIN	720.0	270.0	175.0	20.0	20.0	15.0	10.0	15.0	35.0
FULTON	1,209.7	462.4	220.4	75.3	48.4	37.6	21.5	26.9	48.4
GIBSON	888.6	301.2	201.8	87.4	39.2	15.1	12.1	21.1	18.1
GRANT	950.4	347.3	201.0	87.5	36.6	33.9	28.7	10.4	18.9
GREENE	1,185.7	537.5	241.0	88.0	29.3	29.3	13.0	32.6	26.1
HAMILTON	588.2	197.8	147.8	42.8	25.5	17.3	10.2	14.3	8.2
HANCOCK	802.2	268.9	173.3	55.6	22.2	17.8	20.0	22.2	20.0
HARRISON	902.8	319.4	173.6	86.8	31.3	38.2	0.0	24.3	17.4
HENDRICKS	713.5	220.8	172.1	43.4	27.6	30.2	6.6	19.7	11.8
HENRY	965.7	391.1	205.7	70.6	26.2	28.2	34.3	26.2	20.2
HOWARD	814.0	321.1	171.8	55.7	29.6	28.4	27.3	13.0	9.5
HUNTINGTON	1,055.7	403.9	225.6	133.7	25.1	25.1	19.5	13.9	25.1
JACKSON	892.8	370.0	171.6	61.7	29.5	26.8	13.4	8.0	21.5
JASPER	828.2	332.1	183.2	76.3	15.3	26.7	19.1	34.4	11.5
JAY	1,169.0	516.0	264.8	68.5	13.7	22.8	54.8	45.7	18.3
JEFFERSON	949.0	367.4	146.3	91.8	88.4	23.8	20.4	20.4	27.2
JENNINGS	817.4	278.3	147.8	73.9	56.5	47.8	17.4	13.0	17.4
JOHNSON	770.0	292.7	162.6	55.8	23.2	18.6	30.2	15.1	12.8
KNOX	1,136.9	467.0	273.8	102.7	31.8	39.1	26.9	9.8	22.0
KOSCIUSKO	764.8	271.0	176.0	51.4	18.7	28.0	21.8	21.8	28.0

Table 11A (Continued)

DEATH RATES* BY SELECTED CAUSES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	ALL CAUSES	DISEASES OF HEART	CANCER	CEREBRO-VASCULAR DISEASE	PNEUMONIA	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	DISEASES OF ARTERIES	MOTOR VEHICLE ACCIDENTS	ACCIDENTS (EX. MVA)
LAGRANGE	660.9	218.0	166.1	69.2	27.7	24.2	10.4	13.8	20.8
LAKE	907.7	333.3	223.4	66.9	16.8	15.0	15.6	16.6	18.1
LAPORTE	892.9	331.7	190.3	63.1	20.1	27.7	15.3	27.7	17.2
LAWRENCE	997.7	328.7	219.1	88.6	37.3	28.0	35.0	28.0	28.0
MADISON	944.3	343.4	223.6	75.3	20.3	27.1	28.6	20.3	18.8
MARION	878.6	283.0	216.2	62.7	26.2	32.7	21.1	16.5	17.9
MARSHALL	847.1	308.3	160.2	87.4	31.6	24.3	43.7	21.8	21.8
MARTIN	1,132.7	424.8	230.1	123.9	35.4	35.4	35.4	26.6	0.0
MIAMI	716.2	296.9	145.8	36.5	18.2	36.5	15.6	20.8	13.0
MONROE	552.1	186.3	134.2	50.2	9.7	11.6	13.5	14.5	10.6
MONTGOMERY	924.6	349.2	153.6	97.8	36.3	39.1	19.6	16.8	22.4
MORGAN	764.3	289.1	154.7	49.7	25.8	27.6	20.3	18.4	23.9
NEWTON	905.8	391.3	188.4	50.7	43.5	0.0	7.3	29.0	14.5
NOBLE	806.8	344.7	133.2	91.4	28.7	23.5	2.6	47.0	13.1
OHIO	1,129.6	388.9	277.8	74.1	92.6	0.0	55.6	0.0	37.0
ORANGE	968.6	324.6	308.9	41.9	31.4	20.9	41.9	15.7	15.7
OWEN	816.1	316.1	178.2	28.7	40.2	23.0	46.0	46.0	5.8
PARKE	1,062.9	434.0	270.4	62.9	25.2	44.0	25.2	50.3	18.9
PERRY	952.1	297.9	244.7	69.2	53.2	16.0	47.9	5.3	16.0
PIKE	945.7	395.4	217.1	69.8	31.0	23.3	54.3	31.0	15.5
PORTER	654.8	207.2	169.8	43.9	26.8	17.9	26.0	26.8	19.5
POSEY	930.2	298.5	244.2	69.8	31.0	15.5	27.1	19.4	15.5
PULASKI	1,082.7	391.0	203.0	112.8	22.6	22.6	30.1	52.6	7.5
PUTNAM	868.0	293.7	198.0	89.1	33.0	33.0	13.2	16.5	39.6
RANDOLPH	989.2	417.3	183.5	71.9	18.0	28.8	28.8	25.2	28.8
RIPLEY	956.5	300.4	181.8	98.8	47.4	39.5	35.6	39.5	4.0
RUSH	1,048.9	489.1	173.9	65.2	16.3	10.9	54.4	16.3	27.2
ST. JOSEPH	974.8	352.3	233.9	72.6	28.9	25.6	25.6	21.0	21.9
SCOTT	1,019.0	431.3	227.5	85.3	85.3	14.2	28.4	14.2	14.2
SHELBY	879.0	308.6	195.1	59.3	37.0	44.4	27.2	24.7	9.9
SPENCER	990.0	376.9	266.3	75.4	45.2	25.1	15.1	10.1	10.1
STARKE	1,115.2	497.7	212.0	69.1	69.1	18.4	18.4	27.7	32.3
STEUBEN	759.1	273.7	197.1	25.6	21.9	7.3	11.0	25.6	11.0
SULLIVAN	1,206.9	532.0	231.5	137.9	54.2	24.6	34.5	39.4	19.7
SWITZERLAND	1,093.3	386.7	146.7	186.7	66.7	13.3	13.3	40.0	26.7
TIPPECANOE	673.1	227.6	145.8	48.9	24.0	20.8	14.4	10.4	1.4
TIPTON	915.2	351.5	181.8	109.1	6.1	36.4	12.1	24.2	30.3
UNION	768.1	333.3	173.9	29.0	29.0	29.0	0.0	14.5	0.0
VANDERBURGH	1,057.0	398.9	248.4	83.4	24.0	20.4	25.8	12.0	16.8
VERMILLION	1,188.6	474.3	268.6	120.0	28.6	34.3	11.4	51.4	17.1
VIGO	1,097.6	413.6	240.7	79.9	39.0	30.7	39.0	22.3	27.9

Table 11A (Continued)

DEATH RATES* BY SELECTED CAUSES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	ALL CAUSES	DISEASES OF HEART	CANCER	CEREBRO-VASCULAR DISEASE	PNEUMONIA	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	DISEASES OF ARTERIES	MOTOR VEHICLE ACCIDENTS	ACCIDENTS (EX. MVA)
WABASH	969.0	329.6	146.5	126.8	45.1	22.5	45.1	39.4	22.5
WARREN	988.0	361.5	301.2	36.1	24.1	48.2	12.1	36.1	24.1
WARRICK	665.2	226.8	170.6	54.0	17.3	28.1	4.3	17.3	13.0
WASHINGTON	991.3	441.6	220.8	103.9	21.7	43.3	8.7	30.3	21.7
WAYNE	1,092.7	442.6	218.5	66.4	18.0	41.5	30.4	12.5	23.5
WELLS	862.1	329.5	191.6	103.5	34.5	15.3	11.5	34.5	15.3
WHITE	1,025.4	364.4	203.4	118.6	12.7	59.3	25.4	21.2	4.2
WHITLEY	876.8	329.7	195.7	54.4	54.4	18.1	32.6	25.4	7.3
INDIANA	883.0	323.1	200.4	69.5	27.1	26.3	21.7	19.9	17.8

* Per 100,000 Population

Source: ISBH-Public Health Statistics

Table 11A (Continued)

DEATH RATES* BY SELECTED CAUSES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	DIABETES MELLITUS	SUICIDE	NEPHRITIS & NEPHROSIS	SEPTICEMIA	CHRONIC LIVER DISEASE AND CIRRHOSIS	CERTAIN CAUSES OF PERINATAL MORTALITY	EMPHYSEMA	ALZHEIMER'S DISEASE
ADAMS	16.2	12.9	19.4	3.2	9.7	12.9	3.2	3.2
ALLEN	14.6	10.3	8.9	6.6	7.0	8.3	4.6	5.0
BARTHOLOMEW	13.9	4.6	20.0	23.1	10.8	3.1	6.2	6.2
BENTON	20.4	10.2	20.4	30.6	30.6	30.6	10.2	10.2
BLACKFORD	13.7	27.4	6.9	0.0	0.0	13.7	0.0	20.6
BOONE	15.5	7.8	23.3	7.8	10.4	0.0	5.2	10.4
BROWN	0.0	7.6	0.0	15.3	7.6	0.0	22.9	7.6
CARROLL	15.5	25.9	5.2	0.0	0.0	5.2	10.4	0.0
CASS	14.9	7.5	10.0	12.4	5.0	2.5	0.0	7.5
CLARK	11.2	13.4	5.6	7.8	13.4	4.5	3.4	2.2
CLAY	28.2	4.0	12.1	12.1	8.1	8.1	12.1	4.0
CLINTON	15.9	15.9	9.6	25.5	6.4	3.2	12.7	6.4
CRAWFORD	0.0	0.0	19.4	9.7	0.0	0.0	0.0	0.0
DAVIESS	20.8	6.9	20.8	6.9	6.9	6.9	3.5	3.5
DEARBORN	13.2	18.5	5.3	2.6	10.6	2.6	0.0	7.9
DECATUR	12.6	8.4	20.9	4.2	0.0	4.2	0.0	12.6
DEKALB	5.8	20.1	2.9	8.6	0.0	2.9	5.8	8.6
DELAWARE	14.1	11.6	8.3	10.0	2.5	6.6	5.0	5.8
DUBOIS	11.0	5.5	16.5	5.5	0.0	8.3	2.8	2.8
ELKHART	14.7	8.7	5.3	4.7	4.7	4.0	8.7	6.7
FAYETTE	7.3	11.0	18.3	7.3	3.7	3.7	3.7	7.3
FLOYD	28.1	14.1	12.5	6.3	9.4	4.7	6.3	3.1
FOUNTAIN	4	10.9	16.3	0.0	10.9	10.9	0.0	0.0
FRANKLIN	25.0	20.0	5.0	10.0	15.0	0.0	5.0	0.0
FULTON	37.6	10.8	10.8	10.8	0.0	0.0	10.8	5.4
GIBSON	24.1	15.1	18.1	9.0	0.0	3.0	0.0	12.1
GRANT	28.7	11.8	14.4	6.5	6.5	2.6	5.2	3.9
GREENE	39.1	9.8	3.3	19.5	6.5	3.3	3.3	6.5
HAMILTON	10.2	9.2	9.2	6.1	2.0	6.1	3.1	8.2
HANCOCK	33.3	17.8	13.3	8.9	11.1	8.9	8.9	2.2
HARRISON	17.4	20.8	13.9	3.5	3.5	0.0	0.0	10.4
HENDRICKS	19.7	10.5	9.2	10.5	5.3	6.6	5.3	7.9
HENRY	22.2	10.1	2.0	10.1	10.1	4.0	2.0	0.0
HOWARD	7.1	11.9	10.7	43.0	9.5	2.4	8.3	3.6
HUNTINGTON	39.0	5.6	13.9	5.6	8.4	0.0	8.4	8.4
JACKSON	24.1	21.5	16.1	13.4	2.7	2.7	2.7	13.4
JASPER	3.8	7.6	7.6	3.8	7.6	3.8	3.8	3.8
JAY	13.7	18.3	9.1	4.6	9.1	4.6	4.6	0.0
JEFFERSON	3.4	10.2	6.8	6.8	3.4	6.8	0.0	3.4
JENNINGS	21.7	8.7	4.4	8.7	13.0	0.0	4.4	4.4
JOHNSON	9.3	12.8	11.6	11.6	4.7	4.7	8.1	2.3
KNOX	4.9	12.2	4.9	12.2	9.8	2.4	17.1	2.4
KOSCIUSKO	23.4	14.0	12.5	3.1	3.1	3.1	4.7	3.1

Table 11A (Continued)

DEATH RATES* BY SELECTED CAUSES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	DIABETES MELLITUS	SUICIDE	NEPHRITIS & NEPHROSIS	SEPTICEMIA	CHRONIC LIVER DISEASE AND CIRRHOSIS	CERTAIN CAUSES OF PERINATAL MORTALITY	EMPHYSEMA	ALZHEIMER'S DISEASE
LAGRANGE	10.4	3.5	10.4	3.5	0.0	3.5	0.0	6.9
LAKE	22.9	13.9	12.1	8.3	13.7	6.9	11.2	2.1
LAPORTE	18.2	12.4	9.6	16.3	18.2	5.7	7.7	5.7
LAWRENCE	28.0	14.0	11.7	4.7	7.0	2.3	16.3	7.0
MADISON	14.3	17.3	13.6	9.8	4.5	12.8	2.3	8.3
MARION	17.2	13.5	10.6	12.8	10.5	11.5	6.1	4.3
MARSHALL	19.4	7.3	9.7	4.9	4.9	4.9	7.3	4.9
MARTIN	17.7	17.7	8.9	8.9	17.7	0.0	17.7	0.0
MIAMI	10.4	10.4	5.2	7.8	5.2	2.6	5.2	0.0
MONROE	18.3	9.7	5.8	3.9	7.7	3.9	1.9	7.7
MONTGOMERY	16.8	14.0	25.1	5.6	2.8	5.6	2.8	0.0
MORGAN	12.9	12.9	23.9	5.5	5.5	3.7	3.7	0.0
NEWTON	7.3	29.0	14.5	14.5	0.0	0.0	21.7	14.5
NOBLE	15.7	2.6	2.6	7.8	5.2	2.6	2.6	5.2
OHIO	37.0	18.5	0.0	0.0	0.0	0.0	18.5	18.5
ORANGE	15.7	10.5	5.2	15.7	0.0	10.5	5.2	0.0
OWEN	17.2	5.8	0.0	5.8	5.8	5.8	5.8	0.0
PARKE	12.6	6.3	18.9	6.3	6.3	0.0	18.9	0.0
PERRY	21.3	26.6	10.6	0.0	5.3	0.0	5.3	5.3
PIKE	15.5	7.8	7.8	0.0	7.8	0.0	0.0	0.0
PORTER	8.9	8.1	8.1	9.8	2.4	1.6	6.5	4.9
POSEY	0.0	19.4	23.3	19.4	7.8	7.8	0.0	11.6
PULASKI	30.1	15.0	15.0	15.0	7.5	7.5	0.0	15.0
PUTNAM	16.5	3.3	19.8	6.6	6.6	0.0	6.6	6.6
RANDOLPH	14.4	10.8	7.2	14.4	3.6	10.8	3.6	10.8
RIPLEY	27.7	7.9	4.0	11.9	7.9	11.9	4.0	4.0
RUSH	21.7	5.4	5.4	10.9	5.4	5.4	5.4	16.3
ST. JOSEPH	21.0	14.0	7.8	10.7	6.2	7.8	4.5	4.1
SCOTT	9.5	4.7	14.2	9.5	9.5	4.7	0.0	4.7
SHELBY	7.4	12.4	4.9	7.4	19.8	2.5	4.9	9.9
SPENCER	10.1	15.1	15.1	20.1	0.0	0.0	10.1	5.0
STARKE	18.4	23.0	13.8	0.0	13.8	4.6	0.0	4.6
STEUBEN	14.6	21.9	7.3	11.0	18.3	3.7	3.7	0.0
SULLIVAN	14.8	0.0	9.9	4.9	4.9	0.0	0.0	14.8
SWITZERLAND	26.7	0.0	13.3	26.7	26.7	26.7	0.0	0.0
TIPPECANOE	17.6	14.4	8.8	6.4	7.2	2.4	8.0	7.2
TIPTON	6.1	6.1	18.2	6.1	6.1	0.0	12.1	6.1
UNION	0.0	14.5	58.0	14.5	0.0	0.0	0.0	0.0
VANDERBURGH	22.2	15.6	12.0	7.8	12.0	6.0	10.2	9.0
VERMILLION	22.9	17.1	11.4	0.0	0.0	0.0	5.7	0.0
VIGO	23.2	12.1	9.3	13.0	14.9	12.1	4.7	6.5

Table 11A (Continued)

DEATH RATES* BY SELECTED CAUSES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	DIABETES MELLITUS	SUICIDE	NEPHRITIS & NEPHROSIS	SEPTICEMIA	CHRONIC LIVER DISEASE AND CIRRHOSIS	CERTAIN CAUSES OF PERINATAL MORTALITY	EMPHYSEMA	ALZHEIMER'S DISEASE
WABASH	11.3	14.1	14.1	2.8	5.6	2.8	5.6	5.6
WARREN	0.0	12.1	12.1	12.1	0.0	0.0	12.1	0.0
WARRICK	13.0	25.9	6.5	0.0	2.2	8.6	4.3	6.5
WASHINGTON	4.3	13.0	0.0	0.0	0.0	0.0	8.7	0.0
WAYNE	34.6	6.9	15.2	6.9	11.1	11.1	9.7	4.2
WELLS	15.3	7.7	0.0	0.0	3.8	3.8	0.0	15.3
WHITE	33.9	29.7	17.0	8.5	12.7	0.0	4.2	0.0
WHITLEY	25.4	25.4	7.3	0.0	7.3	7.3	3.6	10.9
INDIANA	17.6	12.6	10.6	9.1	8.2	6.4	6.1	5.2

* Per 100,000 Population

Source: ISBH-Public Health Statistics

Table 11A (Continued)

DEATH RATES* BY SELECTED CAUSES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	HOMICIDE	CONGENITAL ANOMALIES	GASTRITIS, ETC.	ULCER OF STOMACH-DUODENUM	OTHER HYPERTENSIVE DISEASES	HERNIA - INTESTINAL OBSTRUCTION	SUDDEN INFANT DEATH SYNDROME
ADAMS	0.0	6.5	6.5	3.2	3.2	3.2	3.2
ALLEN	4.0	4.3	5.3	1.0	3.0	2.3	2.0
BARTHOLOMEW	4.6	1.5	4.6	3.1	1.5	1.5	0.0
BENTON	0.0	10.2	0.0	0.0	10.2	20.4	0.0
BLACKFORD	0.0	0.0	0.0	6.9	0.0	6.9	0.0
BOONE	0.0	2.6	2.6	7.8	2.6	0.0	0.0
BROWN	0.0	7.6	0.0	0.0	7.6	0.0	7.6
CARROLL	20.7	5.2	10.4	0.0	0.0	0.0	5.2
CASS	2.5	0.0	5.0	2.5	7.5	2.5	2.5
CLARK	4.5	3.4	3.4	2.2	3.4	2.2	1.1
CLAY	0.0	4.0	4.0	0.0	4.0	0.0	4.0
CLINTON	0.0	3.2	9.6	9.6	6.4	6.4	0.0
CRAWFORD	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DAVIESS	3.5	10.4	6.9	3.5	0.0	0.0	3.5
DEARBORN	0.0	0.0	2.6	5.3	5.3	2.6	0.0
DECATUR	0.0	0.0	0.0	0.0	12.6	0.0	0.0
DEKALB	2.9	2.9	5.8	2.9	2.9	8.6	2.9
DELAWARE	9.1	5.0	4.2	5.8	1.7	2.5	0.0
DUBOIS	2.8	8.3	0.0	2.8	0.0	2.8	0.0
ELKHART	4.0	4.7	3.3	1.3	2.0	2.0	4.7
FAYETTE	0.0	3.7	7.3	0.0	3.7	0.0	7.3
FLOYD	0.0	6.3	3.1	3.1	3.1	4.7	3.1
FOUNTAIN	0.0	10.9	0.0	5.4	0.0	5.4	5.4
FRANKLIN	0.0	5.0	5.0	5.0	0.0	0.0	5.0
FULTON	10.8	10.8	5.4	5.4	0.0	0.0	0.0
GIBSON	9.0	9.0	9.0	0.0	3.0	0.0	3.0
GRANT	2.6	1.3	5.2	5.2	2.6	1.3	0.0
GREENE	9.2	6.5	3.3	3.3	3.3	0.0	0.0
HAMILTON	3.1	5.1	3.1	2.0	0.0	1.0	2.0
HANCOCK	0.0	6.7	2.2	4.4	0.0	0.0	2.2
HARRISON	3.5	10.4	3.5	6.9	6.9	0.0	0.0
HENDRICKS	3.9	7.9	3.9	1.3	3.9	2.6	5.3
HENRY	6.1	6.1	2.0	10.1	0.0	0.0	2.0
HOWARD	3.6	2.4	1.2	0.0	4.7	2.4	2.4
HUNTINGTON	0.0	0.0	8.4	0.0	2.8	2.8	0.0
JACKSON	0.0	5.4	2.7	5.4	0.0	8.0	0.0
JASPER	3.8	0.0	7.6	0.0	0.0	3.8	3.8
JAY	0.0	0.0	4.6	0.0	0.0	4.6	0.0
JEFFERSON	3.4	6.8	13.6	6.8	0.0	3.4	0.0
JENNINGS	4.4	4.4	17.4	0.0	0.0	0.0	4.4
JOHNSON	2.3	8.1	0.0	2.3	2.3	1.2	2.3
KNOX	7.3	2.4	2.4	0.0	7.3	0.0	2.4
KOSCIUSKO	3.1	9.4	0.0	1.6	0.0	0.0	1.6

Table 11A (Continued)

DEATH RATES* BY SELECTED CAUSES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	HOMICIDE	CONGENITAL ANOMALIES	GASTRITIS, ETC.	ULCER OF STOMACH-DUODENUM	OTHER HYPERTENSIVE DISEASES	HERNIA - INTESTINAL OBSTRUCTION	SUDDEN INFANT DEATH SYNDROME
LAGRANGE	0.0	13.8	0.0	0.0	0.0	3.5	6.9
LAKE	12.9	5.4	2.9	2.5	1.9	2.3	3.1
LAPORTE	7.7	6.7	1.9	6.7	2.9	2.9	2.9
LAWRENCE	2.3	4.7	4.7	7.0	0.0	9.3	0.0
MADISON	3.0	3.8	2.3	2.3	3.8	1.5	3.0
MARION	9.5	6.6	5.1	2.7	2.8	2.0	3.4
MARSHALL	2.4	0.0	2.4	4.9	0.0	2.4	2.4
MARTIN	8.9	0.0	8.9	17.7	0.0	0.0	0.0
MIAMI	7.8	5.2	2.6	2.6	2.6	2.6	0.0
MONROE	1.0	6.8	0.0	0.0	1.0	2.9	1.0
MONTGOMERY	0.0	5.6	5.6	0.0	8.4	0.0	0.0
MORGAN	1.8	5.5	1.8	1.8	5.5	0.0	1.8
NEWTON	0.0	7.3	0.0	7.3	0.0	7.3	7.3
NOBLE	0.0	0.0	5.2	0.0	2.6	5.2	0.0
OHIO	0.0	0.0	0.0	0.0	37.0	0.0	0.0
ORANGE	5.2	0.0	0.0	5.2	0.0	5.2	0.0
OWEN	0.0	0.0	0.0	5.8	5.8	0.0	5.8
PARKE	0.0	0.0	6.3	0.0	0.0	6.3	0.0
PERRY	5.3	5.3	5.3	0.0	10.6	5.3	5.3
PIKE	0.0	0.0	0.0	0.0	0.0	0.0	15.5
PORTER	1.6	3.3	3.3	4.9	3.3	1.6	1.6
POSEY	0.0	0.0	3.9	3.9	0.0	0.0	3.9
PULASKI	15.0	0.0	7.5	7.5	0.0	0.0	0.0
PUTNAM	3.3	13.2	3.3	0.0	3.3	3.3	0.0
RANDOLPH	0.0	0.0	3.6	3.6	7.2	7.2	0.0
RIPLEY	0.0	7.9	7.9	0.0	4.0	7.9	0.0
RUSH	0.0	0.0	16.3	5.4	0.0	10.9	0.0
ST. JOSEPH	7.4	5.4	6.6	3.3	6.2	2.1	2.1
SCOTT	4.7	0.0	0.0	0.0	0.0	0.0	0.0
SHELBY	2.5	4.9	4.9	2.5	0.0	0.0	2.5
SPENCER	0.0	5.0	5.0	5.0	0.0	0.0	0.0
STARKE	13.8	0.0	13.8	0.0	0.0	0.0	0.0
STEUBEN	0.0	14.6	0.0	7.3	14.6	3.7	0.0
SULLIVAN	0.0	0.0	0.0	0.0	0.0	4.9	0.0
SWITZERLAND	0.0	13.3	0.0	13.3	0.0	13.3	0.0
TIPPECANOE	1.6	4.0	5.6	3.2	4.0	1.6	0.8
TIPTON	0.0	0.0	6.1	0.0	0.0	0.0	0.0
UNION	0.0	0.0	0.0	0.0	0.0	0.0	0.0
VANDERBURGH	3.6	4.8	6.6	3.6	0.6	2.4	1.2
VERMILLION	0.0	0.0	28.6	5.7	0.0	0.0	0.0
VIGO	2.8	1.9	0.9	0.9	4.7	3.7	2.8

Table 11A (Continued)

DEATH RATES* BY SELECTED CAUSES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	HOMICIDE	CONGENITAL ANOMALIES	GASTRITIS, ETC.	ULCER OF STOMACH-DUODENUM	OTHER HYPERTENSIVE DISEASES	HERNIA - INTESTINAL OBSTRUCTION	SUDDEN INFANT DEATH SYNDROME
WABASH	0.0	11.3	0.0	2.8	0.0	2.8	0.0
WARREN	0.0	0.0	12.1	0.0	0.0	0.0	12.1
WARRICK	4.3	0.0	0.0	0.0	0.0	0.0	0.0
WASHINGTON	0.0	0.0	4.3	4.3	0.0	0.0	4.3
WAYNE	4.2	4.2	5.5	4.2	2.8	2.8	0.0
WELLS	0.0	3.8	19.2	3.8	0.0	0.0	0.0
WHITE	4.2	0.0	0.0	0.0	8.5	4.2	0.0
WHITLEY	0.0	0.0	7.3	0.0	7.3	0.0	0.0
INDIANA	5.1	4.9	4.2	2.8	2.8	2.3	2.2

* Per 100,000 Population

Source: ISBH-Public Health Statistics

1987 INDIANA MORTALITY REPORT

City Data

Table 12

NUMBER OF DEATHS BY SELECTED CAUSES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN THE 1980 CENSUS)

CITY	ALL CAUSES	DISEASES OF HEART	CANCER	CEREBRO-VASCULAR DISEASE	PNEUMONIA	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	DISEASES OF ARTERIES	MOTOR VEHICLE ACCIDENTS	ACCIDENTS (EX. MVA)
Alexandria	71	30	13	3	0	3	0	2	0
Anderson	678	248	167	60	17	20	23	8	12
Angola	67	24	17	2	1	0	0	2	0
Auburn	91	37	15	9	1	2	6	1	1
Bedford	206	69	44	15	8	7	7	0	6
Beech Grove	155	48	41	8	2	12	3	4	7
Bloomington	356	133	72	38	6	8	9	6	5
Bluffton	107	41	24	10	7	0	1	4	2
Boonville	79	24	26	7	2	5	0	1	0
Brazil	124	42	32	20	2	3	3	2	0
Brownsburg	93	36	23	7	3	1	0	2	1
Carmel	143	47	41	12	6	1	4	2	4
Cedar Lake	66	26	18	2	1	4	1	3	2
Charleston	48	20	11	4	0	3	0	1	2
Chesterton	74	27	17	3	5	2	8	3	3
Clarksville	194	75	39	19	6	10	5	4	2
Clinton	94	37	25	8	1	2	1	3	2
Columbia City	79	33	17	5	5	2	1	0	2
Columbus	314	116	56	22	7	17	6	9	5
Connersville	217	107	38	13	9	12	6	1	3
Crawfordsville	180	71	30	16	8	7	5	1	4
Crown Point	234	87	49	19	12	8	4	5	1
Decatur	104	42	22	15	5	1	3	1	0
Dyer	91	37	17	7	1	1	1	1	1
East Chicago	342	120	85	23	5	2	5	5	11
Elkhart	488	186	96	48	9	12	8	15	15
Elwood	116	42	20	11	4	3	5	5	4
Evansville	1,646	611	390	130	39	33	42	19	25
Fort Wayne	1,951	791	442	162	43	50	31	44	20
Frankfort	212	72	40	19	27	4	5	0	2
Franklin	194	94	30	17	7	2	7	2	0
Gary	1,243	425	300	100	22	12	17	27	28
Gas City	62	21	10	11	4	3	2	2	1
Goshen	218	92	43	19	3	7	10	9	4
Greencastle	110	35	27	9	5	3	1	2	7
Greenfield	156	56	27	15	4	5	4	2	2
Greensburg	121	54	24	6	3	1	3	2	3
Greenwood	245	91	48	20	7	6	10	4	6
Griffith	133	43	36	9	2	2	5	4	5
Hammond	847	332	199	58	22	18	15	9	14
Hartford City	87	37	20	9	1	2	1	0	2
Highland	164	67	35	16	3	0	2	2	3

Table 12 (Continued)

NUMBER OF DEATHS BY SELECTED CAUSES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN THE 1980 CENSUS)

CITY	ALL CAUSES	DISEASES OF HEART	CANCER	CEREBRO-VASCULAR DISEASE	PNEUMONIA	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	DISEASES OF ARTERIES	MOTOR VEHICLE ACCIDENTS	ACCIDENTS (EX. MVA)
Hobart	227	92	63	13	1	3	7	4	5
Huntingburg	63	21	16	2	4	2	0	2	1
Huntington	198	83	43	19	0	8	5	2	2
Indianapolis	6,613	2,128	1,628	475	199	242	159	120	131
Jasper	104	46	29	8	0	1	1	1	1
Jeffersonville	276	114	61	21	4	12	5	8	4
Kendallville	77	38	12	7	2	4	0	2	1
Kokomo	518	207	101	37	22	20	21	6	5
Lafayette	457	148	104	32	18	16	8	6	8
Lake Station	109	31	27	5	2	5	1	3	1
LaPorte	261	105	50	18	6	7	5	7	5
Lawrence	46	13	13	3	3	2	1	1	0
Lebanon	140	47	36	9	7	8	4	4	2
Linton	90	45	11	10	3	2	1	1	1
Logansport	241	92	53	18	9	13	6	2	5
Lowell	51	10	20	3	0	1	0	1	2
Madison	154	63	25	14	13	6	4	3	4
Marion	464	179	95	38	16	16	16	2	9
Martinsville	149	61	25	9	5	7	5	5	5
Merrillville	268	108	71	27	4	1	5	3	2
Michigan City	363	136	67	28	9	15	6	8	6
Mishawaka	416	152	91	42	9	19	11	6	11
Monticello	91	28	18	16	1	4	3	2	1
Mooresville	80	31	21	5	4	1	1	1	1
Mount Vernon	106	34	31	11	1	1	3	0	0
Muncie	711	262	156	57	28	27	17	12	10
Munster	187	67	49	15	1	6	5	1	4
New Albany	471	162	98	44	20	22	13	6	11
New Castle	230	91	49	19	7	2	8	5	5
New Haven	52	12	17	8	0	0	2	2	1
Noblesville	172	58	39	13	8	8	0	7	0
North Manchester	74	26	14	13	4	1	3	2	0
North Vernon	76	29	12	12	5	4	2	0	2
Peru	141	61	28	9	4	9	4	2	2
Plainfield	129	30	37	9	3	4	2	4	2
Plymouth	108	40	19	13	5	3	9	2	1
Portage	168	50	47	14	9	7	3	6	6
Portland	101	42	26	6	1	3	5	2	2
Princeton	101	36	21	14	6	1	0	3	1
Richmond	546	206	99	38	10	23	17	5	11
Rochester	80	31	17	6	4	2	2	1	2

Table 12 (Continued)

NUMBER OF DEATHS BY SELECTED CAUSES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN THE 1980 CENSUS)

CITY	ALL CAUSES	DISEASES OF HEART	CANCER	CEREBRO-VASCULAR DISEASE	PNEUMONIA	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	DISEASES OF ARTERIES	MOTOR VEHICLE ACCIDENTS	ACCIDENTS (EX. MVA)
Rushville	91	44	12	4	1	1	6	0	2
Salem	83	40	14	10	2	6	0	4	3
Schererville	73	28	22	5	1	0	1	3	0
Scottsburg	78	34	10	8	11	1	4	0	0
Seymour	170	73	27	16	6	4	1	0	4
Shelbyville	172	67	30	12	7	9	4	5	2
South Bend	1,284	447	328	95	46	23	34	23	27
Speedway	32	11	5	3	1	1	0	1	0
Tell City	87	26	20	5	5	1	8	0	1
Terre Haute	857	329	188	71	35	26	30	11	16
Tipton	61	22	13	10	0	2	2	0	3
Union City	44	21	7	3	1	3	0	1	2
Valparaiso	247	79	65	14	9	6	7	5	6
Vincennes	256	92	65	26	11	11	8	2	4
Wabash	144	51	18	18	10	4	6	2	5
Warsaw	118	49	24	7	6	5	4	0	3
Washington	165	49	45	17	3	10	7	4	1
West Lafayette	149	52	28	12	5	3	5	4	5
Whiting	124	51	24	13	1	4	2	0	1
Winchester	58	26	10	5	1	2	4	1	0

Source: ISBH-Public Health Statistics

Table 12 (Continued)

NUMBER OF DEATHS BY SELECTED CAUSES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN THE 1980 CENSUS)

CITY	DIABETES MELLITUS	SUICIDE	NEPHRITIS & NEPHROSIS	SEPTICEMIA	CHRONIC LIVER DISEASE AND CIRRHOSIS	CERTAIN CAUSES OF PERINATAL MORTALITY	EMPHYSEMA	ALZHEIMER'S DISEASE
Alexandria	2	0	1	1	1	1	0	5
Anderson	7	10	8	7	1	10	3	4
Angola	1	2	0	2	2	0	1	0
Auburn	2	1	0	1	0	1	1	0
Bedford	7	1	5	0	3	0	5	1
Beech Grove	3	1	2	2	2	1	1	3
Bloomington	13	5	4	4	4	0	2	7
Bluffton	2	1	0	0	1	0	0	3
Boonville	2	2	2	0	0	1	0	0
Brazil	2	0	2	0	2	0	1	0
Brownsburg	3	0	4	1	1	0	0	0
Carmel	2	3	4	3	1	0	0	0
Cedar Lake	0	2	1	0	3	0	0	0
Charleston	1	1	1	0	0	0	0	0
Chesterton	1	1	1	0	0	0	0	0
Clarksville	2	3	1	1	5	1	2	1
Clinton	2	3	1	0	0	0	1	0
Columbia City	2	1	0	0	1	1	0	0
Columbus	6	2	10	9	5	0	3	2
Connersville	1	2	4	2	1	0	1	2
Crawfordsville	4	3	4	1	0	1	1	0
Crown Point	2	2	1	4	4	1	6	2
Decatur	0	1	3	0	1	0	1	1
Dyer	0	0	2	2	1	0	1	0
East Chicago	17	6	3	6	7	5	2	0
Elkhart	8	9	4	2	3	5	7	5
Elwood	3	2	4	0	0	1	0	0
Evansville	33	22	20	13	20	9	16	15
Fort Wayne	34	28	22	18	17	21	10	13
Frankfort	1	3	0	4	0	1	2	1
Franklin	0	2	5	2	1	0	2	1
Gary	31	16	19	13	22	11	12	0
Gas City	0	1	0	1	1	0	0	0
Goshen	7	0	1	0	1	0	1	2
Greencastle	3	0	3	1	1	0	0	1
Greenfield	10	2	2	2	3	1	4	1
Greensburg	1	1	4	1	0	0	0	1
Greenwood	4	3	3	4	1	3	3	0
Griffith	2	2	1	1	1	0	5	1
Hammond	23	9	17	4	9	10	10	3
Hartford City	2	3	1	0	0	1	0	2
Highland	9	4	1	2	4	0	0	0

Table 12 (Continued)

NUMBER OF DEATHS BY SELECTED CAUSES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN THE 1980 CENSUS)

CITY	DIABETES MELLITUS	SUICIDE	NEPHRITIS & NEPHROSIS	SEPTICEMIA	CHRONIC LIVER DISEASE AND CIRRHOSIS	CERTAIN CAUSES OF PERINATAL MORTALITY	EMPHYSEMA	ALZHEIMER'S DISEASE
Hobart	4	4	3	1	2	2	5	1
Huntingburg	1	0	2	1	0	1	1	0
Huntington	6	0	2	1	3	0	1	1
Indianapolis	130	105	81	93	80	89	45	11
Jasper	2	2	1	0	0	2	0	0
Jeffersonville	6	3	1	2	3	3	1	0
Kendallville	1	1	0	2	0	0	1	0
Kokomo	4	5	4	9	7	2	5	4
Lafayette	12	9	7	2	4	2	6	4
Lake Station	2	8	1	1	3	0	1	0
LaPorte	6	4	2	4	7	2	1	2
Lawrence	0	1	0	3	1	0	1	1
Lebanon	4	1	3	0	3	0	2	2
Linton	6	1	0	2	1	0	0	0
Logansport	5	2	3	4	1	1	3	1
Lowell	3	1	0	0	0	0	2	0
Madison	1	1	0	1	1	2	2	2
Marion	15	7	7	1	2	1	3	1
Martinsville	4	1	2	1	1	2	0	1
Merrillville	4	3	2	1	2	1	3	0
Michigan City	9	6	3	6	6	2	5	2
Mishawaka	5	7	4	5	2	3	1	1
Monticello	2	1	1	0	1	0	0	0
Mooresville	1	1	3	0	0	0	2	0
Mount Vernon	0	1	4	3	0	0	2	0
Muncie	11	6	7	7	3	6	5	4
Munster	2	5	2	1	3	0	1	0
New Albany	16	7	6	4	5	1	3	2
New Castle	6	1	1	2	3	2	0	0
New Haven	3	1	0	0	0	1	1	0
Noblesville	3	0	1	1	0	2	2	1
North Manchester	0	0	1	0	1	0	1	1
North Vernon	1	1	0	0	2	0	0	0
Peru	3	1	1	2	1	0	1	0
Plainfield	4	2	1	2	2	0	2	2
Plymouth	2	0	1	0	0	1	0	1
Portage	3	2	0	3	0	1	1	0
Portland	2	0	1	1	1	0	0	0
Princeton	4	0	4	0	0	0	0	1
Richmond	20	2	7	4	8	7	6	3
Rochester	4	1	1	0	0	0	1	0

Table 12 (Continued)

NUMBER OF DEATHS BY SELECTED CAUSES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN THE 1980 CENSUS)

CITY	DIABETES MELLITUS	SUICIDE	NEPHRITIS & NEPHROSIS	SEPTICEMIA	CHRONIC LIVER DISEASE AND CIRRHOSIS	CERTAIN CAUSES OF PERINATAL MORTALITY	EMPHYSEMA	ALZHEIMER'S DISEASE
Rushville	2	0	1	1	1	1	1	2
Salem	0	2	0	0	0	0	0	0
Schererville	1	3	1	1	0	0	1	0
Scottsburg	1	0	2	2	0	0	0	0
Seymour	4	4	2	2	1	1	0	4
Shelbyville	2	2	1	1	4	0	1	1
South Bend	33	19	9	11	10	11	8	6
Speedway	3	0	0	0	0	0	0	0
Tell City	3	3	1	0	1	0	1	0
Terre Haute	14	7	4	11	11	10	4	7
Tipton	0	0	0	0	1	0	1	1
Union City	0	1	0	1	0	0	0	0
Valparaiso	3	2	5	7	1	1	4	2
Vincennes	2	2	1	1	2	0	7	1
Wabash	1	4	1	1	0	0	1	0
Warsaw	1	1	2	0	1	1	1	0
Washington	4	2	1	1	1	0	1	0
West Lafayette	4	2	2	3	1	1	1	3
Whiting	3	0	2	0	3	1	1	1
Winchester	2	0	1	1	0	1	0	2

Source: ISBH-Public Health Statistics

Table 12 (Continued)

NUMBER OF DEATHS BY SELECTED CAUSES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN THE 1980 CENSUS)

CITY	HOMICIDE	CONGENITAL ANOMALIES	GASTRITIS, ETC.	ULCER OF STOMACH-DUODENUM	OTHER HYPERTENSIVE DISEASES	HERNIA - INTESTINAL OBSTRUCTION	SUDDEN INFANT DEATH SYNDROME
Alexandria	0	1	0	0	0	0	2
Anderson	3	2	0	1	2	2	1
Angola	0	2	0	1	2	0	0
Auburn	1	0	0	1	0	1	0
Bedford	0	2	2	2	0	2	0
Beech Grove	0	2	1	0	0	0	0
Bloomington	0	6	0	0	1	1	0
Bluffton	0	0	4	1	0	0	0
Boonville	1	0	0	0	0	0	0
Brazil	0	0	1	0	1	0	0
Brownsburg	1	0	1	0	1	0	0
Carmel	0	0	0	0	0	0	0
Cedar Lake	0	0	0	0	0	0	0
Charleston	1	0	0	0	1	0	0
Chesterton	0	0	0	0	1	0	0
Clarksville	0	0	1	0	1	0	0
Clinton	0	0	3	0	0	0	0
Columbia City	0	0	0	0	2	0	0
Columbus	3	1	1	2	1	0	0
Connersville	0	0	2	0	1	0	0
Crawfordsville	0	2	1	0	1	0	0
Crown Point	1	1	0	1	2	2	1
Decatur	0	0	1	0	0	1	0
Dyer	1	1	0	0	0	0	0
East Chicago	8	1	0	0	1	1	2
Elkhart	3	2	3	0	3	0	2
Elwood	0	1	0	0	1	0	0
Evansville	4	5	10	6	1	4	2
Fort Wayne	11	9	13	2	9	6	6
Frankfort	0	1	2	3	1	2	0
Franklin	1	1	0	0	0	0	0
Gary	40	9	5	6	0	5	9
Gas City	0	0	0	0	0	0	0
Goshen	0	1	0	2	0	0	0
Greencastle	0	0	0	0	0	0	0
Greenfield	0	1	1	2	0	0	0
Greensburg	0	0	0	0	2	0	0
Greenwood	0	5	0	1	0	1	1
Griffith	0	0	0	0	0	0	1
Hammond	5	5	3	2	5	0	2
Hartford City	0	0	0	0	0	1	0
Highland	1	1	0	0	1	0	0

Table 12 (Continued)

NUMBER OF DEATHS BY SELECTED CAUSES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN THE 1980 CENSUS)

CITY	HOMICIDE	CONGENITAL ANOMALIES	GASTRITIS, ETC.	ULCER OF STOMACH-DUODENUM	OTHER HYPERTENSIVE DISEASES	HERNIA - INTESTINAL OBSTRUCTION	SUDDEN INFANT DEATH SYNDROME
Hobart	2	2	2	0	0	0	0
Huntingburg	0	0	0	0	0	1	0
Huntington	0	0	3	0	0	0	0
Indianapolis	74	49	38	20	22	16	27
Jasper	0	2	0	0	0	0	0
Jeffersonville	2	2	1	1	0	1	1
Kendallville	0	0	1	0	0	1	0
Kokomo	3	2	0	0	4	2	1
Lafayette	2	3	3	3	2	2	1
Lake Station	1	2	0	1	0	0	0
LaPorte	2	2	1	1	0	0	2
Lawrence	0	0	0	0	0	0	0
Lebanon	0	1	1	2	0	0	0
Linton	0	0	0	0	0	0	0
Logansport	1	0	2	1	2	1	1
Lowell	0	0	1	0	0	1	0
Madison	0	0	2	0	0	1	0
Marion	2	0	3	4	2	0	0
Martinsville	1	0	0	0	1	0	1
Merrillville	2	2	0	1	0	0	0
Michigan City	5	3	0	4	2	0	1
Mishawaka	4	0	3	4	3	1	1
Monticello	1	0	0	0	1	0	0
Mooresville	0	1	0	0	0	0	0
Mount Vernon	0	0	0	1	0	0	1
Muncie	9	4	4	5	2	2	0
Munster	0	2	1	1	0	1	0
New Albany	0	3	2	1	1	3	1
New Castle	2	1	0	4	0	0	1
New Haven	0	0	0	1	0	0	0
Noblesville	0	3	1	0	0	0	1
North Manchester	0	0	0	0	0	0	0
North Vernon	0	0	1	0	0	0	1
Peru	1	2	1	0	1	1	0
Plainfield	0	1	0	1	1	0	0
Plymouth	1	0	0	0	0	1	0
Portage	1	1	1	0	0	0	0
Portland	0	0	1	0	0	1	0
Princeton	0	2	1	0	0	0	0
Richmond	3	2	3	2	1	2	0
Rochester	0	0	1	0	0	0	0

Table 12 (Continued)

NUMBER OF DEATHS BY SELECTED CAUSES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN THE 1980 CENSUS)

CITY	HOMICIDE	CONGENITAL ANOMALIES	GASTRITIS, ETC.	ULCER OF STOMACH-DUODENUM	OTHER HYPERTENSIVE DISEASES	HERNIA - INTESTINAL OBSTRUCTION	SUDDEN INFANT DEATH SYNDROME
Rushville	0	0	2	1	0	2	0
Salem	0	0	1	0	0	0	0
Schererville	0	0	0	0	0	0	0
Scottsburg	0	0	0	0	0	0	0
Seymour	0	2	1	2	0	0	0
Shelbyville	1	1	2	0	0	0	1
South Bend	11	10	11	3	8	2	3
Speedway	0	1	0	0	0	0	0
Tell City	0	0	0	0	0	0	0
Terre Haute	3	2	0	0	5	2	3
Tipton	0	0	0	0	0	0	0
Union City	0	0	0	0	0	0	0
Valparaiso	0	1	2	4	2	2	1
Vincennes	3	0	1	0	2	0	1
Wabash	0	3	0	1	0	0	0
Warsaw	0	1	0	0	0	0	0
Washington	1	1	2	1	0	0	0
West Lafayette	0	1	1	0	1	0	0
Whiting	1	0	0	0	0	1	0
Winchester	0	0	0	0	0	0	0

Source: ISBH-Public Health Statistics

Table 12A

DEATH RATES* BY SELECTED CAUSES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN THE 1980 CENSUS)

CITY	ALL CAUSES	DISEASES OF HEART	CANCER	CEREBRO-VASCULAR DISEASE	PNEUMONIA	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	DISEASES OF ARTERIES	MOTOR VEHICLE ACCIDENTS	ACCIDENTS (EX. MVA)
Alexandria	1,307.6	552.5	239.4	55.3	0.0	55.3	0.0	36.8	0.0
Anderson	1,113.9	407.4	274.4	98.6	27.9	32.9	37.8	13.1	19.7
Angola	1,141.4	408.9	289.6	34.1	17.0	0.0	0.0	34.1	0.0
Auburn	991.3	403.1	163.4	98.0	10.9	21.8	65.4	10.9	10.9
Bedford	1,496.0	501.1	319.5	108.9	58.1	50.8	50.8	0.0	43.6
Beech Grove	1,170.7	362.5	309.7	60.4	15.1	90.6	22.7	30.2	52.9
Bloomington	652.5	243.8	132.0	69.7	11.0	14.7	16.5	11.0	9.2
Bluffton	1,163.0	445.7	260.9	108.7	76.1	0.0	10.9	43.5	21.7
Boonville	1,080.7	328.3	355.7	95.8	27.4	68.4	0.0	13.7	0.0
Brazil	1,608.3	544.8	415.1	259.4	25.9	38.9	38.9	25.9	0.0
Brownsburg	1,394.3	539.7	344.8	105.0	45.0	15.0	0.0	30.0	15.0
Carmel	641.0	210.7	183.8	53.8	26.9	4.5	17.9	9.0	17.9
Cedar Lake	742.4	292.5	202.5	22.5	11.3	45.0	11.3	33.8	22.5
Charleston	812.2	338.4	186.1	67.7	0.0	50.8	0.0	16.9	33.8
Chesterton	871.6	318.0	200.2	35.3	58.9	23.6	94.2	35.3	35.3
Clarksville	1,337.9	517.2	269.0	131.0	41.4	69.0	34.5	27.6	13.8
Clinton	1,974.8	777.3	525.2	168.1	21.0	42.0	21.0	63.0	42.0
Columbia City	1,496.2	625.0	322.0	94.7	94.7	37.9	18.9	0.0	37.9
Columbus	1,018.8	376.4	181.7	71.4	22.7	55.2	19.5	29.2	16.2
Connersville	1,327.2	654.4	232.4	79.5	55.1	73.4	36.7	6.1	18.4
Crawfordsville	1,310.0	516.7	218.3	116.5	58.2	51.0	36.4	7.3	29.1
Crown Point	1,389.6	516.6	291.0	112.8	71.3	47.5	23.8	29.7	5.9
Decatur	1,183.2	477.8	250.3	170.7	56.9	11.4	34.1	11.4	0.0
Dyer	926.7	376.8	173.1	71.3	10.2	10.2	10.2	10.2	10.2
East Chicago	937.8	329.0	233.1	63.1	13.7	5.5	13.7	13.7	30.2
Elkhart	1,091.2	415.9	214.7	107.3	20.1	26.8	17.9	33.5	33.5
Elwood	1,171.7	424.2	202.0	111.1	40.4	30.3	50.5	50.5	40.4
Evansville	1,277.5	474.2	302.7	100.9	30.3	25.6	32.6	14.8	19.4
Fort Wayne	1,106.3	448.5	250.6	91.9	24.4	28.4	17.6	25.0	11.3
Frankfort	1,384.7	470.3	261.3	124.1	176.4	26.1	32.7	0.0	13.1
Franklin	1,595.4	773.0	246.7	139.8	57.6	16.5	57.6	16.5	0.0
Gary	923.3	315.7	222.8	74.3	16.3	8.9	12.6	20.1	20.8
Gas City	977.9	331.2	157.7	173.5	63.1	47.3	31.6	31.6	15.8
Goshen	999.1	421.6	197.1	87.1	13.8	32.1	45.8	41.3	18.3
Greencastle	1,380.2	439.2	338.8	112.9	62.7	37.6	12.6	25.1	87.8
Greenfield	1,268.3	455.3	219.5	122.0	32.5	40.7	32.5	16.3	16.3
Greensburg	1,355.0	604.7	268.8	67.2	33.6	11.2	33.6	22.4	33.6
Greenwood	1,042.6	387.2	204.3	85.1	29.8	25.5	42.6	17.0	25.5
Griffith	822.5	265.9	222.6	55.7	12.4	12.4	30.9	24.7	30.9
Hammond	990.5	388.3	232.7	67.8	25.7	21.1	17.5	10.5	16.4
Hartford City	1,161.6	494.0	267.0	120.2	13.4	26.7	13.4	0.0	26.7
Highland	683.1	279.1	145.8	66.6	12.5	0.0	8.3	8.3	12.5

Table 12A (Continued)

DEATH RATES* BY SELECTED CAUSES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN THE 1980 CENSUS)

CITY	ALL CAUSES	DISEASES OF HEART	CANCER	CEREBRO-VASCULAR DISEASE	PNEUMONIA	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	DISEASES OF ARTERIES	MOTOR VEHICLE ACCIDENTS	ACCIDENTS (EX. MVA)
Hobart	1,023.4	414.8	284.0	58.6	4.5	13.5	31.6	18.0	22.5
Huntingburg	1,166.7	388.9	296.3	37.0	74.1	37.0	0.0	37.0	18.5
Huntington	1,155.9	484.5	251.0	110.9	0.0	46.7	29.2	11.7	11.7
Indianapolis	913.9	294.1	225.0	65.7	27.5	33.5	22.0	16.6	18.1
Jasper	1,074.4	475.2	299.6	82.6	0.0	10.3	10.3	10.3	10.3
Jeffersonville	1,297.6	536.0	286.8	98.7	18.8	56.4	23.5	37.6	18.8
Kendallville	980.9	484.1	152.9	89.2	25.5	51.0	0.0	25.5	12.7
Kokomo	1,156.8	462.3	225.6	82.6	49.1	44.7	46.9	13.4	11.2
Lafayette	1,032.3	334.3	234.9	72.3	40.7	36.1	18.1	13.6	18.1
Lake Station	777.5	221.1	192.6	35.7	14.3	35.7	7.1	21.4	7.1
LaPorte	1,201.1	483.2	230.1	82.8	27.6	32.2	23.0	32.2	23.0
Lawrence	171.3	48.4	48.4	11.2	11.2	7.5	3.7	3.7	0.0
Lebanon	1,200.7	403.1	308.8	77.2	60.0	68.6	34.3	34.3	17.2
Linton	1,515.2	757.6	185.2	168.4	50.5	33.7	16.8	16.8	16.8
Logansport	1,394.7	532.4	306.7	104.2	52.1	75.2	34.7	11.6	28.9
Lowell	847.2	166.1	332.2	49.8	0.0	16.6	0.0	16.6	33.2
Madison	1,312.9	537.1	213.1	119.4	110.8	51.2	34.1	25.6	34.1
Marion	1,310.7	505.7	268.4	107.3	45.2	45.2	45.2	5.7	25.4
Martinsville	1,222.3	500.4	205.1	73.8	41.0	57.4	41.0	41.0	41.0
Merrillville	1,007.1	405.9	266.8	101.5	15.0	3.8	18.8	11.3	7.5
Michigan City	1,023.4	383.4	188.9	78.9	25.4	42.3	16.9	22.6	16.9
Mishawaka	998.6	364.9	218.4	100.8	21.6	45.6	26.4	14.4	26.4
Monticello	1,787.8	550.1	353.6	314.3	19.7	78.6	58.9	39.3	19.7
Mooresville	1,393.7	540.1	365.9	87.1	69.7	17.4	17.4	17.4	17.4
Mount Vernon	1,257.4	403.3	367.7	130.5	11.9	11.9	35.6	0.0	0.0
Muncie	974.5	359.1	213.8	78.1	38.4	37.0	23.3	16.5	13.7
Munster	930.4	333.3	243.8	74.6	5.0	29.9	24.9	5.0	19.9
New Albany	1,259.4	433.2	262.0	117.7	53.5	58.8	34.8	16.0	29.4
New Castle	1,271.4	503.0	270.9	105.0	38.7	11.1	44.2	27.6	27.6
New Haven	711.4	164.2	232.6	109.4	0.0	0.0	27.4	27.4	13.7
Noblesville	1,079.1	363.9	244.7	81.6	50.2	50.2	0.0	43.9	0.0
North Manchester	1,265.0	444.4	239.3	222.2	68.4	17.1	51.3	34.2	0.0
North Vernon	1,340.4	511.5	211.6	211.6	88.2	70.6	35.3	0.0	35.3
Peru	1,073.1	464.2	213.1	68.5	30.4	68.5	30.4	15.2	15.2
Plainfield	1,209.0	281.2	346.8	84.4	28.1	37.5	18.7	37.5	18.7
Plymouth	1,312.3	486.0	230.9	158.0	60.8	36.5	109.4	24.3	12.2
Portage	589.1	175.4	164.9	49.1	31.6	24.6	10.5	21.1	21.1
Portland	1,539.6	640.2	396.3	91.5	15.2	45.7	76.2	30.5	30.5
Princeton	1,137.4	405.4	236.5	157.7	67.6	11.3	0.0	33.8	11.3
Richmond	1,395.7	526.6	253.1	97.1	25.6	58.3	43.5	12.8	28.1
Rochester	1,309.3	507.4	278.2	98.2	65.5	32.7	32.7	16.4	32.7

Table 12A (Continued)

DEATH RATES* BY SELECTED CAUSES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN THE 1980 CENSUS)

CITY	ALL CAUSES	DISEASES OF HEART	CANCER	CEREBRO-VASCULAR DISEASE	PNEUMONIA	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	DISEASES OF ARTERIES	MOTOR VEHICLE ACCIDENTS	ACCIDENTS (EX. MVA)
Rushville	1,669.7	807.3	220.2	73.4	18.4	18.4	110.1	0.0	36.7
Salem	1,534.2	739.4	258.8	184.8	37.0	110.9	0.0	73.9	18.5
Schererville	487.3	186.9	146.9	33.4	6.7	0.0	6.7	20.0	0.0
Scottsburg	1,511.6	658.9	193.8	155.0	213.2	19.4	77.5	0.0	0.0
Seymour	1,105.3	474.6	175.6	104.0	39.0	26.0	6.5	0.0	26.0
Shelbyville	1,183.8	461.1	206.5	82.6	48.2	61.9	27.5	34.4	13.8
South Bend	1,203.5	419.0	307.4	89.0	43.1	21.6	31.9	21.6	25.3
Speedway	266.4	91.6	41.6	25.0	8.3	8.3	0.0	8.3	0.0
Tell City	1,016.4	303.7	233.6	58.4	58.4	11.7	93.5	0.0	11.7
Terre Haute	1,500.1	575.9	329.1	124.3	61.3	45.5	52.5	19.3	28.0
Tipton	1,289.6	465.1	274.8	211.4	0.0	42.3	42.3	0.0	63.4
Union City	1,329.3	634.4	211.5	90.6	30.2	90.6	0.0	30.2	60.4
Valparaiso	1,100.2	351.9	289.5	62.4	40.1	26.7	31.2	22.3	26.7
Vincennes	1,257.4	451.9	319.3	127.7	54.0	54.0	39.3	9.8	19.7
Wabash	1,199.0	424.7	149.9	149.9	83.3	33.3	50.0	16.7	41.6
Warsaw	1,056.4	438.7	214.9	62.7	53.7	44.8	35.8	0.0	26.9
Washington	1,455.0	432.1	396.8	149.9	26.5	88.2	61.7	35.3	8.8
West Lafayette	698.9	243.9	131.3	56.3	23.5	14.1	23.5	18.8	23.5
Whiting	2,436.2	1,002.0	471.5	255.4	19.7	78.6	39.3	0.0	19.7
Winchester	1,088.2	487.8	187.6	93.8	18.8	37.5	75.1	18.8	0.0

* Per 100,000 Population

Source: ISBH-Public Health Statistics

Table 12A (Continued)

DEATH RATES* BY SELECTED CAUSES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN THE 1980 CENSUS)

CITY	DIABETES MELLITUS	SUICIDE	NEPHRITIS & NEPHROSIS	SEPTICEMIA	CHRONIC LIVER DISEASE AND CIRRHOSIS	CERTAIN CAUSES OF PERINATAL MORTALITY	EMPHYSEMA	ALZHEIMER'S DISEASE
Alexandria	36.8	0.0	18.4	18.4	18.4	18.4	0.0	92.1
Anderson	11.5	16.4	13.1	11.5	1.6	16.4	4.9	6.6
Angola	17.0	34.1	0.0	34.1	34.1	0.0	17.0	0.0
Auburn	21.8	10.9	0.0	10.9	0.0	10.9	10.9	0.0
Bedford	50.8	7.3	36.3	0.0	21.8	0.0	36.3	7.3
Beech Grove	22.7	7.6	15.1	15.1	15.1	7.6	7.6	22.7
Bloomington	23.8	9.2	7.3	7.3	7.3	0.0	3.7	12.8
Bluffton	21.7	10.9	0.0	0.0	10.9	0.0	0.0	32.6
Boonville	27.4	27.4	27.4	0.0	0.0	13.7	0.0	0.0
Brazil	25.9	0.0	25.9	0.0	25.9	0.0	13.0	0.0
Brownsburg	45.0	0.0	60.0	15.0	15.0	0.0	0.0	0.0
Carmel	9.0	13.5	17.9	13.5	4.5	0.0	0.0	0.0
Cedar Lake	0.0	22.5	11.3	0.0	33.8	0.0	0.0	0.0
Charleston	16.9	16.9	16.9	0.0	0.0	0.0	0.0	0.0
Chesterton	11.8	11.8	11.8	0.0	0.0	0.0	0.0	0.0
Clarksville	13.8	20.7	6.9	6.9	34.5	6.9	13.8	6.9
Clinton	42.0	63.0	21.0	0.0	0.0	0.0	21.0	0.0
Columbia City	37.9	18.9	0.0	0.0	18.9	18.9	0.0	0.0
Columbus	19.5	6.5	32.5	29.2	16.2	0.0	9.7	6.5
Connersville	6.1	12.2	24.5	12.2	6.1	0.0	6.1	12.2
Crawfordsville	29.1	21.8	29.1	7.3	0.0	7.3	7.3	0.0
Crown Point	11.9	11.9	5.9	23.8	23.8	5.9	35.6	11.9
Decatur	0.0	11.4	34.1	0.0	11.4	0.0	11.4	11.4
Dyer	0.0	0.0	20.4	20.4	10.2	0.0	10.2	0.0
East Chicago	46.6	16.5	8.2	16.5	19.2	13.7	5.5	0.0
Elkhart	17.9	20.1	8.9	4.5	6.7	11.2	15.7	11.2
Elwood	30.3	20.2	40.4	0.0	0.0	10.1	0.0	0.0
Evansville	25.6	17.1	15.5	10.1	15.5	7.0	12.4	11.6
Fort Wayne	19.3	15.9	12.5	10.2	9.6	11.9	5.7	7.4
Frankfort	6.5	19.6	0.0	26.1	0.0	6.5	13.1	6.5
Franklin	0.0	16.5	41.1	16.5	8.2	0.0	16.5	8.2
Gary	23.0	11.9	14.1	9.7	16.3	8.2	8.9	0.0
Gas City	0.0	15.8	0.0	15.8	15.8	0.0	0.0	0.0
Goshen	32.1	0.0	4.6	0.0	4.6	0.0	4.6	9.2
Greencastle	37.6	0.0	37.6	12.6	12.6	0.0	0.0	12.6
Greenfield	81.3	16.3	16.3	16.3	24.4	8.1	32.5	8.1
Greensburg	11.2	11.2	44.8	11.2	0.0	0.0	0.0	11.2
Greenwood	17.0	12.8	12.8	17.0	4.3	12.8	12.8	0.0
Griffith	12.4	12.4	6.2	6.2	6.2	0.0	30.9	6.2
Hammond	26.9	10.5	19.9	4.7	10.5	11.7	11.7	3.5
Hartford City	26.7	40.1	13.4	0.0	0.0	13.4	0.0	26.7
Highland	37.5	16.7	4.2	8.3	16.7	0.0	0.0	0.0

Table 12A (Continued)

DEATH RATES* BY SELECTED CAUSES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN THE 1980 CENSUS)

CITY	DIABETES MELLITUS	SUICIDE	NEPHRITIS & NEPHROSIS	SEPTICEMIA	CHRONIC LIVER DISEASE AND CIRRHOSIS	CERTAIN CAUSES OF PERINATAL MORTALITY	EMPHYSEMA	ALZHEIMER'S DISEASE
Hobart	18.0	18.0	13.5	4.5	9.0	9.0	22.5	4.5
Huntingburg	18.5	0.0	37.0	18.5	0.0	18.5	18.5	0.0
Huntington	35.0	0.0	11.7	5.8	17.5	0.0	5.8	17.5
Indianapolis	18.0	14.5	11.2	12.9	11.1	12.3	6.4	4.3
Jasper	20.7	20.7	10.3	0.0	0.0	20.7	0.0	0.0
Jeffersonville	28.2	14.1	4.7	9.4	14.1	14.1	4.7	4.7
Kendallville	12.7	12.7	0.0	25.5	0.0	0.0	0.0	12.7
Kokomo	8.9	11.2	8.9	20.1	15.6	4.5	11.2	4.5
Lafayette	27.1	20.3	15.8	4.5	9.0	4.5	18.1	11.3
Lake Station	14.3	57.1	7.1	7.1	21.4	0.0	7.1	0.0
LaPorte	27.6	18.4	9.2	18.4	32.2	9.2	4.6	9.2
Lawrence	0.0	3.7	0.0	11.2	3.7	0.0	3.7	0.0
Lebanon	34.3	8.6	25.7	0.0	25.7	0.0	17.2	17.2
Linton	101.0	16.8	0.0	33.7	16.8	0.0	0.0	16.8
Logansport	28.9	11.6	17.4	23.2	5.8	5.8	0.0	5.8
Lowell	49.8	16.6	0.0	0.0	0.0	0.0	33.2	16.6
Madison	8.5	8.5	0.0	8.5	8.5	17.1	0.0	0.0
Marion	42.4	19.8	19.8	2.8	5.7	2.8	8.5	8.5
Martinsville	32.8	8.2	16.4	8.2	8.2	16.4	0.0	0.0
Merrillville	15.0	11.3	7.5	3.8	7.5	3.8	11.3	3.8
Michigan City	25.4	16.9	8.5	16.9	16.9	5.6	14.1	8.5
Mishawaka	12.0	16.8	9.6	12.0	4.8	7.2	2.4	2.4
Monticello	39.3	19.7	19.7	0.0	19.7	0.0	0.0	0.0
Mooresville	17.4	17.4	52.3	0.0	0.0	0.0	0.0	0.0
Mount Vernon	0.0	11.9	47.5	35.6	0.0	0.0	0.0	11.9
Muncie	15.1	8.2	9.6	9.6	4.1	8.2	6.9	5.5
Munster	10.0	24.9	10.0	5.0	14.9	0.0	5.0	0.0
New Albany	42.8	18.7	16.0	10.7	13.4	2.7	8.0	5.4
New Castle	33.2	5.5	5.5	11.1	16.6	11.1	0.0	0.0
New Haven	41.0	13.7	0.0	0.0	0.0	13.7	13.7	0.0
Noblesville	18.8	0.0	6.3	6.3	0.0	12.6	12.6	25.1
North Manchester	0.0	0.0	17.1	0.0	17.1	0.0	17.1	17.1
North Vernon	17.6	17.6	0.0	0.0	35.3	0.0	0.0	0.0
Peru	22.8	7.6	7.6	15.2	7.6	0.0	7.6	0.0
Plainfield	37.5	18.7	9.4	18.7	18.7	0.0	18.7	18.7
Plymouth	24.3	0.0	12.2	0.0	0.0	12.2	0.0	12.2
Portage	10.5	7.0	0.0	10.5	0.0	3.5	3.5	0.0
Portland	30.5	0.0	15.2	15.2	15.2	0.0	0.0	0.0
Princeton	45.1	0.0	45.1	0.0	0.0	0.0	0.0	11.3
Richmond	51.1	5.1	17.9	10.2	20.5	17.9	15.3	7.7
Rochester	65.5	16.4	16.4	0.0	0.0	0.0	16.4	0.0

Table 12A (Continued)

DEATH RATES* BY SELECTED CAUSES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN THE 1980 CENSUS)

CITY	DIABETES MELLITUS	SUICIDE	NEPHRITIS & NEPHROSIS	SEPTICEMIA	CHRONIC LIVER DISEASE AND CIRRHOSIS	CERTAIN CAUSES OF PERINATAL MORTALITY	EMPHYSEMA	ALZHEIMER'S DISEASE
Rushville	36.7	0.0	18.4	18.4	18.4	18.4	18.4	36.7
Salem	0.0	37.0	0.0	0.0	0.0	0.0	0.0	0.0
Schererville	6.7	20.0	6.7	6.7	0.0	0.0	6.7	0.0
Scottsburg	19.4	0.0	38.8	38.8	0.0	0.0	0.0	0.0
Seymour	26.0	26.0	13.0	13.0	6.5	6.5	0.0	26.0
Shelbyville	13.8	13.8	6.9	6.9	27.5	0.0	6.9	6.9
South Bend	30.9	17.8	8.4	10.3	9.4	10.3	7.5	5.6
Speedway	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tell City	35.1	35.1	11.7	0.0	11.7	0.0	11.7	0.0
Terre Haute	24.5	12.3	7.0	19.3	19.3	17.5	7.0	12.3
Tipton	0.0	0.0	0.0	0.0	21.1	0.0	21.1	21.1
Union City	0.0	30.2	0.0	30.2	0.0	0.0	0.0	0.0
Valparaiso	13.4	8.9	22.3	31.2	4.5	4.5	17.8	8.9
Vincennes	9.8	9.8	4.9	4.9	9.8	0.0	34.4	4.9
Wabash	8.3	33.3	8.3	8.3	0.0	0.0	8.3	0.0
Warsaw	9.0	9.0	17.9	0.0	9.0	9.0	9.0	0.0
Washington	35.3	17.6	8.8	8.8	8.8	0.0	8.8	0.0
West Lafayette	18.8	9.4	9.4	14.1	4.7	4.7	4.7	14.1
Whiting	58.9	0.0	39.3	0.0	58.9	19.7	19.7	19.7
Winchester	37.5	0.0	18.8	18.8	0.0	18.8	0.0	37.5

* Per 100,000 Population

Source: ISBH-Public Health Statistics

Table 12A (Continued)

DEATH RATES* BY SELECTED CAUSES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN THE 1980 CENSUS)

CITY	HOMICIDE	CONGENITAL ANOMALIES	GASTRITIS, ETC.	ULCER OF STOMACH-DUODENUM	OTHER HYPERTENSIVE DISEASES	HERNIA - INTESTINAL OBSTRUCTION	SUDDEN INFANT DEATH SYNDROME
Alexandria	0.0	18.4	0.0	0.0	0.0	0.0	36.8
Anderson	4.9	3.3	0.0	1.6	3.3	3.3	1.6
Angola	0.0	34.1	0.0	17.0	34.1	0.0	0.0
Auburn	10.9	0.0	0.0	10.9	0.0	10.9	0.0
Bedford	0.0	14.5	14.5	14.5	0.0	14.5	0.0
Beech Grove	0.0	15.1	7.6	0.0	0.0	0.0	0.0
Bloomington	0.0	11.0	0.0	0.0	1.8	1.8	0.0
Bluffton	0.0	0.0	43.5	10.9	0.0	0.0	0.0
Boonville	13.7	0.0	0.0	0.0	0.0	0.0	0.0
Brazil	0.0	0.0	13.0	0.0	13.0	0.0	0.0
Brownsburg	15.0	0.0	15.0	0.0	15.0	0.0	0.0
Carmel	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cedar Lake	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Charleston	16.9	0.0	0.0	0.0	16.9	0.0	0.0
Chesterton	0.0	0.0	0.0	0.0	11.8	0.0	0.0
Clarksville	0.0	0.0	6.9	0.0	6.9	0.0	0.0
Clinton	0.0	0.0	63.0	0.0	0.0	0.0	0.0
Columbia City	0.0	0.0	0.0	0.0	37.9	0.0	0.0
Columbus	9.7	3.2	3.2	3.5	3.2	0.0	0.0
Connersville	0.0	0.0	12.2	0.0	6.1	0.0	0.0
Crawfordsville	0.0	14.6	7.3	0.0	7.3	0.0	0.0
Crown Point	5.9	5.9	0.0	5.9	11.9	11.9	5.9
Decatur	0.0	0.0	11.4	0.0	0.0	11.4	0.0
Dyer	10.2	10.2	0.0	0.0	0.0	0.0	0.0
East Chicago	21.9	2.7	0.0	0.0	2.7	2.7	5.5
Elkhart	6.7	4.5	6.7	0.0	6.7	0.0	4.5
Elwood	0.0	10.1	0.0	0.0	10.1	0.0	0.0
Evansville	3.1	3.9	7.8	4.7	0.8	3.1	1.6
Fort Wayne	6.2	5.1	7.4	1.1	5.1	3.4	3.4
Frankfort	0.0	6.5	13.1	19.6	6.5	13.1	0.0
Franklin	8.2	8.2	0.0	0.0	0.0	0.0	0.0
Gary	29.7	6.7	3.7	4.5	0.0	3.7	6.7
Gas City	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Goshen	0.0	4.6	0.0	9.2	0.0	0.0	0.0
Greencastle	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Greenfield	0.0	8.1	8.1	16.3	0.0	0.0	0.0
Greensburg	0.0	0.0	0.0	0.0	22.4	0.0	0.0
Greenwood	0.0	21.3	0.0	4.3	0.0	4.3	4.3
Griffith	0.0	0.0	0.0	0.0	0.0	0.0	6.2
Hammond	5.9	5.9	3.5	2.3	5.9	0.0	2.3
Hartford City	0.0	0.0	0.0	0.0	0.0	13.4	0.0
Highland	4.2	4.2	0.0	0.0	4.2	0.0	0.0

Table 12A (Continued)

DEATH RATES* BY SELECTED CAUSES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN THE 1980 CENSUS)

CITY	HOMICIDE	CONGENITAL ANOMALIES	GASTRITIS, ETC.	ULCER OF STOMACH-DUODENUM	OTHER HYPERTENSIVE DISEASES	HERNIA - INTESTINAL OBSTRUCTION	SUDDEN INFANT DEATH SYNDROME
Hobart	9.0	9.0	9.0	0.0	0.0	0.0	0.0
Huntingburg	0.0	0.0	0.0	0.0	0.0	18.5	0.0
Huntington	0.0	0.0	17.5	0.0	0.0	0.0	0.0
Indianapolis	10.2	6.8	5.3	2.8	3.0	2.2	3.7
Jasper	0.0	20.7	0.0	0.0	0.0	0.0	0.0
Jeffersonville	9.4	9.4	4.7	4.7	0.0	4.7	4.7
Kendallville	0.0	0.0	12.7	0.0	0.0	12.7	0.0
Kokomo	6.7	4.5	0.0	0.0	8.9	4.5	2.2
Lafayette	4.5	6.8	6.8	6.8	4.5	4.5	2.3
Lake Station	7.1	14.3	0.0	7.1	0.0	0.0	0.0
LaPorte	9.2	9.2	4.6	4.6	0.0	0.0	9.2
Lawrence	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lebanon	0.0	8.6	8.6	17.2	0.0	0.0	0.0
Linton	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Logansport	5.8	0.0	11.6	5.8	11.6	5.8	5.8
Lowell	0.0	0.0	16.6	0.0	0.0	16.6	0.0
Madison	0.0	0.0	17.1	0.0	0.0	8.5	0.0
Marion	5.7	0.0	8.5	11.3	5.7	0.0	0.0
Martinsville	8.2	0.0	0.0	0.0	8.2	0.0	8.2
Merrillville	7.5	7.5	0.0	3.8	0.0	0.0	0.0
Michigan City	14.1	8.5	0.0	11.3	5.6	0.0	2.8
Mishawaka	9.6	0.0	7.2	9.6	7.2	2.4	2.4
Monticello	19.7	0.0	0.0	0.0	19.7	0.0	0.0
Mooresville	0.0	17.4	0.0	0.0	0.0	0.0	0.0
Mount Vernon	0.0	0.0	0.0	11.9	0.0	0.0	11.9
Muncie	12.3	5.5	5.5	6.9	2.7	2.7	0.0
Munster	0.0	10.0	5.0	5.0	0.0	5.0	0.0
New Albany	0.0	8.0	5.4	2.7	2.7	8.0	2.7
New Castle	11.1	5.5	0.0	22.1	0.0	0.0	5.5
New Haven	0.0	0.0	0.0	13.7	0.0	0.0	0.0
Noblesville	0.0	18.8	6.3	0.0	0.0	0.0	6.3
North Manchester	0.0	0.0	0.0	0.0	0.0	0.0	0.0
North Vernon	0.0	0.0	17.6	0.0	0.0	0.0	17.6
Peru	7.6	15.2	7.6	0.0	7.6	7.6	0.0
Plainfield	0.0	9.4	0.0	9.4	9.4	0.0	0.0
Plymouth	12.2	0.0	0.0	0.0	0.0	12.2	0.0
Portage	3.5	3.5	3.5	0.0	0.0	0.0	0.0
Portland	0.0	0.0	15.2	0.0	0.0	15.2	0.0
Princeton	0.0	22.5	11.3	0.0	0.0	0.0	0.0
Richmond	7.7	5.1	7.7	5.1	2.6	5.1	0.0
Rochester	0.0	0.0	16.4	0.0	0.0	0.0	0.0

Table 12A (Continued)

DEATH RATES* BY SELECTED CAUSES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN THE 1980 CENSUS)

CITY	HOMICIDE	CONGENITAL ANOMALIES	GASTRITIS, ETC.	ULCER OF STOMACH-DUODENUM	OTHER HYPERTENSIVE DISEASES	HERNIA - INTESTINAL OBSTRUCTION	SUDDEN INFANT DEATH SYNDROME
Rushville	0.0	0.0	36.7	18.4	0.0	36.7	0.0
Salem	0.0	0.0	18.5	0.0	0.0	0.0	0.0
Schererville	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Scottsburg	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Seymour	0.0	13.0	6.5	13.0	0.0	0.0	0.0
Shelbyville	6.9	6.9	13.8	0.0	0.0	0.0	6.9
South Bend	10.3	9.4	10.3	2.8	7.5	1.9	2.8
Speedway	0.0	8.3	0.0	0.0	0.0	0.0	0.0
Tell City	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Terre Haute	5.3	3.5	0.0	0.0	8.8	3.5	5.3
Tipton	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Union City	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Valparaiso	0.0	4.5	8.9	17.8	8.9	8.9	4.5
Vincennes	14.7	0.0	4.9	0.0	9.8	0.0	4.9
Wabash	0.0	25.0	0.0	8.3	0.0	0.0	0.0
Warsaw	0.0	9.0	0.0	0.0	0.0	0.0	0.0
Washington	8.8	8.8	17.6	8.8	0.0	0.0	0.0
West Lafayette	0.0	4.7	4.7	0.0	4.7	0.0	0.0
Whiting	19.7	0.0	0.0	0.0	0.0	19.7	0.0
Winchester	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Per 100,000 Population

Source: ISBH-Public Health Statistics

1987 INDIANA MORTALITY REPORT

Infant, Neonatal, Fetal, and Maternal Deaths State Data

Table 13

AGE, RACE, AND SEX ADJUSTED* MORTALITY RATES; INFANT, NEONATAL, AND MATERNAL DEATH RATES; AND FETAL DEATH RATES, BY SELECTED YEARS, INDIANA RESIDENTS AND THE UNITED STATES, 1960 - 1985

	ADJUSTED DEATH RATE		INFANT DEATH RATE(a)		NEONATAL DEATH RATE(b)		MATERNAL DEATH RATE(c)		FETAL DEATH RATE(d)	
YEAR	INDIANA	U.S.	INDIANA	U.S.	INDIANA	U.S.	INDIANA	U.S.	INDIANA	U.S.
1960	11.464	11.412	24.2	26.0	17.5	18.7	22.2	37.1	13.9	16.1
1965	11.497	11.137	23.9	24.7	17.6	17.7	34.7	31.6	12.9	16.2
1970	10.727	10.512	19.4	20.0	14.9	15.1	17.1	21.5	12.5	14.2
1975	9.693	9.339	14.8	16.1	10.6	11.8	13.4	12.8	10.4	10.7
1980	9.017	8.830	11.9	12.6	7.9	8.5	5.7	9.2	8.5	9.2
1985	8.549	8.288	10.9	10.6	7.6	7.0	6.2	7.8	7.4	7.8

* Adjusted to U.S. Population, 1980

(a) Deaths Under One Year of Age per 1,000 Live Births

(b) Deaths Under 28 Days per 1,000 Live Births

(c) Maternal Deaths per 100,000 Live Births

(d) Fetal Deaths per 1,000 Live Births

Source: ISBH-Public Health Statistics

Table 14

NUMBER OF DEATHS UNDER ONE YEAR OF AGE, BY
INFANT AGE, BY CAUSE, INDIANA RESIDENTS, 1987

CAUSE	UNDER 1 HOUR	1 HOUR/ 1 DAY	1 DAY/ 6 DAYS	7 DAYS/ 27 DAYS	1 MONTH/ 11 MONTH	TOTAL
INTESTINAL INFECTIOUS DISEASE	0	0	0	0	1	1
SEPTICEMIA	0	4	0	0	7	11
OTHER BACTERIAL DISEASES	0	0	0	0	2	2
VIRAL DISEASES	0	0	1	2	2	5
OTHER INFECTIOUS & PARASITIC DISEASES	0	0	0	0	1	1
CANCER	0	0	0	0	1	1
OTHER NEOPLASMS	0	0	0	0	1	1
DISEASES OF OTHER ENDOCRINE GLANDS	1	1	0	0	0	2
OTHER METABOLIC DISORDERS	0	0	2	0	6	8
DISEASES OF BLOOD & BLOOD FORMING ORGANS	0	0	0	0	1	1
MENTAL DISORDERS	0	1	0	0	0	1
INFLAMMATORY DISEASES OF C.N.S.	0	0	0	0	2	2
OTHER DISEASES OF NERVOUS SYSTEM	0	0	0	1	7	8
DISEASES OF HEART	0	1	2	0	20	23
CEREBROVASCULAR DISEASE	0	1	0	1	1	3
OTHER DISEASES OF CIRCULATORY SYSTEM	0	0	0	0	1	1
ACUTE UPPER RESPIRATORY INFECTIONS	0	1	0	0	0	1
PNEUMONIA	0	0	0	2	12	14
BRONCHITIS	0	0	0	0	3	3
OTHER DISEASES OF RESPIRATORY SYSTEM	0	0	0	2	10	12
GASTRITIS, ETC.	0	0	0	1	1	2
HERNIA & INTESTINAL OBSTRUCTION	0	0	0	0	1	1
OTHER DISEASES OF INTESTINE, PERITONEUM	0	0	0	0	2	2
OTHER DISEASES OF LIVER	0	0	0	0	1	1
NEPHRITIS & NEPHROSIS	0	0	1	1	2	4
CONGENITAL ANOMALIES	12	40	48	17	51	168
MATERNAL CONDITION UNRELATED TO PREGNANCY	0	2	1	0	0	3
MATERNAL COMPLICATIONS OF PREGNANCY	6	18	2	0	0	26
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES	12	14	1	0	0	27
OTHER COMPLICATIONS OF LABOR, DELIVERY	1	0	0	0	1	2
SLOW FETAL GROWTH, FETAL MALNUTRITION	1	0	0	0	0	1
IMMATURITY	14	50	2	0	0	66
BIRTH TRAUMA	0	0	4	0	1	5
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA	3	2	4	1	1	11
RESPIRATORY DISTRESS SYNDROME	3	18	23	10	1	55
OTHER RESPIRATORY CONDITIONS OF NEWBORN	5	31	18	4	9	67
INFECTIONS SPECIFIC TO PERINATAL PERIOD	1	6	4	9	0	20
NEONATAL HEMORRHAGE	0	2	4	2	0	8
ALL OTHER PERINATAL CONDITIONS	12	29	5	13	0	59
OTHER SYMPTOMS & ILL-DEFINED CONDITIONS	0	2	0	0	10	12
SUDDEN INFANT DEATH SYNDROME	1	0	3	7	109	120
MOTOR VEHICLE ACCCIDENTS	0	0	0	0	1	1
ACCIDENTS (EX. MOTOR VEHICLE)	0	0	2	1	14	17
HOMICIDE	0	0	0	0	3	3
TOTAL	72	223	127	74	286	782

Source: ISBH-Public Health Statistics

Table 14A

NUMBER OF INFANT AND NEONATAL DEATHS BY
SEX, BY CAUSE, FOR WHITE POPULATION,
INDIANA RESIDENTS, 1987

CAUSE	INFANT* TOTAL	INFANT* MALE	INFANT* FEMALE	NEONATAL** TOTAL	NEONATAL** MALE	NEONATAL** FEMALE
INTESTINAL INFECTIOUS DISEASES	1	0	1	0	0	0
OTHER BACTERIAL DISEASES	2	1	1	0	0	0
SEPTICEMIA	8	6	2	3	1	2
VIRAL DISEASES	5	4	1	3	2	1
OTHER INFECTIOUS, PARASITIC DISEASES	1	1	0	0	0	0
CANCER	1	0	1	0	0	0
OTHER NEOPLASMS	1	1	0	0	0	0
DISEASES OF OTHER ENDOCRINE GLANDS	2	2	0	2	2	0
OTHER METABOLIC DISORDERS	6	3	3	2	1	1
DISEASES OF BLOOD & BLOOD-FORMING ORGANS	1	1	0	0	0	0
MENTAL DISORDERS	1	0	1	1	0	1
INFLAMMATORY DISEASES OF C.N.S.	2	0	2	0	0	0
OTHER DISEASES OF NERVOUS SYSTEM	8	5	3	1	1	0
DISEASES OF HEART	18	13	5	3	1	2
CEREBROVASCULAR DISEASE	3	2	1	2	1	1
OTHER DISEASES OF CIRCULATORY SYSTEM	1	1	0	0	0	0
ACUTE UPPER RESPIRATORY INFECTIONS	1	0	1	1	0	1
PNEUMONIA	11	6	5	0	0	0
BRONCHITIS	3	3	0	0	0	0
OTHER DISEASES OF RESPIRATORY SYSTEM	10	6	4	2	2	0
GASTRITIS, ETC.	2	1	1	1	1	0
OTHER DISEASES OF INTESTINE, PERITONEUM	2	2	0	0	0	0
OTHER DISEASES OF LIVER	1	1	0	0	0	0
NEPHRITIS & NEPHROSIS	4	3	1	2	2	0
CONGENITAL ANOMALIES	149	83	66	104	58	46
MATERNAL CONDITIONS NOT RELATED TO PRESENT PREG	3	3	0	3	3	0
MATERNAL COMPLICATION OF PREGNANCY	16	6	10	16	6	10
PLACENTA, CORD, MEMBRANES COMPLICATIONS	20	14	6	20	14	6
OTHER COMPLICATIONS OF LABOR, DELIVERY	2	0	2	1	0	1
SLOW FETAL GROWTH, FETAL MALNUTRITION	1	1	0	1	1	0
IMMATURITY	40	26	14	40	26	14
BIRTH TRAUMA	4	2	2	3	1	2
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA	9	4	5	8	4	4
RESPIRATORY DISTRESS SYNDROME	42	26	16	41	26	15
OTHER RESPIRATORY CONDITIONS OF NEWBORN	51	30	21	45	27	18
INFECTIONS SPECIFIC TO PERINATAL PERIOD	15	8	7	15	8	7
NEONATAL HEMORRHAGE	5	3	2	5	3	2
ALL OTHER PERINATAL CONDITIONS	44	26	18	44	26	18
SUDDEN INFANT DEATH SYNDROME	90	62	28	10	6	4
OTHER SYMPTOMS & ILL-DEFINED CONDITIONS	10	5	5	0	0	0
MOTOR VEHICLE ACCIDENTS	1	0	1	0	0	0
ACCIDENTS (EX. MOTOR VEHICLE)	11	7	4	2	2	0
HOMICIDE	3	2	1	0	0	0
TOTAL	611	370	241	381	225	156

* Under One Year

** Under 28 Days

Source: ISBH-Public Health Statistics

Table 148

NUMBER OF INFANT AND NEONATAL DEATHS BY SEX,
BY CAUSE, FOR NONWHITE POPULATION,
INDIANA RESIDENTS, 1987

CAUSE	INFANT*			NEONATAL**		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
SEPTICEMIA	3	2	1	1	0	1
OTHER METABOLIC DISORDERS	2	1	1	0	0	0
DISEASES OF HEART	5	5	0	0	0	0
PNEUMONIA	3	1	2	2	0	2
OTHER DISEASES OF RESPIRATORY SYSTEM	2	1	1	0	0	0
HERNIA & INTESTINAL OBSTRUCTION	1	1	0	0	0	0
CONGENITAL ANOMALIES	19	8	11	13	6	7
MATERNAL COMPLICATIONS OF PREGNANCY	10	7	3	10	7	3
PLACENTA, CORD, MEMBRANES COMPLICATIONS	7	4	3	7	4	3
IMMATURITY	26	15	11	26	15	11
BIRTH TRAUMA	1	0	1	1	0	1
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA	2	1	1	2	1	1
RESPIRATORY DISTRESS SYNDROME	13	10	3	13	10	3
OTHER RESPIRATORY CONDITIONS OF NEWBORN	16	12	4	13	9	4
INFECTIONS SPECIFIC TO PERINATAL PERIOD	5	3	2	5	3	2
NEONATAL HEMORRHAGE	3	2	1	3	2	1
ALL OTHER PERINATAL CONDITIONS	15	8	7	15	8	7
SUDDEN INFANT DEATH SYNDROME	30	16	14	1	1	0
OTHER SYMPTOMS & ILL-DEFINED CONDITIONS	2	2	0	2	2	0
ACCIDENTS (EX. MOTOR VEHICLE)	6	5	1	1	1	0
TOTAL	171	104	67	115	69	46

* Under One Year

** Under 28 Days

Source: ISBH-Public Health Statistics

Table 15

MATERNAL MORTALITY BY CAUSE, AND AGE,
BY YEAR, INDIANA RESIDENTS, 1980 - 1987

YEAR	NUMBER	CAUSE	AGE
1980	5	Complications of Pregnancy	29
		Problems with Amniotic Cavity & Membranes	23
		Major Puerperal Infection	37
		Venous Complications in Pregnancy & Puerperium	15
		Venous Complications in Pregnancy & Puerperium	29
1981	8	Antepartum Hemorrhage	33
		Antepartum Hemorrhage	34
		Postpartum Hemorrhage	32
		Complications with Anesthetics	16
		Complications of Labor & Delivery	18
		Obstetrical Pulmonary Embolism	28
		Obstetrical Pulmonary Embolism	21
		Obstetrical Pulmonary Embolism	20
1982	2	Postpartum Hemorrhage	29
		Postpartum Hemorrhage	23
1983	3	Ectopic Pregnancy	24
		Hypertension Complicating Pregnancy	33
		Obstetrical Pulmonary Embolism	24
1984	7	Ectopic Pregnancy	35
		Ectopic Pregnancy	28
		Spontaneous Abortion	23
		Hypertension Complicating Pregnancy	31
		Obstetrical Trauma	34
		Postpartum Hemorrhage	28
		Obstetrical Pulmonary Embolism	36
1985	5	Hydatidiform Mole	25
		Hydatidiform Mole	19
		Venous Complications in Pregnancy	17
		Obstetrical Pulmonary Embolism	29
		Obstetrical Pulmonary Embolism	27
1986	4	Cardiovascular Disease	29
		Postpartum Hemorrhage	23
		Obstetrical Pulmonary Embolism	27
		Other Complications of Puerperium	26
1987	4	Ectopic Pregnancy	31
		Obstetrical Pulmonary Embolism	27
		Obstetrical Pulmonary Embolism	21
		Other Complications of Puerperium	20

Source: ISBH-Public Health Statistics

1987 INDIANA MORTALITY REPORT

Infant, Neonatal, Fetal, and Maternal Deaths County Data

Table 16

NUMBER OF DEATHS AND DEATH RATES BY INFANT, NEONATAL, PERINATAL, FETAL, AND MATERNAL CATEGORIES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	LIVE BIRTHS	INFANT DEATHS	NEONATAL DEATHS	PERINATAL DEATHS	FETAL DEATHS	MATERNAL DEATHS	INFANT DEATH RATES*	NEONATAL DEATH RATES*	PERINATAL DEATH RATES**	FETAL DEATH RATES*	MATERNAL DEATH RATES***
ADAMS	566	9	4	9	5	0	15.9	7.1	15.8	8.8	0.0
ALLEN	4,921	46	33	69	36	0	9.4	6.7	13.9	7.3	0.0
BARTHOLOMEW	890	3	2	10	8	0	3.4	2.3	11.1	9.0	0.0
BENTON	126	4	4	4	0	0	31.8	31.8	31.8	0.0	0.0
BLACKFORD	183	2	2	5	3	0	10.9	10.9	26.9	16.4	0.0
BOONE	538	2	0	4	4	0	3.7	0.0	7.4	7.4	0.0
BROWN	167	2	1	3	2	0	12.0	6.0	17.8	12.0	0.0
CARROLL	241	3	2	4	2	0	12.5	8.3	16.5	8.3	0.0
CASS	545	3	1	5	4	0	5.5	1.8	9.1	7.3	0.0
CLARK	1,080	7	4	21	17	0	6.5	3.7	19.1	15.7	0.0
CLAY	337	3	2	8	6	0	8.9	5.9	23.3	17.8	0.0
CLINTON	429	1	1	8	7	0	2.3	2.3	18.4	16.3	0.0
CRAWFORD	137	1	0	1	1	0	7.3	0.0	7.3	7.3	0.0
DAVIESS	413	5	3	7	4	0	12.1	7.3	16.8	9.7	0.0
DEARBORN	495	2	1	1	0	0	4.0	2.0	2.0	0.0	0.0
DECATUR	321	2	2	3	1	0	6.2	6.2	9.3	3.1	0.0
DEKALB	527	7	2	5	3	0	13.3	3.8	9.4	5.7	0.0
DELAWARE	1,494	15	13	32	19	0	10.0	8.7	21.2	12.7	0.0
DUBOIS	591	7	4	9	5	0	11.8	6.8	15.1	8.5	0.0
ELKHART	2,542	23	11	35	24	0	9.1	4.3	13.6	9.4	0.0
FAYETTE	311	5	2	3	1	0	16.1	6.4	9.6	3.2	0.0
FLOYD	828	6	4	14	10	0	7.3	4.8	16.7	12.1	0.0
FOUNTAIN	212	3	2	3	1	0	14.2	9.4	14.1	4.7	0.0
FRANKLIN	287	1	0	1	1	0	3.5	0.0	3.5	3.5	0.0
FULTON	235	1	0	3	3	0	4.3	0.0	12.6	12.8	0.0
GIBSON	407	4	2	5	3	0	9.8	4.9	12.2	7.4	0.0
GRANT	949	7	5	8	3	0	7.4	5.3	8.4	3.2	0.0
GREENE	352	1	1	4	3	0	2.8	2.8	11.3	8.5	0.0
HAMILTON	1,483	15	8	18	10	0	10.1	5.4	12.1	6.7	0.0
HANCOCK	540	7	4	11	7	1	13.0	7.4	20.1	13.0	185.2
HARRISON	368	1	1	7	6	0	2.7	2.7	18.7	16.3	0.0
HENDRICKS	973	13	8	14	6	0	13.4	8.2	14.3	6.2	0.0
HENRY	570	6	4	10	6	0	10.5	7.0	17.4	10.5	0.0
HOWARD	1,154	7	3	11	8	0	6.1	2.6	9.5	6.9	0.0
HUNTINGTON	527	0	0	4	4	0	0.0	0.0	7.5	7.6	0.0
JACKSON	510	2	2	5	3	0	3.9	3.9	9.8	5.9	0.0
JASPER	306	4	1	6	5	0	13.1	3.3	19.3	16.3	0.0
JAY	276	1	0	3	3	0	3.6	0.0	10.8	10.9	0.0
JEFFERSON	387	3	2	4	2	0	7.8	5.2	10.3	5.2	0.0
JENNINGS	322	2	1	2	1	0	6.2	3.1	6.2	3.1	0.0
JOHNSON	1,181	13	8	14	6	0	11.0	6.8	11.8	5.1	0.0
KNOX	456	3	1	2	1	0	6.6	2.2	4.4	2.2	0.0
KOSCIUSKO	1,057	10	6	14	8	0	9.5	5.7	13.2	7.6	0.0
LAGRANGE	574	10	3	5	2	0	17.4	5.2	8.7	3.5	0.0
LAKE	6,483	76	44	120	76	1	11.7	6.8	18.3	11.7	15.4
LAPORTE	1,397	19	12	30	18	0	13.6	8.6	21.2	12.9	0.0
LAWRENCE	480	4	2	4	2	0	8.3	4.2	8.3	4.2	0.0

Table 16 (Continued)

NUMBER OF DEATHS AND DEATH RATES BY INFANT, NEONATAL, PERINATAL, FETAL, AND MATERNAL CATEGORIES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	LIVE BIRTHS	INFANT DEATHS	NEONATAL DEATHS	PERINATAL DEATHS	FETAL DEATHS	MATERNAL DEATHS	INFANT DEATH RATES*	NEONATAL DEATH RATES*	PERINATAL DEATH RATES**	FETAL DEATH RATES*	MATERNAL DEATH RATES***
MADISON	1,662	26	19	31	12	0	15.0	11.4	18.5	7.2	0.0
MARION	13,420	178	123	223	100	2	13.3	9.2	16.5	7.5	14.9
MARSHALL	638	4	2	6	4	0	6.3	3.1	9.4	6.3	0.0
MARTIN	174	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
MIAMI	640	3	3	6	3	0	4.7	4.7	9.3	4.7	0.0
MONROE	1,143	10	7	25	18	0	8.8	6.1	21.5	15.8	0.0
MONTGOMERY	431	4	2	5	3	0	9.3	4.6	11.5	4.7	0.0
MORGAN	738	6	4	13	9	0	8.1	5.4	17.4	12.2	0.0
NEWTON	157	2	0	3	3	0	12.7	0.0	18.8	19.1	0.0
NOBLE	626	2	1	9	8	0	3.2	1.6	14.2	12.8	0.0
OHIO	67	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
ORANGE	247	3	1	4	3	0	12.2	4.1	16.0	12.2	0.0
OWEN	212	2	1	3	2	0	9.4	4.7	14.0	9.4	0.0
PARKE	175	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
PERRY	239	2	1	3	2	0	8.4	4.2	12.5	8.4	0.0
PIKE	172	2	1	2	1	0	11.6	5.8	11.6	5.8	0.0
PORTER	1,520	8	5	21	16	0	5.3	3.3	13.7	10.7	0.0
POSEY	354	3	2	4	2	0	8.5	5.7	11.2	5.7	0.0
PULASKI	172	2	1	2	1	0	11.6	5.8	11.6	5.8	0.0
PUTNAM	341	4	3	5	2	0	11.7	8.8	14.6	5.9	0.0
RANDOLPH	318	4	4	5	1	0	12.6	12.6	15.7	3.1	0.0
RIPLEY	323	5	4	5	1	0	15.5	12.4	15.4	3.1	0.0
RUSH	248	1	1	1	0	0	4.0	4.0	4.0	0.0	0.0
ST. JOSEPH	3,608	39	29	51	22	0	10.8	8.0	14.1	6.1	0.0
SCOTT	275	1	1	1	0	0	3.6	3.6	3.6	0.0	0.0
SHELBY	546	2	1	6	5	0	3.7	1.8	10.9	9.2	0.0
SPENCER	268	2	0	2	2	0	7.5	0.0	7.4	7.5	0.0
STARKE	324	1	1	2	1	0	3.1	3.1	6.2	3.1	0.0
STEUBEN	418	4	2	5	3	0	9.6	4.8	11.9	7.2	0.0
SULLIVAN	224	1	0	2	2	0	4.5	0.0	8.9	8.9	0.0
SWITZERLAND	86	3	2	2	0	0	34.9	23.3	23.3	0.0	0.0
TIPPECANOE	1,735	12	7	25	18	0	6.9	4.0	14.3	10.4	0.0
TIPTON	207	1	0	0	0	0	4.8	0.0	0.0	0.0	0.0
UNION	85	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
VANDERBURGH	2,369	26	15	29	14	0	11.0	6.3	12.2	5.9	0.0
VERMILLION	201	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
VIGO	1,402	19	16	26	10	0	13.6	11.4	18.4	7.1	0.0
WABASH	490	3	2	4	2	0	6.1	4.1	8.1	4.1	0.0
WARREN	93	1	1	2	1	0	10.8	10.8	21.3	10.8	0.0
WARRICK	604	6	4	10	6	0	9.9	6.6	16.4	9.9	0.0
WASHINGTON	299	1	0	1	1	0	3.3	0.0	3.3	3.3	0.0
WAYNE	990	13	7	15	8	0	13.1	7.1	15.0	8.1	0.0
WELLS	394	2	2	4	2	0	5.1	5.1	10.1	5.1	0.0
WHITE	311	0	0	5	5	0	0.0	0.0	15.8	16.1	0.0
WHITLEY	401	3	3	5	2	0	7.5	7.5	12.4	5.0	0.0
INDIANA	78,515	782	496	1,141	645	4	10.0	6.4	14.4	8.2	5.1

*Per 1,000 Live Births

**Per 1,000 Live Births plus Fetal Deaths

***Per 100,000 Live Births

Source: ISBH-Public Health Statistics

Table 16A

NUMBER OF DEATHS AND DEATH RATES FOR WHITE POPULATION BY INFANT, NEONATAL, PERINATAL, FETAL, AND MATERNAL CATEGORIES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	LIVE BIRTHS	INFANT DEATHS	NEONATAL DEATHS	PERINATAL DEATHS	FETAL DEATHS	MATERNAL DEATHS	INFANT DEATH RATES*	NEONATAL DEATH RATES*	PERINATAL DEATH RATES**	FETAL DEATH RATES*	MATERNAL DEATH RATES***
ADAMS	562	9	4	9	5	0	16.0	7.1	15.9	8.9	0.0
ALLEN	4,157	35	27	42	15	0	8.4	6.5	10.1	3.6	0.0
BARTHOLOMEW	871	3	2	10	8	0	3.4	2.3	11.4	9.2	0.0
BENTON	126	4	4	4	0	0	31.8	31.8	31.8	0.0	0.0
BLACKFORD	182	2	2	5	3	0	11.0	11.0	27.0	16.5	0.0
BOONE	536	2	0	4	4	0	3.7	0.0	7.4	7.5	0.0
BROWN	167	2	1	3	2	0	12.0	6.0	17.8	12.0	0.0
CARROLL	240	3	2	4	2	0	12.5	8.3	16.5	8.3	0.0
CASS	537	3	1	5	4	0	5.6	1.9	9.2	7.5	0.0
CLARK	1,017	5	2	15	13	0	4.9	2.0	14.6	12.8	0.0
CLAY	335	3	2	8	6	0	9.0	6.0	23.5	17.9	0.0
CLINTON	425	1	1	7	6	0	2.4	2.4	16.2	14.1	0.0
CRAWFORD	136	1	0	1	1	0	7.4	0.0	7.3	7.4	0.0
DAVIESS	411	5	3	6	3	0	12.2	7.3	14.5	7.3	0.0
DEARBORN	492	2	1	1	0	0	4.1	2.0	2.0	0.0	0.0
DECATUR	319	2	2	3	1	0	6.3	6.3	9.4	3.1	0.0
DEKALB	524	7	2	5	3	0	13.4	3.8	9.5	5.7	0.0
DELAWARE	1,345	15	13	27	14	0	11.2	9.7	19.9	10.4	0.0
DUBOIS	591	7	4	8	4	0	11.8	6.8	13.5	6.8	0.0
ELKHART	2,335	21	9	29	20	0	8.9	3.8	12.2	8.5	0.0
FAYETTE	306	5	2	3	1	0	16.3	6.5	9.8	3.3	0.0
FLOYD	782	5	3	12	9	0	6.4	3.8	15.2	11.5	0.0
FOUNTAIN	212	3	2	3	1	0	14.2	9.4	14.1	4.7	0.0
FRANKLIN	286	1	0	1	1	0	3.5	0.0	3.5	3.5	0.0
FULTON	231	1	0	3	3	0	4.3	0.0	12.8	13.0	0.0
GIBSON	403	4	2	4	2	0	9.9	2.2	9.9	5.0	0.0
GRANT	847	7	5	8	3	0	8.3	5.9	9.4	3.5	0.0
GREENE	350	1	1	4	3	0	2.9	2.9	11.3	8.6	0.0
HAMILTON	1,461	15	8	16	8	0	10.3	5.5	10.9	5.5	0.0
HANCOCK	538	7	4	11	7	1	13.0	7.5	20.2	13.0	185.9
HARRISON	366	1	1	6	5	0	2.7	2.7	16.2	13.7	0.0
HENDRICKS	969	13	8	14	6	0	13.4	8.3	14.4	6.2	0.0
HENRY	561	6	4	9	5	0	10.7	7.1	15.9	8.9	0.0
HOWARD	1,071	6	3	11	8	0	5.6	2.8	10.2	7.5	0.0
HUNTINGTON	521	0	0	2	2	0	0.0	0.0	3.8	3.8	0.0
JACKSON	508	2	2	5	3	0	3.9	3.9	9.8	5.9	0.0
JASPER	305	4	1	6	5	0	13.2	3.3	19.4	16.4	0.0
JAY	275	1	0	2	2	0	3.3	0.0	7.2	7.3	0.0
JEFFERSON	384	3	2	4	2	0	7.8	5.2	10.4	5.2	0.0
JENNINGS	321	2	1	2	1	0	6.2	3.1	6.2	3.1	0.0
JOHNSON	1,170	13	8	14	6	0	11.1	6.8	11.9	5.1	0.0
KNOX	444	3	1	2	1	0	6.8	2.3	4.5	2.3	0.0
KOSCIUSKO	1,043	10	6	14	8	0	9.6	5.8	13.3	7.7	0.0
LAGRANGE	571	10	3	5	2	0	17.5	5.3	8.7	3.5	0.0
LAKE	4,566	43	29	50	21	1	9.4	6.4	10.9	4.6	21.9
LAPORTE	1,249	14	9	23	14	0	11.2	7.2	18.2	11.2	0.0
LAWRENCE	478	4	2	4	2	0	8.4	4.2	8.3	4.2	0.0

Table 16A (Continued)

NUMBER OF DEATHS AND DEATH RATES FOR WHITE POPULATION BY INFANT, NEONATAL, PERINATAL, FETAL, AND MATERNAL CATEGORIES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	LIVE BIRTHS	INFANT DEATHS	NEONATAL DEATHS	PERINATAL DEATHS	FETAL DEATHS	MATERNAL DEATHS	INFANT DEATH RATES*	NEONATAL DEATH RATES*	PERINATAL DEATH RATES**	FETAL DEATH RATES*	MATERNAL DEATH RATES***
MADISON	1,489	22	15	22	7	0	14.8	10.1	14.7	4.7	0.0
MARION	9,858	92	58	115	57	2	9.3	5.9	11.6	5.8	20.3
MARSHALL	637	4	2	6	4	0	6.3	3.1	9.4	6.3	0.0
MARTIN	174	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
MIAMI	605	3	3	4	1	0	5.0	5.0	6.6	1.7	0.0
MONROE	1,091	10	7	13	6	0	9.2	6.4	11.9	5.5	0.0
MONTGOMERY	427	4	2	5	3	0	9.4	4.7	11.6	7.0	0.0
MORGAN	737	6	4	12	8	0	8.1	5.4	16.1	10.9	0.0
NEWTON	157	2	0	3	3	0	12.7	0.0	18.8	19.1	0.0
NOBLE	622	2	1	7	6	0	3.2	1.6	11.2	9.6	0.0
OHIO	68	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
ORANGE	247	3	1	4	3	0	12.2	4.1	16.0	12.2	0.0
OWEN	211	2	1	3	2	0	9.5	4.7	14.1	9.5	0.0
PARKE	175	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
PERRY	237	2	1	3	2	0	8.4	4.2	12.6	8.4	0.0
PIKE	171	2	1	1	0	0	11.7	5.9	5.9	0.0	0.0
PORTER	1,501	8	5	18	13	0	5.3	3.3	11.9	8.7	0.0
POSEY	350	3	2	2	0	0	8.6	5.7	5.7	0.0	0.0
PULASKI	170	2	1	2	1	0	11.8	5.9	11.7	5.9	0.0
PUTNAM	340	4	3	5	2	0	11.8	8.8	14.6	5.9	0.0
RANDOLPH	317	4	4	5	1	0	12.6	12.6	15.7	3.2	0.0
RIPLEY	323	5	4	5	1	0	15.5	12.4	15.4	3.1	0.0
RUSH	246	1	1	1	0	0	4.1	4.1	4.1	0.0	0.0
ST. JOSEPH	3,035	30	24	36	12	0	9.9	7.9	11.8	4.0	0.0
SCOTT	274	1	1	1	0	0	3.7	3.7	3.7	0.0	0.0
SHELBY	539	2	1	5	4	0	3.7	1.9	9.2	7.4	0.0
SPENCER	266	2	0	2	2	0	7.5	0.0	7.5	7.5	0.0
STARKE	321	1	1	2	1	0	3.1	3.1	6.2	3.1	0.0
STEUBEN	415	4	2	5	3	0	9.6	4.8	12.0	7.2	0.0
SULLIVAN	222	1	0	2	2	0	4.5	0.0	8.9	9.0	0.0
SWITZERLAND	86	3	2	2	0	0	34.9	23.3	23.3	0.0	0.0
TIPPECANOE	1,631	12	7	25	18	0	7.4	4.3	15.2	11.0	0.0
TIPTON	207	1	0	0	0	0	4.8	0.0	0.0	0.0	0.0
UNION	85	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
VANDERBURGH	2,086	17	9	16	7	0	8.1	4.3	7.6	3.4	0.0
VERMILLION	201	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
VIGO	1,301	13	12	18	6	0	10.0	9.2	13.8	4.6	0.0
WABASH	486	3	2	4	2	0	6.2	4.1	8.2	4.1	0.0
WARREN	93	1	1	2	1	0	10.8	10.8	21.3	10.8	0.0
WARRICK	588	5	3	4	1	0	8.5	5.1	6.8	1.7	0.0
WASHINGTON	299	1	0	1	1	0	3.3	0.0	3.3	3.3	0.0
WAYNE	934	12	6	13	7	0	12.9	6.4	13.8	7.5	0.0
WELLS	391	2	2	4	2	0	5.1	5.1	10.2	5.1	0.0
WHITE	311	0	0	5	5	0	0.0	0.0	15.8	16.1	0.0
WHITLEY	397	3	3	5	2	0	7.6	7.6	12.5	5.0	0.0
INDIANA	69,865	611	381	822	441	4	8.7	5.5	11.7	6.3	5.7

*Per 1,000 Live Births

**Per 1,000 Live Births plus Fetal Deaths

***Per 100,000 Live Births

Source: ISBH-Public Health Statistics

Table 168

NUMBER OF DEATHS AND DEATH RATES FOR NONWHITE POPULATION BY INFANT, NEONATAL, PERINATAL, FETAL, AND MATERNAL CATEGORIES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	LIVE BIRTHS	INFANT DEATHS	NEONATAL DEATHS	PERINATAL DEATHS	FETAL DEATHS	MATERNAL DEATHS	INFANT DEATH RATES*	NEONATAL DEATH RATES*	PERINATAL DEATH RATES**	FETAL DEATH RATES*	MATERNAL DEATH RATES***
ADAMS	4	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
ALLEN	764	11	6	27	21	0	14.4	7.9	34.4	27.5	0.0
BARTHOLOMEW	19	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
BENTON	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
BLACKFORD	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
BOONE	2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
BROWN	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
CARROLL	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
CASS	8	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
CLARK	63	2	2	6	4	0	31.8	31.8	89.6	63.5	0.0
CLAY	2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
CLINTON	4	0	0	1	1	0	0.0	0.0	200.0	250.0	0.0
CRAWFORD	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
DAVIESS	2	0	0	1	1	0	0.0	0.0	333.3	500.0	0.0
DEARBORN	3	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
DECATUR	2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
DEKALB	3	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
DELAWARE	149	0	0	5	5	0	0.0	0.0	32.5	33.6	0.0
DUBOIS	0	0	0	1	1	0	0.0	0.0	1,000.0	0.0	0.0
ELKHART	187	2	2	6	4	0	10.7	10.7	31.4	21.4	0.0
FAYETTE	5	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
FLOYD	46	1	1	2	1	0	21.7	21.7	42.6	21.7	0.0
FOUNTAIN	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
FRANKLIN	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
FULTON	4	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
GIBSON	4	0	0	1	1	0	0.0	0.0	200.0	250.0	0.0
GRANT	102	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
GREENE	2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
HAMILTON	22	0	0	2	2	0	0.0	0.0	83.3	90.9	0.0
HANCOCK	2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
HARRISON	2	0	0	1	1	0	0.0	0.0	333.3	500.0	0.0
HENDRICKS	4	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
HENRY	9	0	0	1	1	0	0.0	0.0	100.0	111.1	0.0
HOWARD	83	1	0	0	0	0	12.1	0.0	0.0	0.0	0.0
HUNTINGTON	6	0	0	2	2	0	0.0	0.0	250.0	333.3	0.0
JACKSON	2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
JASPER	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
JAY	1	0	0	1	1	0	0.0	0.0	500.0	1,000.0	0.0
JEFFERSON	3	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
JENNINGS	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
JOHNSON	11	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
KNOX	12	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
KOSCIUSKO	14	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
LAGRANGE	3	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
LAKE	1,917	33	15	70	55	0	17.2	7.8	35.5	28.7	0.0
LAPORTE	148	5	3	7	4	0	33.8	20.3	46.1	27.0	0.0
LAWRENCE	2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

Table 16B (Continued)

NUMBER OF DEATHS AND DEATH RATES FOR NONWHITE POPULATION BY INFANT, NEONATAL, PERINATAL, FETAL, AND MATERNAL CATEGORIES, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	LIVE BIRTHS	INFANT DEATHS	NEONATAL DEATHS	PERINATAL DEATHS	FETAL DEATHS	MATERNAL DEATHS	INFANT DEATH RATES*	NEONATAL DEATH RATES*	PERINATAL DEATH RATES**	FETAL DEATH RATES*	MATERNAL DEATH RATES***
MADISON	173	4	4	9	5	0	23.1	23.1	50.6	28.9	0.0
MARION	3,562	86	65	108	43	0	24.1	18.3	30.0	12.1	0.0
MARSHALL	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
MARTIN	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
MIAMI	35	0	0	2	2	0	0.0	0.0	54.1	57.1	0.0
MONROE	52	0	0	12	12	0	0.0	0.0	187.5	230.8	0.0
MONTGOMERY	4	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
MORGAN	1	0	0	1	1	0	0.0	0.0	500.0	1,000.0	0.0
NEWTON	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
NOBLE	4	0	0	2	2	0	0.0	0.0	333.3	500.0	0.0
OHIO	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
ORANGE	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
OWEN	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
PARKE	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
PERRY	2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
PIKE	1	0	0	1	1	0	0.0	0.0	500.0	1,000.0	0.0
PORTER	19	0	0	3	3	0	0.0	0.0	136.4	157.9	0.0
POSEY	4	0	0	2	2	0	0.0	0.0	333.3	500.0	0.0
PULASKI	2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
PUTNAM	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
RANDOLPH	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
RIPLEY	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
RUSH	2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
ST. JOSEPH	573	9	5	15	10	0	15.7	8.7	25.7	17.5	0.0
SCOTT	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
SHELBY	7	0	0	1	1	0	0.0	0.0	125.0	142.9	0.0
SPENCER	2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
STARKE	3	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
STEUBEN	3	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
SULLIVAN	2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
SWITZERLAND	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TIPPECANOE	104	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TIPTON	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
UNION	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
VANDERBURGH	283	9	6	13	7	0	31.8	21.	44.8	24.7	0.0
VERMILLION	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
VIGO	101	6	4	8	4	0	59.4	39.6	76.2	39.6	0.0
WABASH	4	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
WARREN	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
WARRICK	16	1	1	6	5	0	62.5	62.5	285.7	312.5	0.0
WASHINGTON	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
WAYNE	56	1	1	2	1	0	17.9	17.9	35.1	17.9	0.0
WELLS	3	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
WHITE	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
WHITLEY	4	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
INDIANA	8,650	171	115	319	204	0	19.8	13.3	36.0	23.6	0.0

*Per 1,000 Live Births

**Per 1,000 Live Births plus Fetal Deaths

***Per 100,000 Live Births

Source: ISBH-Public Health Statistics

1987 INDIANA MORTALITY REPORT

Infant, Neonatal, Fetal, and Maternal Deaths City Data

Table 17

NUMBER OF DEATHS AND DEATH RATES BY INFANT, NEONATAL, PERINATAL, FETAL, AND MATERNAL CATEGORIES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN 1980 CENSUS)

CITY	LIVE BIRTHS	INFANT DEATHS	NEONATAL DEATHS	PERINATAL DEATHS	FETAL DEATHS	MATERNAL DEATHS	INFANT DEATH RATES*	NEONATAL DEATH RATES*	PERINATAL DEATH RATES**	FETAL DEATH RATES*	MATERNAL DEATH RATES***
Alexandria	81	3	1	3	2	0	37.0	12.4	36.1	24.7	0.0
Anderson	876	14	12	19	7	0	16.0	13.7	21.5	8.0	0.0
Angola	94	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Auburn	123	3	1	2	1	0	24.4	8.1	16.1	8.1	0.0
Bedford	161	3	1	1	0	0	18.6	6.2	6.2	0.0	0.0
Beech Grove	151	3	2	2	0	0	19.9	13.3	13.3	0.0	0.0
Bloomington	681	5	2	17	15	0	7.3	2.9	24.4	22.0	0.0
Bluffton	169	0	0	1	1	0	0.0	0.0	5.9	5.9	0.0
Boonville	90	2	1	2	1	0	22.2	11.1	22.0	11.1	0.0
Brazil	101	0	0	2	2	0	0.0	0.0	19.4	19.8	0.0
Brownsburg	84	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Carmel	271	2	0	1	1	0	7.4	0.0	3.7	3.7	0.0
Cedar Lake	148	0	0	1	1	0	0.0	0.0	6.7	6.8	0.0
Charleston	78	0	0	1	1	0	0.0	0.0	12.7	12.8	0.0
Chesterton	151	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Clarksville	175	1	1	5	4	0	5.7	5.7	27.9	22.9	0.0
Clinton	68	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Columbia City	85	2	2	2	0	0	23.5	23.5	23.5	0.0	0.0
Columbus	528	0	0	5	5	0	0.0	0.0	9.4	9.5	0.0
Connersville	189	1	0	1	1	0	5.3	0.0	5.3	5.3	0.0
Crawfordsville	166	2	1	4	3	0	12.1	6.0	23.7	18.1	0.0
Crown Point	363	3	2	6	4	0	8.3	5.5	16.4	11.0	0.0
Decatur	138	2	0	1	1	0	14.5	0.0	7.2	7.3	0.0
Dyer	133	1	0	0	0	0	7.5	0.0	0.0	0.0	0.0
East Chicago	495	10	4	10	6	0	20.2	8.1	20.0	12.1	0.0
Elkhart	891	11	7	18	11	0	12.4	7.9	20.0	12.4	0.0
Elwood	148	1	1	2	1	0	6.8	6.8	13.4	6.8	0.0
Evansville	1,919	21	13	26	13	0	10.9	6.8	13.5	6.8	0.0
Fort Wayne	3,373	40	27	57	30	0	11.9	8.0	16.8	8.9	0.0
Frankfort	205	1	1	1	0	0	4.9	4.9	4.9	0.0	0.0
Franklin	172	1	1	2	1	0	5.8	5.8	11.6	5.8	0.0
Gary	1,950	29	13	59	46	0	14.9	6.7	29.6	23.6	0.0
Gas City	83	2	1	2	1	0	24.1	12.1	23.8	12.1	0.0
Goshen	395	2	1	3	2	0	5.1	2.5	7.6	5.1	0.0
Greencastle	79	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Greenfield	184	2	1	5	4	1	10.9	5.4	26.6	21.7	543.5
Greensburg	92	1	1	2	1	0	10.9	10.9	21.5	10.9	0.0
Greenwood	395	8	6	10	4	0	20.3	15.2	25.1	10.1	0.0
Griffith	207	1	0	2	2	1	4.8	0.0	9.6	9.7	483.1
Hammond	1,126	16	13	19	6	0	14.2	11.6	16.8	5.3	0.0
Hartford City	92	1	1	2	1	0	10.9	10.9	21.5	10.9	0.0
Highland	275	1	1	3	2	0	3.6	3.6	10.8	7.3	0.0

Table 17 (Continued)

NUMBER OF DEATHS AND DEATH RATES BY INFANT, NEONATAL, PERINATAL, FETAL, AND MATERNAL CATEGORIES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN 1980 CENSUS)

LIVE BIRTHS	INFANT DEATHS	NEONATAL DEATHS	PERINATAL DEATHS	FETAL DEATHS	MATERNAL DEATHS	INFANT DEATH RATES*	NEONATAL DEATH RATES*	PERINATAL DEATH RATES**	FETAL DEATH RATES*	MATERNAL DEATH RATES***
316	4	3	3	0	0	12.7	9.5	9.5	0.0	0.0
72	1	1	2	1	0	13.9	13.9	27.4	13.9	0.0
267	0	0	3	3	0	0.0	0.0	11.1	11.2	0.0
13,079	172	119	218	99	2	13.2	9.1	16.5	7.6	15.3
129	4	3	4	1	0	31.0	23.3	30.8	7.8	0.0
359	5	3	11	8	0	13.9	8.4	30.0	22.3	0.0
135	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
752	6	3	11	8	0	8.0	4.0	14.5	10.6	0.0
871	8	5	14	9	0	9.9	6.2	17.1	11.1	0.0
157	2	2	3	1	0	12.7	12.7	19.0	6.4	0.0
338	7	4	9	5	0	20.9	11.9	26.5	14.9	0.0
21	1	0	0	0	0	47.6	0.0	0.0	0.0	0.0
167	1	0	3	3	0	6.0	0.0	17.7	18.0	0.0
47	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
259	3	1	3	2	0	11.6	3.9	11.5	7.7	0.0
106	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
170	2	2	3	1	0	11.8	11.8	17.5	5.9	0.0
493	3	2	4	2	0	6.1	4.1	8.1	4.1	0.0
193	3	2	7	5	0	15.5	10.4	35.4	25.9	0.0
327	3	2	6	4	0	9.2	6.1	18.1	12.2	0.0
544	8	5	11	6	0	14.7	9.2	20.0	11.0	0.0
544	5	4	7	3	0	7.8	6.2	10.8	4.7	0.0
72	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
84	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
99	1	0	1	1	0	10.1	0.0	10.0	10.1	0.0
969	10	9	26	17	0	10.3	9.3	26.4	17.5	0.0
170	1	1	1	0	0	5.9	5.9	5.9	0.0	0.0
552	2	1	8	7	0	3.6	1.8	14.3	12.7	0.0
257	4	3	6	3	0	15.6	11.7	23.1	11.7	0.0
116	1	1	4	3	0	8.6	8.6	33.6	25.9	0.0
292	6	3	7	4	0	20.6	10.3	23.7	13.7	0.0
56	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
81	1	0	1	1	0	12.4	0.0	12.2	12.4	0.0
209	2	2	2	0	0	9.6	9.6	9.6	0.0	0.0
122	0	0	2	2	0	0.0	0.0	16.1	16.4	0.0
143	1	1	3	2	0	7.0	7.0	20.7	14.0	0.0
394	2	2	5	3	0	5.1	5.1	12.7	7.7	0.0
65	0	0	1	1	0	0.0	0.0	15.2	15.4	0.0
82	1	1	1	0	0	12.2	12.2	12.2	0.0	0.0
653	11	6	10	4	0	16.9	9.2	15.2	6.1	0.0
60	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

Table 17 (Continued)

NUMBER OF DEATHS AND DEATH RATES BY INFANT, NEONATAL, PERINATAL, FETAL, AND MATERNAL CATEGORIES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN 1980 CENSUS)

CITY	LIVE BIRTHS	INFANT DEATHS	NEONATAL DEATHS	PERINATAL DEATHS	FETAL DEATHS	MATERNAL DEATHS	INFANT DEATH RATES*	NEONATAL DEATH RATES*	PERINATAL DEATH RATES**	FETAL DEATH RATES*	MATERNAL DEATH RATES***
Rushville	80	1	1	1	0	0	12.5	12.5	12.5	0.0	0.0
Salem	53	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Schererville	162	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Scottsburg	39	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Seymour	236	2	2	5	3	0	8.5	8.5	20.9	12.7	0.0
Shelbyville	218	1	0	3	3	0	4.6	0.0	13.6	13.8	0.0
South Bend	1,904	25	18	35	17	0	13.1	9.5	18.2	8.9	0.0
Speedway	46	1	1	1	0	0	21.7	21.7	21.7	0.0	0.0
Tell City	99	0	0	2	2	0	0.0	0.0	19.8	20.2	0.0
Terre Haute	870	16	13	17	4	0	18.4	14.9	19.5	4.6	0.0
Tipton	61	1	0	0	0	0	16.4	0.0	0.0	0.0	0.0
Union City	38	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Valparaiso	428	3	2	5	3	0	7.0	4.7	11.6	7.0	0.0
Vincennes	239	1	0	1	1	0	4.2	0.0	4.2	4.2	0.0
Wabash	167	2	1	2	1	0	12.0	6.0	11.9	6.0	0.0
Warsaw	180	1	1	3	2	0	5.6	5.6	16.5	11.1	0.0
Washington	126	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
West Lafayette	336	2	2	4	2	0	6.0	6.0	11.8	6.0	0.0
Whiting	135	1	1	1	0	0	7.4	7.4	7.4	0.0	0.0
Winchester	56	1	1	1	0	0	17.9	17.9	17.9	0.0	0.0

*Per 1,000 Live Births
**Per 1,000 Live Births plus Fetal Deaths
***Per 100,000 Live Births
Source: ISBH-Public Health Statistics

Table 17A

NUMBER OF DEATHS AND DEATH RATES FOR WHITE POPULATION BY INFANT, NEONATAL, PERINATAL, FETAL, AND MATERNAL CATEGORIES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN 1980 CENSUS)

CITY	LIVE BIRTHS	INFANT DEATHS	NEONATAL DEATHS	PERINATAL DEATHS	FETAL DEATHS	MATERNAL DEATHS	INFANT DEATH RATES*	NEONATAL DEATH RATES*	PERINATAL DEATH RATES**	FETAL DEATH RATES*	MATERNAL DEATH RATES***
Alexandria	80	3	1	2	1	0	37.5	12.5	24.7	12.5	0.0
Anderson	711	10	8	11	3	0	14.1	11.3	15.4	4.2	0.0
Angola	94	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Auburn	122	3	1	2	1	0	24.6	8.2	16.3	8.2	0.0
Bedford	161	3	1	1	0	0	18.6	6.2	6.2	0.0	0.0
Beech Grove	149	3	2	2	0	0	20.1	13.4	13.4	0.0	0.0
Bloomington	631	5	2	7	5	0	7.9	3.2	11.0	7.9	0.0
Bluffton	167	0	0	1	1	0	0.0	0.0	6.0	6.0	0.0
Boonville	88	2	1	1	0	0	22.7	11.4	11.4	0.0	0.0
Brazil	99	0	0	2	2	0	0.0	0.0	19.8	20.2	0.0
Brownsburg	84	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Carmel	265	2	0	0	0	0	7.6	0.0	0.0	0.0	0.0
Cedar Lake	148	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Charleston	77	0	0	1	1	0	0.0	0.0	12.8	13.0	0.0
Chesterton	150	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Clarksville	171	1	1	5	4	0	5.9	5.9	28.6	23.4	0.0
Clinton	68	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Columbia City	84	2	2	2	0	0	23.8	23.8	23.8	0.0	0.0
Columbus	512	0	0	5	5	0	0.0	0.0	9.7	9.8	0.0
Connersville	184	1	0	1	1	0	5.4	0.0	5.4	5.4	0.0
Crawfordsville	164	2	1	4	3	0	12.2	6.1	24.0	18.3	0.0
Crown Point	359	3	2	4	2	0	8.4	5.6	11.1	5.6	0.0
Decatur	137	2	0	1	1	0	14.6	0.0	7.3	7.3	0.0
Dyer	133	1	0	0	0	0	7.5	0.0	0.0	0.0	0.0
East Chicago	319	5	2	4	2	0	15.7	6.3	12.5	6.3	0.0
Elkhart	722	9	5	12	7	0	12.5	6.9	16.5	9.7	0.0
Elwood	146	1	1	2	1	0	6.9	6.9	13.6	6.9	0.0
Evansville	1641	12	7	13	6	0	7.3	4.3	7.9	3.7	0.0
Fort Wayne	2631	29	21	35	14	0	11.0	8.0	13.2	5.3	0.0
Frankfort	201	1	1	1	0	0	5.0	5.0	5.0	0.0	0.0
Franklin	168	1	1	2	1	0	6.0	6.0	11.8	6.0	0.0
Gary	429	4	2	4	2	0	9.3	4.7	9.3	4.7	0.0
Gas City	83	2	1	2	1	0	24.1	12.1	23.8	12.1	0.0
Goshen	390	2	1	3	2	0	5.1	2.6	7.7	5.1	0.0
Greencastle	79	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Greenfield	184	2	1	5	4	1	10.9	5.4	26.6	21.7	543.5
Greensburg	91	1	1	2	1	0	11.0	11.0	21.7	11.0	0.0
Greenwood	394	8	6	10	4	0	20.3	15.2	25.1	10.2	0.0
Griffith	201	1	0	2	2	1	5.0	0.0	9.9	10.0	497.5
Hammond	984	13	11	15	4	0	13.2	11.2	15.2	4.1	0.0
Hartford City	92	1	1	2	1	0	10.9	10.9	21.5	10.9	0.0
Highland	272	1	1	3	2	0	3.7	3.7	11.0	7.4	0.0

Table 17A (Continued)

NUMBER OF DEATHS AND DEATH RATES FOR WHITE POPULATION BY INFANT, NEONATAL, PERINATAL, FETAL, AND MATERNAL CATEGORIES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN 1980 CENSUS)

CITY	LIVE BIRTHS	INFANT DEATHS	NEONATAL DEATHS	PERINATAL DEATHS	FETAL DEATHS	MATERNAL DEATHS	INFANT DEATH RATES*	NEONATAL DEATH RATES*	PERINATAL DEATH RATES**	FETAL DEATH RATES*	MATERNAL DEATH RATES***
Hobart	314	4	3	3	0	0	12.7	9.6	9.6	0.0	0.0
Huntingburg	72	1	1	2	1	0	13.9	13.9	27.4	13.9	0.0
Huntington	264	0	0	1	1	0	0.0	0.0	3.8	3.8	0.0
Indianapolis	9530	88	56	112	56	2	9.2	5.9	11.7	5.9	21.0
Jasper	129	4	3	4	1	0	31.0	23.3	30.8	7.8	0.0
Jeffersonville	314	3	1	5	4	0	9.6	3.2	15.7	12.7	0.0
Kendallville	135	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Kokomo	679	5	3	11	8	0	7.4	4.4	16.0	11.8	0.0
Lafayette	785	8	5	14	9	0	10.2	6.4	17.8	11.5	0.0
Lake Station	156	2	2	3	1	0	12.8	12.8	19.1	6.4	0.0
LaPorte	332	7	4	9	5	0	21.1	12.1	26.7	15.1	0.0
Lawrence	18	1	0	0	0	0	55.6	0.0	0.0	0.0	0.0
Lebanon	167	1	0	3	3	0	6.0	0.0	17.7	18.0	0.0
Linton	46	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Logansport	254	3	1	3	2	0	11.8	3.9	11.7	7.9	0.0
Lowell	106	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Madison	167	2	2	3	1	0	12.0	12.0	17.9	6.0	0.0
Marion	394	3	2	4	2	0	7.6	5.1	10.1	5.1	0.0
Martinsville	192	3	2	6	4	0	15.6	10.4	30.6	20.8	0.0
Merrillville	304	3	2	5	3	0	9.9	6.6	16.3	9.9	0.0
Michigan City	403	3	2	4	2	0	7.4	5.0	9.9	5.0	0.0
Mishawaka	625	5	4	7	3	0	8.0	6.4	11.2	4.8	0.0
Monticello	72	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Mooresville	84	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Mount Vernon	97	1	0	0	0	0	10.3	0.0	0.0	0.0	0.0
Muncie	829	10	9	21	12	0	12.1	10.9	25.0	14.5	0.0
Munster	163	1	1	1	0	0	6.1	6.1	6.1	0.0	0.0
New Albany	509	1	0	6	6	0	2.0	0.0	11.7	11.8	0.0
New Castle	251	4	3	6	3	0	15.9	12.0	23.6	12.0	0.0
New Haven	114	1	1	1	0	0	8.8	8.8	8.8	0.0	0.0
Noblesville	286	6	3	6	3	0	21.0	10.5	20.8	10.5	0.0
North Manchester	66	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
North Vernon	80	1	0	1	1	0	12.5	0.0	12.4	12.5	0.0
Peru	200	2	2	2	0	0	10.0	10.0	10.0	0.0	0.0
Plainfield	121	0	0	2	2	0	0.0	0.0	16.3	16.5	0.0
Plymouth	143	1	1	3	2	0	7.0	7.0	20.7	14.0	0.0
Portage	385	2	2	4	2	0	5.2	5.2	10.3	5.2	0.0
Portland	65	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Princeton	80	1	1	1	0	0	12.5	12.5	12.5	0.0	0.0
Richmond	597	10	5	8	3	0	16.8	8.4	13.3	5.0	0.0
Rochester	59	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

Table 17A (Continued)

NUMBER OF DEATHS AND DEATH RATES FOR WHITE POPULATION BY INFANT, NEONATAL, PERINATAL, FETAL, AND MATERNAL CATEGORIES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN 1980 CENSUS)

CITY	LIVE BIRTHS	INFANT DEATHS	NEONATAL DEATHS	PERINATAL DEATHS	FETAL DEATHS	MATERNAL DEATHS	INFANT DEATH RATES*	NEONATAL DEATH RATES*	PERINATAL DEATH RATES**	FETAL DEATH RATES*	MATERNAL DEATH RATES***
Rushville	78	1	1	1	0	0	12.8	12.8	12.8	0.0	0.0
Salem	53	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Schererville	160	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Scottsburg	39	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Seymour	235	2	2	5	3	0	8.5	8.5	21.0	12.8	0.0
Shelbyville	213	1	0	3	3	0	4.7	0.0	13.9	14.1	0.0
South Bend	1383	16	13	20	7	0	11.6	9.4	14.4	5.1	0.0
Speedway	44	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Tell City	99	0	0	2	2	0	0.0	0.0	19.8	20.2	0.0
Terre Haute	775	10	9	12	3	0	12.9	11.6	15.4	3.9	0.0
Tipton	61	1	0	0	0	0	16.4	0.0	0.0	0.0	0.0
Union City	37	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Valparaiso	420	3	2	4	2	0	7.1	4.8	9.5	4.8	0.0
Vincennes	227	1	0	1	1	0	4.4	0.0	4.4	4.4	0.0
Wabash	167	2	1	2	1	0	12.0	6.0	11.9	6.0	0.0
Warsaw	176	1	1	3	2	0	5.7	5.7	16.9	11.4	0.0
Washington	125	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
West Lafayette	266	2	2	4	2	0	7.5	7.5	14.9	7.5	0.0
Whiting	134	1	1	1	0	0	7.5	7.5	7.5	0.0	0.0
Winchester	56	1	1	1	0	0	17.9	17.9	17.9	0.0	0.0

*Per 1,000 Live Births
**Per 1,000 Live Births plus Fetal Deaths
***Per 100,000 Live Births
Source: ISBH-Public Health Statistics

Table 178

NUMBER OF DEATHS AND DEATH RATES FOR NONWHITE POPULATION BY INFANT, NEONATAL, PERINATAL, FETAL, AND MATERNAL CATEGORIES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN 1980 CENSUS)

CITY	LIVE BIRTHS	INFANT DEATHS	NEONATAL DEATHS	PERINATAL DEATHS	FETAL DEATHS	MATERNAL DEATHS	INFANT DEATH RATES*	NEONATAL DEATH RATES*	PERINATAL DEATH RATES**	FETAL DEATH RATES*	MATERNAL DEATH RATES***
Alexandria	1	0	0	1	1	0	0.0	0.0	500.0	1,000.0	0.0
Anderson	165	4	4	8	4	0	24.2	24.2	47.3	24.2	0.0
Angola	0	0	0	0	0	0	--	--	--	--	--
Auburn	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Bedford	0	0	0	0	0	0	--	--	--	--	--
Beech Grove	2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Bloomington	50	0	0	10	10	0	0.0	0.0	166.7	200.0	0.0
Bluffton	2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Boonville	2	0	0	1	1	0	0.0	0.0	333.3	500.0	0.0
Brazil	2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Brownsburg	0	0	0	0	0	0	--	--	--	--	--
Carmel	6	0	0	1	1	0	0.0	0.0	142.9	166.7	0.0
Cedar Lake	0	0	0	1	1	0	--	--	1,000.0	--	--
Charleston	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Chesterton	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Clarksville	4	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Clinton	0	0	0	0	0	0	--	--	--	--	--
Columbia City	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Columbus	16	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Connersville	5	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Crawfordsville	2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Crown Point	4	0	0	2	2	0	0.0	0.0	333.3	500.0	0.0
Decatur	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Dyer	0	0	0	0	0	0	--	--	--	--	--
East Chicago	176	5	2	6	4	0	28.4	11.4	33.3	22.7	0.0
Elkhart	169	2	2	6	4	0	11.8	11.8	34.7	23.7	0.0
Elwood	2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Evansville	278	9	6	13	7	0	32.4	21.6	45.6	25.2	0.0
Fort Wayne	742	11	6	22	16	0	14.8	8.1	29.0	21.6	0.0
Frankfort	4	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Franklin	4	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Gary	1,521	25	11	55	44	0	16.4	7.2	35.1	28.9	0.0
Gas City	0	0	0	0	0	0	--	--	--	--	--
Goshen	5	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Greencastle	0	0	0	0	0	0	--	--	--	--	--
Greenfield	0	0	0	0	0	0	--	--	--	--	--
Greensburg	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Greenwood	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Griffith	6	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Hammond	142	3	2	4	2	0	21.1	14.1	27.8	14.1	0.0
Hartford City	0	0	0	0	0	0	--	--	--	--	--
Highland	3	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

Table 178 (Continued)

NUMBER OF DEATHS AND DEATH RATES FOR NONWHITE POPULATION BY INFANT, NEONATAL, PERINATAL, FETAL, AND MATERNAL CATEGORIES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN 1980 CENSUS)

CITY	LIVE BIRTHS	INFANT DEATHS	NEONATAL DEATHS	PERINATAL DEATHS	FETAL DEATHS	MATERNAL DEATHS	INFANT DEATH RATES*	NEONATAL DEATH RATES*	PERINATAL DEATH RATES**	FETAL DEATH RATES*	MATERNAL DEATH RATES***
Hobart	2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Huntingburg	0	0	0	0	0	0	--	--	--	--	--
Huntington	3	0	0	2	2	0	0.0	0.0	400.0	666.7	0.0
Indianapolis	3,548	84	63	106	43	0	23.7	17.8	29.5	12.1	0.0
Jasper	0	0	0	0	0	0	--	--	--	--	--
Jeffersonville	45	2	2	6	4	0	44.4	44.4	122.5	88.9	0.0
Kendallville	0	0	0	0	0	0	--	--	--	--	--
Kokomo	73	1	0	0	0	0	13.7	0.0	0.0	0.0	0.0
Lafayette	26	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Lake Station	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
LaPorte	3	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Lawrence	3	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Lebanon	0	0	0	0	0	0	--	--	--	--	--
Linton	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Logansport	5	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Lowell	0	0	0	0	0	0	--	--	--	--	--
Madison	3	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Marion	99	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Martinsville	1	0	0	1	1	0	0.0	0.0	500.0	1,000.0	0.0
Merrillville	23	0	0	1	1	0	0.0	0.0	41.7	43.5	0.0
Michigan City	141	5	3	7	4	0	35.5	21.3	48.3	28.4	0.0
Mishawaka	19	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Monticello	0	0	0	0	0	0	--	--	--	--	--
Mooresville	0	0	0	0	0	0	--	--	--	--	--
Mount Vernon	2	0	0	1	1	0	0.0	0.0	333.3	500.0	0.0
Muncie	140	0	0	5	5	0	0.0	0.0	34.5	35.7	0.0
Munster	7	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
New Albany	43	1	1	2	1	0	23.3	23.3	45.5	23.3	0.0
New Castle	6	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
New Haven	2	0	0	3	3	0	0.0	0.0	600.0	1,500.0	0.0
Noblesville	6	0	0	1	1	0	0.0	0.0	142.9	166.7	0.0
North Manchester	0	0	0	0	0	0	--	--	--	--	--
North Vernon	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Peru	9	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Plainfield	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Plymouth	0	0	0	0	0	0	--	--	--	--	--
Portage	6	0	0	1	1	0	0.0	0.0	142.9	166.7	0.0
Portland	0	0	0	1	1	0	--	--	1,000.0	--	--
Princeton	2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Richmond	56	1	1	2	1	0	17.9	17.9	35.1	17.9	0.0
Rochester	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

Table 178 (Continued)

NUMBER OF DEATHS AND DEATH RATES FOR NONWHITE POPULATION BY INFANT, NEONATAL, PERINATAL, FETAL, AND MATERNAL CATEGORIES, BY INDIANA CITY OF RESIDENCE, 1987
(OVER 5,000 POPULATION IN 1980 CENSUS)

CITY	LIVE BIRTHS	INFANT DEATHS	NEONATAL DEATHS	PERINATAL DEATHS	FETAL DEATHS	MATERNAL DEATHS	INFANT DEATH RATES*	NEONATAL DEATH RATES*	PERINATAL DEATH RATES**	FETAL DEATH RATES*	MATERNAL DEATH RATES***
Rushville	2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Salem	0	0	0	0	0	0	--	--	--	--	--
Schererville	2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Scottsburg	0	0	0	0	0	0	--	--	--	--	--
Seymour	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Shelbyville	5	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
South Bend	521	9	5	15	10	0	17.3	9.6	28.3	19.2	0.0
Speedway	2	1	1	1	0	0	500.0	500.0	500.0	0.0	0.0
Tell City	0	0	0	0	0	0	--	--	--	--	--
Terre Haute	95	6	4	5	1	0	63.2	42.1	52.1	10.5	0.0
Tipton	0	0	0	0	0	0	--	--	--	--	--
Union City	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Valparaiso	8	0	0	1	1	0	0.0	0.0	111.1	125.0	0.0
Vincennes	12	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Wabash	0	0	0	0	0	0	--	--	--	--	--
Warsaw	4	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Washington	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
West Lafayette	70	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Whiting	1	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Winchester	0	0	0	0	0	0	--	--	--	--	--

*Per 1,000 Live Births
***Per 1,000 Live Births plus Fetal Deaths
***Per 100,000 Live Births
--Divisor was zero
Source: ISBH-Public Health Statistics

1987 INDIANA MORTALITY REPORT

Maps and Figures

Map 1

MORTALITY RATES PER 100,000 POPULATION, INDIANA, 1987



Source: ISBH–Public Health Statistics

Map 2

HEART DISEASE MORTALITY RATES PER 100,000 POPULATION, INDIANA, 1987



Source: ISBH–Public Health Statistics

Map 3

CANCER MORTALITY RATES PER 100,000 POPULATION, INDIANA, 1987



Source: ISBH–Public Health Statistics

Map 4

CEREBROVASCULAR DISEASE MORTALITY RATES PER 100,000 POPULATION, INDIANA, 1987



Source: ISBH–Public Health Statistics

Map 5

INFANT MORTALITY RATES PER 1,000
LIVE BIRTHS, INDIANA, 1987



Source: ISBH–Public Health Statistics

Map 6

NEONATAL MORTALITY RATES PER 1,000 LIVE BIRTHS, INDIANA, 1987



Source: ISBH–Public Health Statistics

Map 7

PERINATAL MORTALITY RATES PER 1,000
LIVE BIRTHS, INDIANA, 1987



Source: ISBH–Public Health Statistics

Map 8

FETAL MORTALITY RATES PER 1,000 LIVE BIRTHS, INDIANA, 1987



Source: ISBH–Public Health Statistics

Figure 1

AGE ADJUSTED MORTALITY RATES, INDIANA AND THE UNITED STATES, 1960–1985



Adjusted to 1980 Census
Source: ISBH–Public Health Statistics

Figure 3

FETAL DEATH RATES, INDIANA AND THE UNITED STATES, 1960 –1985



Source: ISBH–Public Health Statistics

Figure 4

INFANT DEATH RATES, INDIANA AND THE UNITED STATES, 1960 – 1985



Source: ISBH–Public Health Statistics

Figure 5

NEONATAL DEATH RATES, INDIANA AND THE UNITED STATES, 1960 – 1985



Source: ISBH–Public Health Statistics

Figure 6

LEADING CAUSES OF DEATH, INDIANA, 1987



Source: ISBH–Public Health Statistics

1987 INDIANA MORTALITY REPORT

Appendix 1

TABLE A-1

ESTIMATED POPULATION BY RACE AND SEX, BY AGE, INDIANA, 1987

AGE GROUP	TOTAL	TOTAL MALE	TOTAL FEMALE	WHITE	WHITE MALE	WHITE FEMALE	NONWHITE	NONWHITE MALE	NONWHITE FEMALE
TOTAL	5,531,300	2,682,670	2,848,630	5,020,900	2,439,260	2,581,640	510,400	243,410	266,990
UNDER 1	78,590	40,040	38,550	68,980	35,150	33,840	9,600	4,890	4,710
1 - 4	326,910	166,580	160,330	286,980	146,230	140,740	39,940	20,360	19,590
5 - 9	405,910	207,810	198,100	357,020	182,960	174,050	48,890	24,850	24,050
10 - 14	412,660	211,670	200,990	364,510	187,380	177,130	48,150	24,290	23,860
15 - 19	455,380	232,230	223,150	409,440	209,440	199,990	45,940	22,790	23,160
20 - 24	496,380	250,360	246,020	447,370	226,380	220,990	49,010	23,980	25,030
25 - 29	474,300	235,230	239,070	424,380	211,450	212,940	49,920	23,780	26,130
30 - 34	442,660	218,340	224,320	398,050	197,630	200,470	44,610	20,750	23,850
35 - 39	409,740	201,380	208,360	373,580	184,620	188,960	36,160	16,760	19,400
40 - 44	349,100	170,820	178,280	321,790	158,270	163,520	27,310	12,550	14,760
45 - 49	286,290	139,730	146,560	264,750	129,950	134,800	21,540	9,780	11,760
50 - 54	253,760	122,440	131,320	234,700	113,850	120,850	19,060	8,590	10,470
55 - 59	251,680	119,470	132,210	233,500	111,320	122,170	18,180	8,150	10,040
60 - 64	242,470	112,160	130,310	226,910	105,140	121,770	15,560	7,020	8,540
65 - 69	203,150	90,350	112,800	190,880	84,910	105,970	12,270	5,440	6,830
70 - 74	168,210	71,580	96,630	158,500	67,450	91,060	9,710	4,130	5,570
75 - 79	123,560	47,240	76,320	116,730	44,490	72,220	6,830	2,750	4,100
80 - 84	79,460	26,740	52,720	75,240	25,260	49,990	4,220	1,480	2,730
85+	71,100	18,520	52,580	67,580	17,410	50,170	3,520	1,110	2,410

Source: ISBH-Public Health Statistics

TABLE A-2

ESTIMATED POPULATION BY RACE, BY INDIANA COUNTY OF RESIDENCE, 1987

	JULY 1, 1987 ESTIMATES			1980 CENSUS		
COUNTY	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE
INDIANA	5,531,300	5,020,900	510,400	5,490,224	5,004,394	485,830
ADAMS	30,900	NA	NA	29,619	29,100	519
ALLEN	302,000	265,620	36,380	294,335	262,908	31,427
BARTHOLOMEW	65,000	NA	NA	65,088	63,477	1,611
BENTON	9,800	NA	NA	10,218	10,174	44
BLACKFORD	14,600	NA	NA	15,570	15,524	46
BOONE	38,600	NA	NA	36,446	36,227	219
BROWN	13,100	NA	NA	12,377	12,287	90
CARROLL	19,300	NA	NA	19,722	19,630	92
CASS	40,200	NA	NA	40,936	40,449	487
CLARK	89,500	NA	NA	88,838	83,869	4,969
CLAY	24,800	NA	NA	24,862	24,713	149
CLINTON	31,400	NA	NA	31,545	31,344	201
CRAWFORD	10,300	NA	NA	9,820	9,757	63
DAVIESS	28,800	NA	NA	27,836	27,649	187
DEARBORN	37,900	NA	NA	34,291	33,930	361
DECATUR	23,900	NA	NA	23,841	23,749	92
DEKALB	34,800	NA	NA	33,606	33,374	232
DELAWARE	120,500	111,400	9,100	128,587	120,018	8,569
DUBOIS	36,300	NA	NA	34,238	34,129	109
ELKHART	149,700	140,870	8,830	137,330	129,971	7,359
FAYETTE	27,400	NA	NA	28,272	27,691	581
FLOYD	64,000	NA	NA	61,169	58,736	2,433
FOUNTAIN	18,400	NA	NA	19,033	18,958	75
FRANKLIN	20,000	NA	NA	19,612	19,569	43
FULTON	18,600	NA	NA	19,335	19,072	263
GIBSON	33,200	NA	NA	33,156	32,427	729
GRANT	76,600	69,500	7,100	80,934	74,581	6,353
GREENE	30,700	NA	NA	30,416	30,293	123
HAMILTON	98,100	NA	NA	82,027	81,025	1,002
HANCOCK	45,000	NA	NA	43,939	43,636	303
HARRISON	28,800	NA	NA	27,276	27,059	217
HENDRICKS	76,100	NA	NA	69,804	69,117	687
HENRY	49,600	NA	NA	53,336	52,649	687
HOWARD	84,400	78,220	6,180	86,896	81,711	5,185
HUNTINGTON	35,900	NA	NA	35,596	35,269	327
JACKSON	37,300	NA	NA	36,523	36,217	306
JASPER	26,200	NA	NA	26,138	25,919	219
JAY	21,900	NA	NA	23,239	23,085	154
JEFFERSON	29,400	NA	NA	30,419	29,844	575

TABLE A-2 (Continued)

ESTIMATED POPULATION BY RACE, BY INDIANA COUNTY OF RESIDENCE, 1987

COUNTY	JULY 1, 1987 ESTIMATES			1980 CENSUS		
	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE
JENNINGS	23,000	NA	NA	22,854	22,588	266
JOHNSON	86,100	NA	NA	77,240	75,912	1,328
KNOX	40,900	NA	NA	41,838	41,107	731
KOSCIUSKO	64,200	NA	NA	59,555	58,719	836
LAGRANGE	28,900	NA	NA	25,550	25,440	110
LAKE	481,200	318,230	162,970	522,965	373,428	149,537
LAPORTE	104,600	93,920	10,680	108,632	98,899	9,733
LAWRENCE	42,900	NA	NA	42,472	42,224	248
MADISON	132,800	121,300	11,500	139,336	128,913	10,423
MARION	790,100	597,460	192,640	765,233	601,092	164,141
MARSHALL	41,200	NA	NA	39,155	38,769	386
MARTIN	11,300	NA	NA	11,001	10,930	71
MIAMI	38,400	NA	NA	39,820	37,886	1,934
MONROE	103,600	NA	NA	98,785	93,472	5,313
MONTGOMERY	35,800	NA	NA	35,501	35,211	290
MORGAN	54,300	NA	NA	51,999	51,845	154
NEWTON	13,800	NA	NA	14,844	14,743	101
NOBLE	38,300	NA	NA	35,443	35,211	232
OHIO	5,400	NA	NA	5,114	5,053	61
ORANGE	19,100	NA	NA	18,677	18,376	301
OWEN	17,400	NA	NA	15,841	15,725	116
PARKE	15,900	NA	NA	16,372	16,270	102
PERRY	18,800	NA	NA	19,346	19,272	74
PIKE	12,900	NA	NA	13,465	13,395	70
PORTER	123,100	NA	NA	119,816	117,846	1,970
POSEY	25,800	NA	NA	26,414	25,989	425
PULASKI	13,300	NA	NA	13,258	13,155	103
PUTNAM	30,300	NA	NA	29,163	28,579	584
RANDOLPH	27,800	NA	NA	29,997	29,781	216
RIPLEY	25,300	NA	NA	24,398	24,308	90
RUSH	18,400	NA	NA	19,604	19,384	220
ST. JOSEPH	242,400	212,710	29,690	241,617	216,070	25,547
SCOTT	21,100	NA	NA	20,422	20,296	126
SHELBY	40,500	NA	NA	39,887	39,412	475
SPENCER	19,900	NA	NA	19,361	19,174	187
STARKE	21,700	NA	NA	21,997	21,808	189
STEUBEN	27,400	NA	NA	24,694	24,351	343
SULLIVAN	20,300	NA	NA	21,107	21,034	73
SWITZERLAND	7,500	NA	NA	7,153	7,114	39
TIPPECANOE	124,800	NA	NA	121,702	116,918	4,784
TIPTON	16,500	NA	NA	16,819	16,723	96
UNION	6,900	NA	NA	6,860	6,816	44

TABLE A-2 (Continued)

ESTIMATED POPULATION BY RACE, BY INDIANA COUNTY OF RESIDENCE, 1987

	JULY 1, 1987 ESTIMATES			1980 CENSUS		
COUNTY	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE
VANDERBURGH	166,700	151,970	14,730	167,515	154,335	13,180
VERMILLION	17,500	NA	NA	18,229	18,144	85
VIGO	107,600	99,460	8,140	112,385	104,799	7,586
WABASH	35,500	NA	NA	36,640	36,154	486
WARREN	8,300	NA	NA	8,976	8,949	27
WARRICK	46,300	NA	NA	41,474	40,971	503
WASHINGTON	23,100	NA	NA	21,932	21,870	62
WAYNE	72,300	NA	NA	76,058	71,697	4,361
WELLS	26,100	NA	NA	25,401	25,268	133
WHITE	23,600	NA	NA	23,867	23,759	108
WHITLEY	27,600	NA	NA	26,215	26,073	142

Source: ISBH-Public Health Statistics

TABLE A-3

ESTIMATED POPULATION OF CITIES,
INDIANA, 1987

	JULY 1, 1987 ESTIMATE	1980 CENSUS	PERCENT CHANGE
Alexandria	5,430	6,028	-9.9
Anderson	60,870	64,695	-5.9
Angola	5,870	5,486	7.0
Auburn	9,180	8,122	13.0
Bedford	13,770	14,410	-4.4
Beech Grove	13,240	13,196	0.3
Bloomington	54,560	52,044	4.8
Bluffton	9,200	8,705	5.7
Boonville	7,310	6,300	16.0
Brazil	7,710	7,852	-1.8
Brownsburg	6,670	6,242	6.9
Carmel	22,310	18,272	22.1
Cedar Lake	8,890	8,754	1.6
Charleston	5,910	5,596	5.6
Chesterton	8,490	8,531	-0.5
Clarksville	14,500	15,164	-4.4
Clinton	4,760	5,267	-9.6
Columbia City	5,280	5,091	3.7
Columbus	30,820	30,614	0.7
Connersville	16,350	17,023	-4.0
Crawfordsville	13,740	13,325	3.1
Crown Point	16,840	16,455	2.3
Decatur	8,790	8,649	1.6
Dyer	9,820	9,555	2.8
East Chicago	36,470	39,786	-8.3
Elkhart	44,720	41,305	8.3
Elwood	9,900	10,867	-8.9
Evansville	128,850	130,496	-1.3
Fort Wayne	176,360	172,196	2.4
Frankfort	15,310	15,168	0.9
Franklin	12,160	11,563	5.2
Gary	134,630	151,953	-11.4
Gas City	6,340	6,370	-0.5
Goshen	21,820	19,665	11.0
Greencastle	7,970	8,403	-5.2
Greenfield	12,300	11,439	7.5
Greensburg	8,930	9,254	-3.5
Greenwood	23,500	19,327	21.6
Griffith	16,170	17,026	-5.0
Hammond	85,510	93,714	-8.8
Hartford City	7,490	7,622	-1.7
Highland	24,010	25,935	-7.4
Hobart	22,180	22,987	-3.5
Huntingburg	5,400	5,376	0.5
Huntington	17,130	16,202	5.7
Indianapolis	723,570	700,807	3.3

TABLE A-3 (Continued)

ESTIMATED POPULATION OF CITIES,
INDIANA, 1987

	JULY 1, 1987 ESTIMATE	1980 CENSUS	PERCENT CHANGE
Jasper	9,680	9,097	6.4
Jeffersonville	21,270	22,003	-3.3
Kendallville	7,850	7,299	7.6
Kokomo	44,780	47,808	-6.3
Lafayette	44,270	43,011	2.9
Lake Station	14,020	14,294	-1.9
LaPorte	21,730	21,796	-0.3
Lawrence	26,860	25,591	5.0
Lebanon	11,660	11,456	1.8
Linton	5,940	6,315	-5.9
Logansport	17,280	17,899	-3.5
Lowell	6,020	5,827	3.3
Madison	11,730	12,472	-6.0
Marion	35,400	35,874	-1.3
Martinsville	12,190	11,311	7.8
Merrillville	26,610	27,677	-3.9
Michigan City	35,470	36,850	-3.7
Mishawaka	41,660	40,201	3.6
Monticello	5,090	5,162	-1.4
Mooresville	5,740	5,349	7.3
Mount Vernon	8,430	7,656	10.1
Muncie	72,960	77,216	-5.5
Munster	20,100	20,671	-2.8
New Albany	37,400	37,103	0.8
New Castle	18,090	20,056	-9.8
New Haven	7,310	6,714	8.9
Noblesville	15,940	12,056	32.2
North Manchester	5,850	5,998	-2.5
North Vernon	5,670	5,768	-1.7
Peru	13,140	13,764	-4.5
Plainfield	10,670	9,191	16.1
Plymouth	8,230	7,693	7.0
Portage	28,500	27,409	4.0
Portland	6,560	7,074	-7.3
Princeton	8,880	8,976	-1.1
Richmond	39,120	41,349	-5.4
Rochester	6,110	5,050	21.0
Rushville	5,450	6,113	-10.9
Salem	5,410	5,290	2.3
Schererville	14,980	13,209	13.4
Scottsburg	5,160	5,068	1.8
Seymour	15,380	15,050	2.2
Shelbyville	14,530	14,989	-3.1
South Bend	106,690	109,727	-2.8
Speedway	12,010	12,641	-5.0
Tell City	8,560	8,704	-1.7

TABLE A-3 (Continued)

ESTIMATED POPULATION OF CITIES,
INDIANA, 1987

	JULY 1, 1987 ESTIMATE	1980 CENSUS	PERCENT CHANGE
Terre Haute	57,130	61,125	-6.5
Tipton	4,730	5,004	-5.5
Union City	3,310	3,908	-15.3
Valparaiso	22,450	22,247	0.9
Vincennes	20,360	20,857	-2.4
Wabash	12,010	12,985	-7.5
Warsaw	11,170	10,647	4.9
Washington	11,340	11,325	0.1
West Lafayette	21,320	21,247	0.3
Whiting	5,090	5,630	-9.6
Winchester	5,330	5,659	-5.8

Source: ISBH-Public Health Statistics

1987 INDIANA MORTALITY REPORT

Appendix 2

DATA SOURCES, LIMITATIONS AND DEFINITIONS

SOURCES OF DATA

Information on births, deaths, fetal deaths and marriages is compiled from the original documents filed in the Vital Records Section and from transcripts of original certificates filed in other states but affecting Indiana residents. This report includes all 1987 births, deaths, and fetal deaths for which records were received before April 15, 1988, and excluded certificates and transcripts received after that date. Because the number of 1987 vital events which are not included is small, the figures shown are relatively complete counts and are considered satisfactory as descriptive statistics.

POPULATION

Population estimates were prepared by the Indiana School of Business and the U.S. Census Bureau.

RELIABILITY OF RATES

Many of the rates shown in this report are based on a small population, a small number of events, or both. The rates based on small numbers may be questionable due to chance factors and should be used with caution. Rates for counties with small populations also may vary considerably from year to year. In addition, one must make allowances for differences in age distributions, etc., when rates are not adjusted. Caution must be exercised when forming conclusions on the basis of crude or non-adjusted rates.

DEFINITIONS

Occurrence - Place where the event actually occurred.

Residence - Usual place of residence for person to whom event occurred. For births and fetal deaths, residence is defined as the mother's usual place of residence.

Births

Total Births - Total live births.

Live Birth - The complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Deaths

Death - The permanent disappearance of any evidence of life at any time after live birth.

Fetal Death - Death prior to the complete expulsion or extraction from its mother of a product of human conception, and the gestation period is at least 20 weeks. The death is indicated by the fact that after such expulsion or extraction, the fetus does not breathe or show any evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Neonatal - Deaths occurring to an individual of less than 28 days of age.

Postneonatal - Deaths occurring to an individual 28 days of age or more but under one year of age.

Perinatal - Sum of all Fetal deaths plus Neonatal deaths.

Infant Death - Death occurring to an individual less than one year of age.

Death Rates

Death Rate or Crude Death Rate - Number of deaths per 100,000 population.

Cause-Specific Death Rate - Number of deaths from a specific cause per 100,000 population.

Age-Specific Deaths Rate - Number of deaths in a specific age group per 100,000 population.

Age-Adjusted Death Rate - Total mortality and cause-specific death rates are age-adjusted by multiplying the mortality rate for each age group within a population grouping by the population of that age group within a standard population. The standard population used was the population of the United States in 1940. The sum of these results for each of these age groups for a given population is the age-adjusted rate. The age-adjusted rate is expressed as a rate per 100,000 population.

Fetal Death Rate - Number of reportable fetal deaths per 1,000 live births.

Infant Death Rate - Number of deaths under one year of age per 1,000 live births.

Neonatal Death Rate - Number of deaths under 28 days of age per 1,000 live births.

Postneonatal Death Rate - Number of deaths between 28 days of age and one year of age per 1,000 live births.

Perinatal Death Rate - Number of Fetal and Neonatal deaths per 1,000 live births.

TABLE B-1

ICD-9 CAUSE NUMBERS FOR SELECTED CAUSES OF DEATH

CAUSES	ICD-9 CODE
INFECTIOUS & PARASITIC DISEASES	
INTESTINAL INFECTIOUS DISEASES	001-009
TUBERCULOSIS	010-018
SEPTICEMIA	038
OTHER BACTERIAL DISEASES	020-037,039-041
AIDS	042-044
VIRAL HEPATITIS	070
OTHER VIRAL DISEASES	045-066,071-079
VENEREAL DISEASES	090-099
OTHER INFECTIOUS AND PARASITIC DISEASES	080-088,100-139
NEOPLASMS	
MALIGNANT NEOPLASMS	
Buccal Cavity and Pharynx	140-149
Digestive Organs and Peritoneum	150-159
Respiratory System	160-165
Breast	174-175
Female Reproductive Organs	179-184
Kidney	189
Other Genitourinary Organs	185-188
Other and Unspecified	170-173,199-199
Lymphatic and Hematopoietic	200-208
OTHER NEOPLASMS	210-239
ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	
DISORDERS OF THYROID GLAND	240-246
DIABETES MELLITUS	250
NUTRITIONAL DEFICIENCIES	260-269
OTHER ENDOCRINE AND METABOLIC DISORDERS	251-259,270-279
DISEASES OF THE BLOOD & BLOOD FORMING ORGANS	
ANEMIAS	280-285
OTHER DISEASES OF THE BLOOD	286-289
MENTAL DISORDERS	
ALCOHOLISM, ETC.	291,303,305.0
DRUG DEPENDENCE	292,304,305.2-305.9
OTHER MENTAL DISORDERS	290,293-302,305.1,306-319
DISEASES OF NERVOUS SYSTEM & SENSE ORGANS	
MENINGITIS	320-322
OTHER INFLAMMATORY DISEASES OF C.N.S.	323-326
ALZHEIMER'S DISEASE	331.0
PARKINSON'S DISEASE	332
MULTIPLE SCLEROSIS	340
EPILEPSY	345
MUSCULAR DYSTROPHY	359.0-359.2
OTHER DISEASES OF NERVOUS SYSTEM	330,331.2-331.9,333-337, 341-344,346-358,359.3-359.9, 360-389

TABLE B-1 (Continued)

ICD-9 CAUSE NUMBERS FOR SELECTED CAUSES OF DEATH

CAUSES	ICD-9 CODE
DISEASES OF THE CIRCULATORY SYSTEM	
DISEASES OF THE HEART	
Rheumatic Fever and Rheumati Heart Disease	390-398
Hypertensive Heart	402
Hypertensive Heart and REnal	404
Acute Myocardial Infarction	410
Other Ischemic Heart Disease	411-414
Diseases of Pulmonary Circulation	415-417
Other Heart Disease	420-429
CEREBROVASCULAR DISEASE	430-438
OTHER HYPERTENSIVE DISEASES	401,403
DISEASES OF ARTERIES	440-448
DISEASES OF VEINS	451-456
OTHER DISEASES OF CIRCULATORY SYSTEM	457-459
DISEASES OF THE RESPIRATORY SYSTEM	
ACUTE BRONCHITIS	466
PNEUMONIA	480-486
INFLUENZA	487
PNEUMOCONIOSIS, ETC.	500-508
BRONCHITIS, CHRONIC AND UNSPECIFIED	490-491
EMPHYSEMA	492
ASTHMA	493
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	494-496
OTHER DISEASES OF RESPIRATORY SYSTEM	460-465,470-478,510-519
DISEASES OF THE DIGESTIVE SYSTEM	
ULCER OF STOMACH & DUODENUM	531-534
GASTRITIS, ETC.	535,555-558
APPENDICITIS	540-543
HERNIA & INTESTINAL OBSTRUCTION	550-553,560
CHRONIC LIVER DISEASE AND CIRRHOSIS	571
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER	574-575
OTHER DIGESTIVE SYSTEM	520-530,536-537,562-570, 572-573,576-579
DISEASES OF THE GENITOURINARY SYSTEM	
NEPHRITIS & NEPHROSIS	580-589
INFECTIONS OF KIDNEY	590
OTHER DISEASES OF URINARY SYSTEM	591-599
DISEASES OF MALE GENITAL ORGANS	600-608
OTHER DISEASES OF GENITOURINARY SYSTEM	610-629
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	630-676
DISEASES OF THE SKIN & SUBCUTANEOUS TISSUE	680-709
DISEASES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE	710-739

TABLE B-1 (Continued)

ICD-9 CAUSE NUMBERS FOR SELECTED CAUSES OF DEATH

CAUSES	ICD-9 CODE
CONGENITAL ANOMALIES	740-759
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	760-779
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	
SUDDEN INFANT DEATH SYNDROME	798.0
OTHER	780-797,798.1-799
INJURY & POISONING	
ACCIDENTS	
Motor Vehicle	810-825
Poisoning	850-869
Falls	880-888
Fire & Explosion	890-899,921,923
Drowning	910
Inhalation & Ingestion	911-912
Firearms	922
Electric Current	925
Other	800-807,826-848,870-879,900-909, 913-918,920,924,926-949
SUICIDE	950-959
HOMICIDE	960-969
ALL OTHER EXTERNAL CAUSES	980-999